

# AFRILANG Stdlib

## std/discount

**Français.** Bibliothèque AFRILANG 'std/discount' (niveau simple, catégorie finance). Elle expose 2 fonction(s) : applyDiscount, discountAmount.

```
'import "std/discount"' · 'use discount'
```

```
- 'applyDiscount(price number, rate number) → number' - 'discountAmount(price number, rate number) → number'
```

**English.** AFRILANG library 'std/discount' (tier simple, category finance). Exports 2 function(s): applyDiscount, discountAmount.

```
'import "std/discount"' · 'use discount'
```

```
- 'applyDiscount(price number, rate number) → number' - 'discountAmount(price number, rate number) → number'
```

## Contents

## Français

### 1. Vue d'ensemble

Bibliothèque AFRILANG 'std/discount' (niveau simple, catégorie finance). Elle expose 2 fonction(s) : applyDiscount, discountAmount.

'import "std/discount"' · 'use discount'

```
- `applyDiscount(price number, rate number) → number`
- `discountAmount(price number, rate number) → number`
```

### 2. Installation & import

Ajoutez le module à votre programme :

```
import "std/discount"
use discount
```

Niveau : simple · Catégorie : Finance  
Monnaie, intérêts, budgets, marchés.

### 3. Référence API

- applyDiscount(price number, rate number) → number  
discountAmount(price number, rate number) → number

### 4. Exemples d'utilisation

```
import "std/discount"
use discount
```

```
create result = applyDiscount(/* args */)
say result
```

```
create result = discountAmount(/* args */)
say result
```

### 5. Bonnes pratiques

- Préférez `import "std/discount"` en tête de fichier.  
Lancez `afrilang check` avant de livrer.  
Combinez avec les modules stdlib de la même catégorie.  
Voir /stdlib/ pour le source live et les démos playground.  
Signalez les problèmes sur GitHub si une export manque.

### 6. Annexe — source

module discount

```
function applyDiscount(price number, rate number) returns number
end
```

```
function discountAmount(price number, rate number) returns number
end
end
```

## English

### 1. Overview

AFRILANG library 'std/discount' (tier simple, category finance). Exports 2 function(s): applyDiscount, discountAmount.

'import "std/discount"' · 'use discount'

```
- `applyDiscount(price number, rate number) → number`
- `discountAmount(price number, rate number) → number`
```

### 2. Installation & import

Add the module to your program:

```
import "std/discount"
use discount
```

Tier: simple · Category: Finance  
Currency, interest, budgets, markets.

### 3. API reference

- applyDiscount(price number, rate number) → number  
discountAmount(price number, rate number) → number

### 4. Usage examples

```
import "std/discount"
use discount
```

```
create result = applyDiscount(/* args */)
say result
```

```
create result = discountAmount(/* args */)
say result
```

### 5. Best practices

- Prefer `import "std/discount"` at the top of your file.  
Run `afri-lang check` before shipping.  
Combine with related stdlib modules from the same category.  
See /stdlib/ for the live source and playground demos.  
Report issues on GitHub if an export is missing or undocumented.

### 6. Appendix — source

module discount

```
function applyDiscount(price number, rate number) returns number
end
```

```
function discountAmount(price number, rate number) returns number
end
end
```

## Référence rapide / Quick reference

- Import : `import "std/discount"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/discount/>

## Source (extrait)

```
module discount

function applyDiscount(price number, rate number) returns number
end

function discountAmount(price number, rate number) returns number
end
end
```