

AFRILANG Stdlib

std/loan

Français. Bibliothèque AFRILANG 'std/loan' (niveau simple, catégorie finance). Elle expose 2 fonction(s) : monthlyPayment, totalPaid.

'import "std/loan"' · 'use loan'

- 'monthlyPayment(principal number, rate number, months number) → number' - 'totalPaid(payment number, months number) → number' **En-**

glish. AFRILANG library 'std/loan' (tier simple, category finance). Exports 2 function(s): monthlyPayment, totalPaid.

'import "std/loan"' · 'use loan'

- 'monthlyPayment(principal number, rate number, months number) → number' - 'totalPaid(payment number, months number) → number'

Catégorie / Category	Finance	
Niveau / Tier	simple	June 16, 2026
Fonctions / Functions	2	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/loan' (niveau simple, catégorie finance). Elle expose 2 fonction(s) : `monthlyPayment`, `totalPaid`.

'import "std/loan"' · 'use loan'

```
- `monthlyPayment(principal number, rate number, months number) → number`
- `totalPaid(payment number, months number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/loan"
use loan
```

Niveau : simple · Catégorie : Finance
Monnaie, intérêts, budgets, marchés.

3. Référence API

- `monthlyPayment(principal number, rate number, months number) → number`•
`totalPaid(payment number, months number) → number`

4. Exemples d'utilisation

```
import "std/loan"
use loan
```

```
create result = monthlyPayment(/* args */)
say result
```

```
create result = totalPaid(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/loan"`` en tête de fichier.
- Lancez ``afri-lang check`` avant de livrer.
- Combinez avec les modules `stdlib` de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module loan

```
function monthlyPayment(principal number, rate number, months number) returns number
end
```

```
function totalPaid(payment number, months number) returns number
end
end
```

English

1. Overview

AFRILANG library 'std/loan' (tier simple, category finance). Exports 2 function(s): monthlyPayment, totalPaid.

'import "std/loan"' · 'use loan'

```
- `monthlyPayment(principal number, rate number, months number) → number`
- `totalPaid(payment number, months number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/loan"
use loan
```

Tier: simple · Category: Finance
Currency, interest, budgets, markets.

3. API reference

- monthlyPayment(principal number, rate number, months number) → number•
totalPaid(payment number, months number) → number

4. Usage examples

```
import "std/loan"
use loan
```

```
create result = monthlyPayment(/* args */)
say result
```

```
create result = totalPaid(/* args */)
say result
```

5. Best practices

- Prefer `import "std/loan"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module loan

```
function monthlyPayment(principal number, rate number, months number) returns number
end
```

```
function totalPaid(payment number, months number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/loan"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/loan/>

Source (extrait)

```
module loan

function monthlyPayment(principal number, rate number, months number) returns number
end

function totalPaid(payment number, months number) returns number
end
end
```