

AFRILANG Stdlib

std/m/accentsstrip

Français. Bibliothèque AFRILANG 'std/m/accentsstrip' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : stripAccents, toAsciiFold, removeNonPrintable, collapseSpaces.

```
'import "std/m/accentsstrip"' · 'use accentsstrip'
```

- 'stripAccents(s text) → text' - 'toAsciiFold(s text) → text' - 'removeNonPrintable(s text) → text' - 'collapseSpaces(s text) → text'

English.

AFRILANG library 'std/m/accentsstrip' (tier medium, category medium). Exports 4 function(s): stripAccents, toAsciiFold, removeNonPrintable, collapseSpaces.

```
'import "std/m/accentsstrip"' · 'use accentsstrip'
```

- 'stripAccents(s text) → text' - 'toAsciiFold(s text) → text' - 'removeNonPrintable(s text) → text' - 'collapseSpaces(s text) → text'

Catégorie / Category	Modules medium (m/)
Niveau / Tier	medium
Fonctions / Functions	4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/accentsstrip' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : stripAccents, toAsciiFold, removeNonPrintable, collapseSpaces.

```
'import "std/m/accentsstrip"' · 'use accentsstrip'
```

```
- `stripAccents(s text) → text`
- `toAsciiFold(s text) → text`
- `removeNonPrintable(s text) → text`
- `collapseSpaces(s text) → text`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/accentsstrip"
use accentsstrip
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- stripAccents(s text) → text•
- toAsciiFold(s text) → text•
- removeNonPrintable(s text) → text•
- collapseSpaces(s text) → text

4. Exemples d'utilisation

```
import "std/m/accentsstrip"
use accentsstrip
```

```
create result = stripAccents(/* args */)
say result
```

```
create result = toAsciiFold(/* args */)
say result
```

```
create result = removeNonPrintable(/* args */)
say result
```

```
create result = collapseSpaces(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/m/accentsstrip"` en tête de fichier.
- Lancez `afirang check` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module accentstrip

```
function stripAccents(s text) returns text  
end
```

```
function toAsciiFold(s text) returns text  
end
```

```
function removeNonPrintable(s text) returns text  
end
```

```
function collapseSpaces(s text) returns text  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/accentsstrip' (tier medium, category medium). Exports 4 function(s): stripAccents, toAsciiFold, removeNonPrintable, collapseSpaces.

'import "std/m/accentsstrip"' · 'use accentsstrip'

```
- `stripAccents(s text) → text`  
- `toAsciiFold(s text) → text`  
- `removeNonPrintable(s text) → text`  
- `collapseSpaces(s text) → text`
```

2. Installation & import

Add the module to your program:

```
import "std/m/accentsstrip"  
use accentsstrip
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- stripAccents(s text) → text•
toAsciiFold(s text) → text•
removeNonPrintable(s text) → text•
collapseSpaces(s text) → text

4. Usage examples

```
import "std/m/accentsstrip"  
use accentsstrip
```

```
create result = stripAccents(/* args */)   
say result
```

```
create result = toAsciiFold(/* args */)   
say result
```

```
create result = removeNonPrintable(/* args */)   
say result
```

```
create result = collapseSpaces(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/accentsstrip"` at the top of your file.
- Run `afrilang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module accentstrip

```
function stripAccents(s text) returns text  
end
```

```
function toAsciiFold(s text) returns text  
end
```

```
function removeNonPrintable(s text) returns text  
end
```

```
function collapseSpaces(s text) returns text  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/accentstrip"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/accentstrip/>

Source (extrait)

```
module accentstrip  
  
function stripAccents(s text) returns text  
end  
  
function toAsciiFold(s text) returns text  
end  
  
function removeNonPrintable(s text) returns text  
end  
  
function collapseSpaces(s text) returns text  
end  
end
```