

# AFRILANG Stdlib

## std/m/amortize2

**Français.** Bibliothèque AFRILANG 'std/m/amortize2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : monthlyInterest, principalPart, remainingBalance, amortSchedule.

```
'import "std/m/amortize2"' · 'use amortize2'
```

```
- 'monthlyInterest(balance number, rate number) → number' - 'principalPart(payment number, interest number) → number' - 'remainingBalance(balance number, payment number, interest number) → number' - 'amortSchedule(balance number, rate number, payment number, months number) → list number'
```

**English.** AFRILANG library 'std/m/amortize2' (tier medium, category medium). Exports 4 function(s): monthlyInterest, principalPart, remainingBalance, amortSchedule.

```
'import "std/m/amortize2"' · 'use amortize2'
```

```
- 'monthlyInterest(balance number, rate number) → number' - 'principalPart(payment number, interest number) → number' - 'remainingBalance(balance number, payment number, interest number) → number' - 'amortSchedule(balance number, rate number, payment number, months number) → list number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

## Contents

## Français

### 1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/amortize2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : monthlyInterest, principalPart, remainingBalance, amortSchedule.

```
'import "std/m/amortize2"' · 'use amortize2'
```

```
- `monthlyInterest(balance number, rate number) → number`  
- `principalPart(payment number, interest number) → number`  
- `remainingBalance(balance number, payment number, interest number) → number`  
- `amortSchedule(balance number, rate number, payment number, months number) → list  
  number`
```

### 2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/amortize2"  
use amortize2
```

Niveau : medium · Catégorie : Modules medium (m/)  
Bibliothèques intermédiaires – import std/m.../

### 3. Référence API

- monthlyInterest(balance number, rate number) → number  
principalPart(payment number, interest number) → number  
remainingBalance(balance number, payment number, interest number) → number  
amortSchedule(balance number, rate number, payment number, months number) → list

### 4. Exemples d'utilisation

```
import "std/m/amortize2"  
use amortize2
```

```
create result = monthlyInterest(/* args */)   
say result
```

```
create result = principalPart(/* args */)   
say result
```

```
create result = remainingBalance(/* args */)   
say result
```

```
create result = amortSchedule(/* args */)   
say result
```

## 5. Bonnes pratiques

- Préférez ``import "std/m/amortize2"`` en tête de fichier.
- Lancez ``afrilang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

## 6. Annexe — source

module amortize2

```
function monthlyInterest(balance number, rate number) returns number
end
```

```
function principalPart(payment number, interest number) returns number
end
```

```
function remainingBalance(balance number, payment number, interest number) returns
  number
end
```

```
function amortSchedule(balance number, rate number, payment number, months number)
  returns list number
end
end
```

## English

### 1. Overview

AFRILANG library 'std/m/amortize2' (tier medium, category medium). Exports 4 function(s): `monthlyInterest`, `principalPart`, `remainingBalance`, `amortSchedule`.

```
'import "std/m/amortize2"' · 'use amortize2'
```

```
- `monthlyInterest(balance number, rate number) → number`  
- `principalPart(payment number, interest number) → number`  
- `remainingBalance(balance number, payment number, interest number) → number`  
- `amortSchedule(balance number, rate number, payment number, months number) → list  
  number`
```

### 2. Installation & import

Add the module to your program:

```
import "std/m/amortize2"  
use amortize2
```

Tier: medium · Category: Medium modules (m/)  
Intermediate libraries – import std/m.../

### 3. API reference

- `monthlyInterest(balance number, rate number) → number`•  
• `principalPart(payment number, interest number) → number`•  
• `remainingBalance(balance number, payment number, interest number) → number`•  
• `amortSchedule(balance number, rate number, payment number, months number) → list`

### 4. Usage examples

```
import "std/m/amortize2"  
use amortize2
```

```
create result = monthlyInterest(/* args */)   
say result
```

```
create result = principalPart(/* args */)   
say result
```

```
create result = remainingBalance(/* args */)   
say result
```

```
create result = amortSchedule(/* args */)   
say result
```

### 5. Best practices

- Prefer ``import "std/m/amortize2"`` at the top of your file.•  
• Run ``afirang check`` before shipping.•  
• Combine with related stdlib modules from the same category.•  
• See `/stdlib/` for the live source and playground demos.•  
• Report issues on GitHub if an export is missing or undocumented.

## 6. Appendix — source

module amortize2

```
function monthlyInterest(balance number, rate number) returns number
end
```

```
function principalPart(payment number, interest number) returns number
end
```

```
function remainingBalance(balance number, payment number, interest number) returns
  number
end
```

```
function amortSchedule(balance number, rate number, payment number, months number)
  returns list number
end
end
```

## Référence rapide / Quick reference

- Import : `import "std/m/amortize2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/amortize2/>

## Source (extrait)

```
module amortize2

function monthlyInterest(balance number, rate number) returns number
end

function principalPart(payment number, interest number) returns number
end

function remainingBalance(balance number, payment number, interest number) returns
  number
end

function amortSchedule(balance number, rate number, payment number, months number)
  returns list number
end
end
```