

AFRILANG Stdlib

std/m/bondcalc2

Français. Bibliothèque AFRILANG 'std/m/bondcalc2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : bondPrice, yieldToMaturity, currentYield, duration.

```
'import "std/m/bondcalc2"' · 'use bondcalc2'
```

```
- 'bondPrice(face number, coupon number, rate number, years number)
→ number' - 'yieldToMaturity(price number, face number, coupon num-
ber, years number) → number' - 'currentYield(coupon number, price
number) → number' - 'duration(years number, coupon number) → num-
ber'
```

English. AFRILANG library 'std/m/bondcalc2' (tier medium, category medium). Exports 4 function(s): bondPrice, yieldToMaturity, currentYield, duration.

```
'import "std/m/bondcalc2"' · 'use bondcalc2'
```

```
- 'bondPrice(face number, coupon number, rate number, years number)
→ number' - 'yieldToMaturity(price number, face number, coupon num-
ber, years number) → number' - 'currentYield(coupon number, price
number) → number' - 'duration(years number, coupon number) → num-
ber'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/bondcalc2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : bondPrice, yieldToMaturity, currentYield, duration.

```
'import "std/m/bondcalc2"' · 'use bondcalc2'
```

```
- `bondPrice(face number, coupon number, rate number, years number) → number`
- `yieldToMaturity(price number, face number, coupon number, years number) → number`
- `currentYield(coupon number, price number) → number`
- `duration(years number, coupon number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/bondcalc2"
use bondcalc2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- bondPrice(face number, coupon number, rate number, years number) → number•
- yieldToMaturity(price number, face number, coupon number, years number) → number•
- currentYield(coupon number, price number) → number•
- duration(years number, coupon number) → number

4. Exemples d'utilisation

```
import "std/m/bondcalc2"
use bondcalc2
```

```
create result = bondPrice(/* args */)
say result
```

```
create result = yieldToMaturity(/* args */)
say result
```

```
create result = currentYield(/* args */)
say result
```

```
create result = duration(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/m/bondcalc2"` en tête de fichier.
- Lancez `afirang check` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module bondcalc2

```
function bondPrice(face number, coupon number, rate number, years number) returns  
    number  
end
```

```
function yieldToMaturity(price number, face number, coupon number, years number)  
    returns number  
end
```

```
function currentYield(coupon number, price number) returns number  
end
```

```
function duration(years number, coupon number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/bondcalc2' (tier medium, category medium). Exports 4 function(s): bondPrice, yieldToMaturity, currentYield, duration.

```
'import "std/m/bondcalc2"' · 'use bondcalc2'
```

```
- `bondPrice(face number, coupon number, rate number, years number) → number`
- `yieldToMaturity(price number, face number, coupon number, years number) → number`
- `currentYield(coupon number, price number) → number`
- `duration(years number, coupon number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/bondcalc2"
use bondcalc2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- bondPrice(face number, coupon number, rate number, years number) → number•
yieldToMaturity(price number, face number, coupon number, years number) → number•
currentYield(coupon number, price number) → number•
duration(years number, coupon number) → number

4. Usage examples

```
import "std/m/bondcalc2"
use bondcalc2
```

```
create result = bondPrice(/* args */)
say result
```

```
create result = yieldToMaturity(/* args */)
say result
```

```
create result = currentYield(/* args */)
say result
```

```
create result = duration(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/bondcalc2"` at the top of your file.•
Run `afrilang check` before shipping.•
Combine with related stdlib modules from the same category.•
See /stdlib/ for the live source and playground demos.•
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module bondcalc2

```
function bondPrice(face number, coupon number, rate number, years number) returns
    number
end
```

```
function yieldToMaturity(price number, face number, coupon number, years number)
    returns number
end
```

```
function currentYield(coupon number, price number) returns number
end
```

```
function duration(years number, coupon number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/bondcalc2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/bondcalc2/>

Source (extrait)

```
module bondcalc2

function bondPrice(face number, coupon number, rate number, years number) returns
    number
end

function yieldToMaturity(price number, face number, coupon number, years number)
    returns number
end

function currentYield(coupon number, price number) returns number
end

function duration(years number, coupon number) returns number
end
end
```