

AFRILANG Stdlib

std/m/chrono2

Français. Bibliothèque AFRILANG 'std/m/chrono2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : elapsedDays, isWeekend, nextWeekday, businessDays.

```
'import "std/m/chrono2"' · 'use chrono2'
```

```
- 'elapsedDays(start text, end text) → number' - 'isWeekend(date text) → bool' - 'nextWeekday(date text) → text' - 'businessDays(start text, end text) → number'
```

English. AFRILANG library 'std/m/chrono2' (tier medium, category medium). Exports 4 function(s): elapsedDays, isWeekend, nextWeekday, businessDays.

```
'import "std/m/chrono2"' · 'use chrono2'
```

```
- 'elapsedDays(start text, end text) → number' - 'isWeekend(date text) → bool' - 'nextWeekday(date text) → text' - 'businessDays(start text, end text) → number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/chrono2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : `elapsedDays`, `isWeekend`, `nextWeekday`, `businessDays`.

'import "std/m/chrono2"' · 'use chrono2'

```
- `elapsedDays(start text, end text) → number`
- `isWeekend(date text) → bool`
- `nextWeekday(date text) → text`
- `businessDays(start text, end text) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/chrono2"
use chrono2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- `elapsedDays(start text, end text) → number`•
• `isWeekend(date text) → bool`•
• `nextWeekday(date text) → text`•
• `businessDays(start text, end text) → number`

4. Exemples d'utilisation

```
import "std/m/chrono2"
use chrono2
```

```
create result = elapsedDays(/* args */)
say result
```

```
create result = isWeekend(/* args */)
say result
```

```
create result = nextWeekday(/* args */)
say result
```

```
create result = businessDays(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/m/chrono2"`` en tête de fichier.
- Lancez ``afirang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module chrono2

```
function elapsedDays(start text, end text) returns number  
end
```

```
function isWeekend(date text) returns bool  
end
```

```
function nextWeekday(date text) returns text  
end
```

```
function businessDays(start text, end text) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/chrono2' (tier medium, category medium). Exports 4 function(s): `elapsedDays`, `isWeekend`, `nextWeekday`, `businessDays`.

'import "std/m/chrono2"' · 'use chrono2'

```
- `elapsedDays(start text, end text) → number`
- `isWeekend(date text) → bool`
- `nextWeekday(date text) → text`
- `businessDays(start text, end text) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/chrono2"
use chrono2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- `elapsedDays(start text, end text) → number`•
• `isWeekend(date text) → bool`•
• `nextWeekday(date text) → text`•
• `businessDays(start text, end text) → number`

4. Usage examples

```
import "std/m/chrono2"
use chrono2
```

```
create result = elapsedDays(/* args */)
say result
```

```
create result = isWeekend(/* args */)
say result
```

```
create result = nextWeekday(/* args */)
say result
```

```
create result = businessDays(/* args */)
say result
```

5. Best practices

- Prefer ``import "std/m/chrono2"`` at the top of your file.
- Run ``afri-lang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module chrono2

```
function elapsedDays(start text, end text) returns number  
end
```

```
function isWeekend(date text) returns bool  
end
```

```
function nextWeekday(date text) returns text  
end
```

```
function businessDays(start text, end text) returns number  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/chrono2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/chrono2/>

Source (extrait)

```
module chrono2  
  
function elapsedDays(start text, end text) returns number  
end  
  
function isWeekend(date text) returns bool  
end  
  
function nextWeekday(date text) returns text  
end  
  
function businessDays(start text, end text) returns number  
end  
end
```