

AFRILANG Stdlib

std/m/csvparse2

Français. Bibliothèque AFRILANG 'std/m/csvparse2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : parseRow, getField, fieldCount, parseAll.

```
'import "std/m/csvparse2"' · 'use csvparse2'
```

```
- 'parseRow(line text) → list text' - 'getField(line text, index number) → text' - 'fieldCount(line text) → number' - 'parseAll(csv text) → list text'
```

English. AFRILANG library 'std/m/csvparse2' (tier medium, category medium). Exports 4 function(s): parseRow, getField, fieldCount, parseAll.

```
'import "std/m/csvparse2"' · 'use csvparse2'
```

```
- 'parseRow(line text) → list text' - 'getField(line text, index number) → text' - 'fieldCount(line text) → number' - 'parseAll(csv text) → list text'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/csvparse2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : `parseRow`, `getField`, `fieldCount`, `parseAll`.

```
'import "std/m/csvparse2"' · 'use csvparse2'
```

```
- `parseRow(line text) → list text`
- `getField(line text, index number) → text`
- `fieldCount(line text) → number`
- `parseAll(csv text) → list text`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/csvparse2"
use csvparse2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- `parseRow(line text) → list`
- `getField(line text, index number) → text`
- `fieldCount(line text) → number`
- `parseAll(csv text) → list`

4. Exemples d'utilisation

```
import "std/m/csvparse2"
use csvparse2
```

```
create result = parseRow(/* args */)
say result
```

```
create result = getField(/* args */)
say result
```

```
create result = fieldCount(/* args */)
say result
```

```
create result = parseAll(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/m/csvparse2"`` en tête de fichier.
- Lancez ``afirang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module csvparse2

```
function parseRow(line text) returns list text  
end
```

```
function getField(line text, index number) returns text  
end
```

```
function fieldCount(line text) returns number  
end
```

```
function parseAll(csv text) returns list text  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/csvparse2' (tier medium, category medium). Exports 4 function(s): parseRow, getField, fieldCount, parseAll.

'import "std/m/csvparse2"' · 'use csvparse2'

```
- `parseRow(line text) → list text`
- `getField(line text, index number) → text`
- `fieldCount(line text) → number`
- `parseAll(csv text) → list text`
```

2. Installation & import

Add the module to your program:

```
import "std/m/csvparse2"
use csvparse2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- parseRow(line text) → list•
getField(line text, index number) → text•
fieldCount(line text) → number•
parseAll(csv text) → list

4. Usage examples

```
import "std/m/csvparse2"
use csvparse2
```

```
create result = parseRow(/* args */)
say result
```

```
create result = getField(/* args */)
say result
```

```
create result = fieldCount(/* args */)
say result
```

```
create result = parseAll(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/csvparse2"` at the top of your file.•
Run `afrilang check` before shipping.•
Combine with related stdlib modules from the same category.•
See /stdlib/ for the live source and playground demos.•
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module csvparse2

```
function parseRow(line text) returns list text  
end
```

```
function getField(line text, index number) returns text  
end
```

```
function fieldCount(line text) returns number  
end
```

```
function parseAll(csv text) returns list text  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/csvparse2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/csvparse2/>

Source (extrait)

```
module csvparse2  
  
function parseRow(line text) returns list text  
end  
  
function getField(line text, index number) returns text  
end  
  
function fieldCount(line text) returns number  
end  
  
function parseAll(csv text) returns list text  
end  
end
```