

AFRILANG Stdlib

std/m/currency2

Français. Bibliothèque AFRILANG 'std/m/currency2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : convert, crossRate, spread, midRate.

```
'import "std/m/currency2"' · 'use currency2'
```

```
- 'convert(amount number, rate number) → number' - 'cross-  
Rate(fromUsd number, toUsd number) → number' - 'spread(bid num-  
ber, ask number) → number' - 'midRate(bid number, ask number) →  
number'
```

English. AFRILANG library 'std/m/currency2' (tier medium, category medium). Exports 4 function(s): convert, crossRate, spread, midRate.

```
'import "std/m/currency2"' · 'use currency2'
```

```
- 'convert(amount number, rate number) → number' - 'cross-  
Rate(fromUsd number, toUsd number) → number' - 'spread(bid num-  
ber, ask number) → number' - 'midRate(bid number, ask number) →  
number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/currency2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : `convert`, `crossRate`, `spread`, `midRate`.

'import "std/m/currency2"' · 'use currency2'

```
- `convert(amount number, rate number) → number`
- `crossRate(fromUsd number, toUsd number) → number`
- `spread(bid number, ask number) → number`
- `midRate(bid number, ask number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/currency2"
use currency2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- `convert(amount number, rate number) → number`•
`crossRate(fromUsd number, toUsd number) → number`•
`spread(bid number, ask number) → number`•
`midRate(bid number, ask number) → number`

4. Exemples d'utilisation

```
import "std/m/currency2"
use currency2
```

```
create result = convert(/* args */)
say result
```

```
create result = crossRate(/* args */)
say result
```

```
create result = spread(/* args */)
say result
```

```
create result = midRate(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/m/currency2"`` en tête de fichier.
- Lancez ``afirang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module currency2

```
function convert(amount number, rate number) returns number  
end
```

```
function crossRate(fromUsd number, toUsd number) returns number  
end
```

```
function spread(bid number, ask number) returns number  
end
```

```
function midRate(bid number, ask number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/currency2' (tier medium, category medium). Exports 4 function(s): convert, crossRate, spread, midRate.

```
'import "std/m/currency2"' · 'use currency2'
```

```
- `convert(amount number, rate number) → number`  
- `crossRate(fromUsd number, toUsd number) → number`  
- `spread(bid number, ask number) → number`  
- `midRate(bid number, ask number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/currency2"  
use currency2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- convert(amount number, rate number) → number•
crossRate(fromUsd number, toUsd number) → number•
spread(bid number, ask number) → number•
midRate(bid number, ask number) → number

4. Usage examples

```
import "std/m/currency2"  
use currency2
```

```
create result = convert(/* args */)   
say result
```

```
create result = crossRate(/* args */)   
say result
```

```
create result = spread(/* args */)   
say result
```

```
create result = midRate(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/currency2"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module currency2

```
function convert(amount number, rate number) returns number
end
```

```
function crossRate(fromUsd number, toUsd number) returns number
end
```

```
function spread(bid number, ask number) returns number
end
```

```
function midRate(bid number, ask number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/currency2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/currency2/>

Source (extrait)

```
module currency2

function convert(amount number, rate number) returns number
end

function crossRate(fromUsd number, toUsd number) returns number
end

function spread(bid number, ask number) returns number
end

function midRate(bid number, ask number) returns number
end
end
```