

AFRILANG Stdlib

std/m/datefmt2

Français. Bibliothèque AFRILANG 'std/m/datefmt2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : formatIso, parseYear, parseMonth, parseDay.

```
'import "std/m/datefmt2"' · 'use datefmt2'
```

```
- 'formatIso(year number, month number, day number) → text' -  
'parseYear(date text) → number' - 'parseMonth(date text) → number'  
- 'parseDay(date text) → number'
```

English. AFRILANG library 'std/m/datefmt2' (tier medium, category medium). Exports 4 function(s): formatIso, parseYear, parseMonth, parseDay.

```
'import "std/m/datefmt2"' · 'use datefmt2'
```

```
- 'formatIso(year number, month number, day number) → text' -  
'parseYear(date text) → number' - 'parseMonth(date text) → number'  
- 'parseDay(date text) → number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/datefmt2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : formatIso, parseYear, parseMonth, parseDay.

```
'import "std/m/datefmt2"' · 'use datefmt2'
```

```
- `formatIso(year number, month number, day number) → text`
- `parseYear(date text) → number`
- `parseMonth(date text) → number`
- `parseDay(date text) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/datefmt2"
use datefmt2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- formatIso(year number, month number, day number) → text•
- parseYear(date text) → number•
- parseMonth(date text) → number•
- parseDay(date text) → number

4. Exemples d'utilisation

```
import "std/m/datefmt2"
use datefmt2
```

```
create result = formatIso(/* args */)
say result
```

```
create result = parseYear(/* args */)
say result
```

```
create result = parseMonth(/* args */)
say result
```

```
create result = parseDay(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/m/datefmt2"` en tête de fichier.
- Lancez `afirang check` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module datefmt2

```
function formatIso(year number, month number, day number) returns text  
end
```

```
function parseYear(date text) returns number  
end
```

```
function parseMonth(date text) returns number  
end
```

```
function parseDay(date text) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/datefmt2' (tier medium, category medium). Exports 4 function(s): formatIso, parseYear, parseMonth, parseDay.

```
'import "std/m/datefmt2"' · 'use datefmt2'
```

```
- `formatIso(year number, month number, day number) → text`  
- `parseYear(date text) → number`  
- `parseMonth(date text) → number`  
- `parseDay(date text) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/datefmt2"  
use datefmt2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- formatIso(year number, month number, day number) → text•
parseYear(date text) → number•
parseMonth(date text) → number•
parseDay(date text) → number

4. Usage examples

```
import "std/m/datefmt2"  
use datefmt2
```

```
create result = formatIso(/* args */)   
say result
```

```
create result = parseYear(/* args */)   
say result
```

```
create result = parseMonth(/* args */)   
say result
```

```
create result = parseDay(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/datefmt2"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module datefmt2

```
function formatIso(year number, month number, day number) returns text
end
```

```
function parseYear(date text) returns number
end
```

```
function parseMonth(date text) returns number
end
```

```
function parseDay(date text) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/datefmt2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/datefmt2/>

Source (extrait)

```
module datefmt2

function formatIso(year number, month number, day number) returns text
end

function parseYear(date text) returns number
end

function parseMonth(date text) returns number
end

function parseDay(date text) returns number
end
end
```