

AFRILANG Stdlib

std/m/irr2

Français. Bibliothèque AFRILANG 'std/m/irr2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : irrApprox, mirr, paybackPeriod, roiPercent.

```
'import "std/m/irr2"' · 'use irr2'
```

```
- 'irrApprox(cashflows list number) → number' - 'mirr(cashflows list  
number, financeRate number, reinvestRate number) → number' - 'pay-  
backPeriod(cashflows list number) → number' - 'roiPercent(gain num-  
ber, cost number) → number'
```

English. AFRILANG library 'std/m/irr2' (tier medium, category medium). Exports 4 function(s): irrApprox, mirr, paybackPeriod, roiPercent.

```
'import "std/m/irr2"' · 'use irr2'
```

```
- 'irrApprox(cashflows list number) → number' - 'mirr(cashflows list  
number, financeRate number, reinvestRate number) → number' - 'pay-  
backPeriod(cashflows list number) → number' - 'roiPercent(gain num-  
ber, cost number) → number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/irr2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : irrApprox, mirr, paybackPeriod, roiPercent.

```
'import "std/m/irr2"' · 'use irr2'
```

```
- `irrApprox(cashflows list number) → number`
- `mirr(cashflows list number, financeRate number, reinvestRate number) → number`
- `paybackPeriod(cashflows list number) → number`
- `roiPercent(gain number, cost number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/irr2"
use irr2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- irrApprox(cashflows list number) → number•
mirr(cashflows list number, financeRate number, reinvestRate number) → number•
paybackPeriod(cashflows list number) → number•
roiPercent(gain number, cost number) → number

4. Exemples d'utilisation

```
import "std/m/irr2"
use irr2
```

```
create result = irrApprox(/* args */)
say result
```

```
create result = mirr(/* args */)
say result
```

```
create result = paybackPeriod(/* args */)
say result
```

```
create result = roiPercent(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/m/irr2"` en tête de fichier.
- Lancez `afirang check` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module irr2

```
function irrApprox(cashflows list number) returns number  
end
```

```
function mirr(cashflows list number, financeRate number, reinvestRate number) returns  
    number  
end
```

```
function paybackPeriod(cashflows list number) returns number  
end
```

```
function roiPercent(gain number, cost number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/irr2' (tier medium, category medium). Exports 4 function(s): irrApprox, mirr, paybackPeriod, roiPercent.

```
'import "std/m/irr2"' · 'use irr2'
```

```
- `irrApprox(cashflows list number) → number`
- `mirr(cashflows list number, financeRate number, reinvestRate number) → number`
- `paybackPeriod(cashflows list number) → number`
- `roiPercent(gain number, cost number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/irr2"
use irr2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- irrApprox(cashflows list number) → number•
- mirr(cashflows list number, financeRate number, reinvestRate number) → number•
- paybackPeriod(cashflows list number) → number•
- roiPercent(gain number, cost number) → number

4. Usage examples

```
import "std/m/irr2"
use irr2
```

```
create result = irrApprox(/* args */)
say result
```

```
create result = mirr(/* args */)
say result
```

```
create result = paybackPeriod(/* args */)
say result
```

```
create result = roiPercent(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/irr2"` at the top of your file.
- Run `afirang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module irr2

```
function irrApprox(cashflows list number) returns number
end
```

```
function mirr(cashflows list number, financeRate number, reinvestRate number) returns
    number
end
```

```
function paybackPeriod(cashflows list number) returns number
end
```

```
function roiPercent(gain number, cost number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/irr2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/irr2/>

Source (extrait)

```
module irr2

function irrApprox(cashflows list number) returns number
end

function mirr(cashflows list number, financeRate number, reinvestRate number) returns
    number
end

function paybackPeriod(cashflows list number) returns number
end

function roiPercent(gain number, cost number) returns number
end
end
```