

AFRILANG Stdlib

std/m/jsonbuild2

Français. Bibliothèque AFRILANG 'std/m/jsonbuild2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : buildObject, buildArray, quoteKey, quoteNum.

```
'import "std/m/jsonbuild2"' · 'use jsonbuild2'
```

```
- 'buildObject(pairs list text) → text' - 'buildArray(items list text) → text'  
- 'quoteKey(key text, value text) → text' - 'quoteNum(key text, value  
number) → text'
```

English. AFRILANG library 'std/m/jsonbuild2' (tier medium, category medium). Exports 4 function(s): buildObject, buildArray, quoteKey, quoteNum.

```
'import "std/m/jsonbuild2"' · 'use jsonbuild2'
```

```
- 'buildObject(pairs list text) → text' - 'buildArray(items list text) → text'  
- 'quoteKey(key text, value text) → text' - 'quoteNum(key text, value  
number) → text'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/jsonbuild2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : buildObject, buildArray, quoteKey, quoteNum.

'import "std/m/jsonbuild2"' · 'use jsonbuild2'

```
- `buildObject(pairs list text) → text`
- `buildArray(items list text) → text`
- `quoteKey(key text, value text) → text`
- `quoteNum(key text, value number) → text`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/jsonbuild2"
use jsonbuild2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- buildObject(pairs list text) → text•
- buildArray(items list text) → text•
- quoteKey(key text, value text) → text•
- quoteNum(key text, value number) → text

4. Exemples d'utilisation

```
import "std/m/jsonbuild2"
use jsonbuild2
```

```
create result = buildObject(/* args */)
say result
```

```
create result = buildArray(/* args */)
say result
```

```
create result = quoteKey(/* args */)
say result
```

```
create result = quoteNum(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/jsonbuild2"' en tête de fichier.
- Lancez 'afirang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module jsonbuild2

```
function buildObject(pairs list text) returns text  
end
```

```
function buildArray(items list text) returns text  
end
```

```
function quoteKey(key text, value text) returns text  
end
```

```
function quoteNum(key text, value number) returns text  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/jsonbuild2' (tier medium, category medium). Exports 4 function(s): buildObject, buildArray, quoteKey, quoteNum.

'import "std/m/jsonbuild2"' · 'use jsonbuild2'

```
- `buildObject(pairs list text) → text`  
- `buildArray(items list text) → text`  
- `quoteKey(key text, value text) → text`  
- `quoteNum(key text, value number) → text`
```

2. Installation & import

Add the module to your program:

```
import "std/m/jsonbuild2"  
use jsonbuild2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- buildObject(pairs list text) → text•
buildArray(items list text) → text•
quoteKey(key text, value text) → text•
quoteNum(key text, value number) → text

4. Usage examples

```
import "std/m/jsonbuild2"  
use jsonbuild2
```

```
create result = buildObject(/* args */)   
say result
```

```
create result = buildArray(/* args */)   
say result
```

```
create result = quoteKey(/* args */)   
say result
```

```
create result = quoteNum(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/jsonbuild2"` at the top of your file.
- Run `afrilang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module jsonbuild2

```
function buildObject(pairs list text) returns text
end
```

```
function buildArray(items list text) returns text
end
```

```
function quoteKey(key text, value text) returns text
end
```

```
function quoteNum(key text, value number) returns text
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/jsonbuild2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/jsonbuild2/>

Source (extrait)

```
module jsonbuild2

function buildObject(pairs list text) returns text
end

function buildArray(items list text) returns text
end

function quoteKey(key text, value text) returns text
end

function quoteNum(key text, value number) returns text
end
end
```