

AFRILANG Stdlib

std/m/listfreq

Français. Bibliothèque AFRILANG 'std/m/listfreq' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : valueCounts, histogram, binEdges, skewness.

```
'import "std/m/listfreq"' · 'use listfreq'
```

```
- 'valueCounts(v list number) → list number' - 'histogram(v list number,  
bins number) → list number' - 'binEdges(v list number, bins number) →  
list number' - 'skewness(v list number) → number'
```

English. AFRILANG library 'std/m/listfreq' (tier medium, category medium). Exports 4 function(s): valueCounts, histogram, binEdges, skewness.

```
'import "std/m/listfreq"' · 'use listfreq'
```

```
- 'valueCounts(v list number) → list number' - 'histogram(v list number,  
bins number) → list number' - 'binEdges(v list number, bins number) →  
list number' - 'skewness(v list number) → number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/listfreq' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : valueCounts, histogram, binEdges, skewness.

'import "std/m/listfreq"' · 'use listfreq'

```
- `valueCounts(v list number) → list number`
- `histogram(v list number, bins number) → list number`
- `binEdges(v list number, bins number) → list number`
- `skewness(v list number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/listfreq"
use listfreq
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- valueCounts(v list number) → list•
histogram(v list number, bins number) → list•
binEdges(v list number, bins number) → list•
skewness(v list number) → number

4. Exemples d'utilisation

```
import "std/m/listfreq"
use listfreq
```

```
create result = valueCounts(/* args */)
say result
```

```
create result = histogram(/* args */)
say result
```

```
create result = binEdges(/* args */)
say result
```

```
create result = skewness(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/listfreq"' en tête de fichier.
- Lancez 'afirang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module listfreq

```
function valueCounts(v list number) returns list number  
end
```

```
function histogram(v list number, bins number) returns list number  
end
```

```
function binEdges(v list number, bins number) returns list number  
end
```

```
function skewness(v list number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/listfreq' (tier medium, category medium). Exports 4 function(s): valueCounts, histogram, binEdges, skewness.

'import "std/m/listfreq"' · 'use listfreq'

```
- `valueCounts(v list number) → list number`  
- `histogram(v list number, bins number) → list number`  
- `binEdges(v list number, bins number) → list number`  
- `skewness(v list number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/listfreq"  
use listfreq
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- valueCounts(v list number) → list•
 histogram(v list number, bins number) → list•
 binEdges(v list number, bins number) → list•
 skewness(v list number) → number

4. Usage examples

```
import "std/m/listfreq"  
use listfreq
```

```
create result = valueCounts(/* args */)   
say result
```

```
create result = histogram(/* args */)   
say result
```

```
create result = binEdges(/* args */)   
say result
```

```
create result = skewness(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/listfreq"` at the top of your file.
- Run `afirang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module listfreq

```
function valueCounts(v list number) returns list number  
end
```

```
function histogram(v list number, bins number) returns list number  
end
```

```
function binEdges(v list number, bins number) returns list number  
end
```

```
function skewness(v list number) returns number  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/listfreq"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/listfreq/>

Source (extrait)

```
module listfreq  
  
function valueCounts(v list number) returns list number  
end  
  
function histogram(v list number, bins number) returns list number  
end  
  
function binEdges(v list number, bins number) returns list number  
end  
  
function skewness(v list number) returns number  
end  
end
```