

AFRILANG Stdlib

std/m/listmerge2

Français. Bibliothèque AFRILANG 'std/m/listmerge2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : mergeSorted, mergeAll, intersect, unionAll.

```
'import "std/m/listmerge2"' · 'use listmerge2'
```

```
- 'mergeSorted(a list number, b list number) → list number' -  
'mergeAll(a list number, b list number) → list number' - 'intersect(a list  
number, b list number) → list number' - 'unionAll(a list number, b list  
number) → list number'
```

English. AFRILANG library 'std/m/listmerge2' (tier medium, category medium). Exports 4 function(s): mergeSorted, mergeAll, intersect, unionAll.

```
'import "std/m/listmerge2"' · 'use listmerge2'
```

```
- 'mergeSorted(a list number, b list number) → list number' -  
'mergeAll(a list number, b list number) → list number' - 'intersect(a  
list number, b list number) → list number' - 'unionAll(a list number, b  
list number) → list number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/listmerge2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : mergeSorted, mergeAll, intersect, unionAll.

'import "std/m/listmerge2"' · 'use listmerge2'

```
- `mergeSorted(a list number, b list number) → list number`
- `mergeAll(a list number, b list number) → list number`
- `intersect(a list number, b list number) → list number`
- `unionAll(a list number, b list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/listmerge2"
use listmerge2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- mergeSorted(a list number, b list number) → list
- mergeAll(a list number, b list number) → list
- intersect(a list number, b list number) → list
- unionAll(a list number, b list number) → list

4. Exemples d'utilisation

```
import "std/m/listmerge2"
use listmerge2
```

```
create result = mergeSorted(/* args */)
say result
```

```
create result = mergeAll(/* args */)
say result
```

```
create result = intersect(/* args */)
say result
```

```
create result = unionAll(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/listmerge2"' en tête de fichier.
- Lancez 'afirang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module listmerge2

```
function mergeSorted(a list number, b list number) returns list number  
end
```

```
function mergeAll(a list number, b list number) returns list number  
end
```

```
function intersect(a list number, b list number) returns list number  
end
```

```
function unionAll(a list number, b list number) returns list number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/listmerge2' (tier medium, category medium). Exports 4 function(s): mergeSorted, mergeAll, intersect, unionAll.

```
'import "std/m/listmerge2"' · 'use listmerge2'
```

```
- `mergeSorted(a list number, b list number) → list number`  
- `mergeAll(a list number, b list number) → list number`  
- `intersect(a list number, b list number) → list number`  
- `unionAll(a list number, b list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/listmerge2"  
use listmerge2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- mergeSorted(a list number, b list number) → list•
mergeAll(a list number, b list number) → list•
intersect(a list number, b list number) → list•
unionAll(a list number, b list number) → list

4. Usage examples

```
import "std/m/listmerge2"  
use listmerge2
```

```
create result = mergeSorted(/* args */)   
say result
```

```
create result = mergeAll(/* args */)   
say result
```

```
create result = intersect(/* args */)   
say result
```

```
create result = unionAll(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/listmerge2"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module listmerge2

```
function mergeSorted(a list number, b list number) returns list number  
end
```

```
function mergeAll(a list number, b list number) returns list number  
end
```

```
function intersect(a list number, b list number) returns list number  
end
```

```
function unionAll(a list number, b list number) returns list number  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/listmerge2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/listmerge2/>

Source (extrait)

```
module listmerge2  
  
function mergeSorted(a list number, b list number) returns list number  
end  
  
function mergeAll(a list number, b list number) returns list number  
end  
  
function intersect(a list number, b list number) returns list number  
end  
  
function unionAll(a list number, b list number) returns list number  
end  
end
```