

AFRILANG Stdlib

std/m/listmoving

Français. Bibliothèque AFRILANG 'std/m/listmoving' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : movingAvg, movingMax, movingMin, movingSum.

```
'import "std/m/listmoving"' · 'use listmoving'
```

```
- 'movingAvg(v list number, window number) → list number' - 'moving-  
Max(v list number, window number) → list number' - 'movingMin(v list  
number, window number) → list number' - 'movingSum(v list number,  
window number) → list number'
```

English. AFRILANG library 'std/m/listmoving' (tier medium, category medium). Exports 4 function(s): movingAvg, movingMax, movingMin, movingSum.

```
'import "std/m/listmoving"' · 'use listmoving'
```

```
- 'movingAvg(v list number, window number) → list number' - 'moving-  
Max(v list number, window number) → list number' - 'movingMin(v list  
number, window number) → list number' - 'movingSum(v list number,  
window number) → list number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/listmoving' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : movingAvg, movingMax, movingMin, movingSum.

'import "std/m/listmoving"' · 'use listmoving'

```
- `movingAvg(v list number, window number) → list number`
- `movingMax(v list number, window number) → list number`
- `movingMin(v list number, window number) → list number`
- `movingSum(v list number, window number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/listmoving"
use listmoving
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- movingAvg(v list number, window number) → list
movingMax(v list number, window number) → list
movingMin(v list number, window number) → list
movingSum(v list number, window number) → list

4. Exemples d'utilisation

```
import "std/m/listmoving"
use listmoving
```

```
create result = movingAvg(/* args */)
say result
```

```
create result = movingMax(/* args */)
say result
```

```
create result = movingMin(/* args */)
say result
```

```
create result = movingSum(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/listmoving"' en tête de fichier.
- Lancez 'afirang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module listmoving

```
function movingAvg(v list number, window number) returns list number  
end
```

```
function movingMax(v list number, window number) returns list number  
end
```

```
function movingMin(v list number, window number) returns list number  
end
```

```
function movingSum(v list number, window number) returns list number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/listmoving' (tier medium, category medium). Exports 4 function(s): movingAvg, movingMax, movingMin, movingSum.

'import "std/m/listmoving"' · 'use listmoving'

```
- `movingAvg(v list number, window number) → list number`
- `movingMax(v list number, window number) → list number`
- `movingMin(v list number, window number) → list number`
- `movingSum(v list number, window number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/listmoving"
use listmoving
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- movingAvg(v list number, window number) → list•
movingMax(v list number, window number) → list•
movingMin(v list number, window number) → list•
movingSum(v list number, window number) → list

4. Usage examples

```
import "std/m/listmoving"
use listmoving
```

```
create result = movingAvg(/* args */)
say result
```

```
create result = movingMax(/* args */)
say result
```

```
create result = movingMin(/* args */)
say result
```

```
create result = movingSum(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/listmoving"` at the top of your file.
- Run `afrilang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module listmoving

```
function movingAvg(v list number, window number) returns list number
end
```

```
function movingMax(v list number, window number) returns list number
end
```

```
function movingMin(v list number, window number) returns list number
end
```

```
function movingSum(v list number, window number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/listmoving"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/listmoving/>

Source (extrait)

```
module listmoving

function movingAvg(v list number, window number) returns list number
end

function movingMax(v list number, window number) returns list number
end

function movingMin(v list number, window number) returns list number
end

function movingSum(v list number, window number) returns list number
end
end
```