

AFRILANG Stdlib

std/m/listoutlier

Français. Bibliothèque AFRILANG 'std/m/listoutlier' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : outlierIndices, outlierCount, withoutOutliers, winsorize.

```
'import "std/m/listoutlier"' · 'use listoutlier'
```

```
- 'outlierIndices(v list number) → list number' - 'outlierCount(v list number) → number' - 'withoutOutliers(v list number) → list number' - 'winsorize(v list number, pct number) → list number'
```

English. AFRILANG library 'std/m/listoutlier' (tier medium, category medium). Exports 4 function(s): outlierIndices, outlierCount, withoutOutliers, winsorize.

```
'import "std/m/listoutlier"' · 'use listoutlier'
```

```
- 'outlierIndices(v list number) → list number' - 'outlierCount(v list number) → number' - 'withoutOutliers(v list number) → list number' - 'winsorize(v list number, pct number) → list number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/listoutlier' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : outlierIndices, outlierCount, withoutOutliers, winsorize.

'import "std/m/listoutlier"' · 'use listoutlier'

```
- `outlierIndices(v list number) → list number`
- `outlierCount(v list number) → number`
- `withoutOutliers(v list number) → list number`
- `winsorize(v list number, pct number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/listoutlier"
use listoutlier
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- outlierIndices(v list number) → list
- outlierCount(v list number) → number
- withoutOutliers(v list number) → list
- winsorize(v list number, pct number) → list

4. Exemples d'utilisation

```
import "std/m/listoutlier"
use listoutlier
```

```
create result = outlierIndices(/* args */)
say result
```

```
create result = outlierCount(/* args */)
say result
```

```
create result = withoutOutliers(/* args */)
say result
```

```
create result = winsorize(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/listoutlier"' en tête de fichier.
- Lancez 'afirang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module listoutlier

```
function outlierIndices(v list number) returns list number  
end
```

```
function outlierCount(v list number) returns number  
end
```

```
function withoutOutliers(v list number) returns list number  
end
```

```
function winsorize(v list number, pct number) returns list number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/listoutlier' (tier medium, category medium). Exports 4 function(s): outlierIndices, outlierCount, withoutOutliers, winsorize.

```
'import "std/m/listoutlier"' · 'use listoutlier'
```

```
- `outlierIndices(v list number) → list number`  
- `outlierCount(v list number) → number`  
- `withoutOutliers(v list number) → list number`  
- `winsorize(v list number, pct number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/listoutlier"  
use listoutlier
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- outlierIndices(v list number) → list
outlierCount(v list number) → number
withoutOutliers(v list number) → list
winsorize(v list number, pct number) → list

4. Usage examples

```
import "std/m/listoutlier"  
use listoutlier
```

```
create result = outlierIndices(/* args */)   
say result
```

```
create result = outlierCount(/* args */)   
say result
```

```
create result = withoutOutliers(/* args */)   
say result
```

```
create result = winsorize(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/listoutlier"` at the top of your file.
Run `afirang check` before shipping.
Combine with related stdlib modules from the same category.
See /stdlib/ for the live source and playground demos.
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module listoutlier

```
function outlierIndices(v list number) returns list number  
end
```

```
function outlierCount(v list number) returns number  
end
```

```
function withoutOutliers(v list number) returns list number  
end
```

```
function winsorize(v list number, pct number) returns list number  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/listoutlier"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/listoutlier/>

Source (extrait)

```
module listoutlier  
  
function outlierIndices(v list number) returns list number  
end  
  
function outlierCount(v list number) returns number  
end  
  
function withoutOutliers(v list number) returns list number  
end  
  
function winsorize(v list number, pct number) returns list number  
end  
end
```