

AFRILANG Stdlib

std/m/listquantile

Français. Bibliothèque AFRILANG 'std/m/listquantile' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : quantile, percentile, decile, rankOf.

```
'import "std/m/listquantile"' · 'use listquantile'
```

```
- 'quantile(v list number, q number) → number' - 'percentile(v list number, p number) → number' - 'decile(v list number, d number) → number'
```

```
- 'rankOf(v list number) → list number' English. AFRILANG library
```

'std/m/listquantile' (tier medium, category medium). Exports 4 function(s): quantile, percentile, decile, rankOf.

```
'import "std/m/listquantile"' · 'use listquantile'
```

```
- 'quantile(v list number, q number) → number' - 'percentile(v list number, p number) → number' - 'decile(v list number, d number) → number'
```

```
- 'rankOf(v list number) → list number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/listquantile' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : quantile, percentile, decile, rankOf.

'import "std/m/listquantile"' · 'use listquantile'

```
- `quantile(v list number, q number) → number`
- `percentile(v list number, p number) → number`
- `decile(v list number, d number) → number`
- `rankOf(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/listquantile"
use listquantile
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- quantile(v list number, q number) → number•
percentile(v list number, p number) → number•
decile(v list number, d number) → number•
rankOf(v list number) → list

4. Exemples d'utilisation

```
import "std/m/listquantile"
use listquantile
```

```
create result = quantile(/* args */)
say result
```

```
create result = percentile(/* args */)
say result
```

```
create result = decile(/* args */)
say result
```

```
create result = rankOf(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/listquantile"' en tête de fichier.
- Lancez 'afirang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module listquantile

```
function quantile(v list number, q number) returns number  
end
```

```
function percentile(v list number, p number) returns number  
end
```

```
function decile(v list number, d number) returns number  
end
```

```
function rank0f(v list number) returns list number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/listquantile' (tier medium, category medium). Exports 4 function(s): quantile, percentile, decile, rankOf.

'import "std/m/listquantile"' · 'use listquantile'

```
- `quantile(v list number, q number) → number`
- `percentile(v list number, p number) → number`
- `decile(v list number, d number) → number`
- `rankOf(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/listquantile"
use listquantile
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- quantile(v list number, q number) → number•
percentile(v list number, p number) → number•
decile(v list number, d number) → number•
rankOf(v list number) → list

4. Usage examples

```
import "std/m/listquantile"
use listquantile
```

```
create result = quantile(/* args */)
say result
```

```
create result = percentile(/* args */)
say result
```

```
create result = decile(/* args */)
say result
```

```
create result = rankOf(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/listquantile"` at the top of your file.
- Run `afrilang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module listquantile

```
function quantile(v list number, q number) returns number
end
```

```
function percentile(v list number, p number) returns number
end
```

```
function decile(v list number, d number) returns number
end
```

```
function rank0f(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/listquantile"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/listquantile/>

Source (extrait)

```
module listquantile

function quantile(v list number, q number) returns number
end

function percentile(v list number, p number) returns number
end

function decile(v list number, d number) returns number
end

function rank0f(v list number) returns list number
end
end
```