

AFRILANG Stdlib

std/m/listrotate2

Français. Bibliothèque AFRILANG 'std/m/listrotate2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : rotateLeft, rotateRight, reverseList, shuffleSeed.

```
'import "std/m/listrotate2"' · 'use listrotate2'  
- 'rotateLeft(v list number, n number) → list number' - 'rotateRight(v list  
list number, n number) → list number' - 'reverseList(v list number) →  
list number' - 'shuffleSeed(v list number, seed number) → list number'
```

English. AFRILANG library 'std/m/listrotate2' (tier medium, category medium). Exports 4 function(s): rotateLeft, rotateRight, reverseList, shuffleSeed.

```
'import "std/m/listrotate2"' · 'use listrotate2'  
- 'rotateLeft(v list number, n number) → list number' - 'rotateRight(v list  
number, n number) → list number' - 'reverseList(v list number) → list  
number' - 'shuffleSeed(v list number, seed number) → list number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/listrotate2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : rotateLeft, rotateRight, reverseList, shuffleSeed.

'import "std/m/listrotate2"' · 'use listrotate2'

```
- `rotateLeft(v list number, n number) → list number`
- `rotateRight(v list number, n number) → list number`
- `reverseList(v list number) → list number`
- `shuffleSeed(v list number, seed number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/listrotate2"
use listrotate2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- rotateLeft(v list number, n number) → list•
rotateRight(v list number, n number) → list•
reverseList(v list number) → list•
shuffleSeed(v list number, seed number) → list

4. Exemples d'utilisation

```
import "std/m/listrotate2"
use listrotate2
```

```
create result = rotateLeft(/* args */)
say result
```

```
create result = rotateRight(/* args */)
say result
```

```
create result = reverseList(/* args */)
say result
```

```
create result = shuffleSeed(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/listrotate2"' en tête de fichier.
- Lancez 'afirang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module listrotate2

```
function rotateLeft(v list number, n number) returns list number  
end
```

```
function rotateRight(v list number, n number) returns list number  
end
```

```
function reverseList(v list number) returns list number  
end
```

```
function shuffleSeed(v list number, seed number) returns list number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/listrotate2' (tier medium, category medium). Exports 4 function(s): rotateLeft, rotateRight, reverseList, shuffleSeed.

'import "std/m/listrotate2"' · 'use listrotate2'

```
- `rotateLeft(v list number, n number) → list number`
- `rotateRight(v list number, n number) → list number`
- `reverseList(v list number) → list number`
- `shuffleSeed(v list number, seed number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/listrotate2"
use listrotate2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- rotateLeft(v list number, n number) → list•
- rotateRight(v list number, n number) → list•
- reverseList(v list number) → list•
- shuffleSeed(v list number, seed number) → list

4. Usage examples

```
import "std/m/listrotate2"
use listrotate2
```

```
create result = rotateLeft(/* args */)
say result
```

```
create result = rotateRight(/* args */)
say result
```

```
create result = reverseList(/* args */)
say result
```

```
create result = shuffleSeed(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/listrotate2"` at the top of your file.
- Run `afrilang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module listrotate2

```
function rotateLeft(v list number, n number) returns list number
end
```

```
function rotateRight(v list number, n number) returns list number
end
```

```
function reverseList(v list number) returns list number
end
```

```
function shuffleSeed(v list number, seed number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/listrotate2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/listrotate2/>

Source (extrait)

```
module listrotate2

function rotateLeft(v list number, n number) returns list number
end

function rotateRight(v list number, n number) returns list number
end

function reverseList(v list number) returns list number
end

function shuffleSeed(v list number, seed number) returns list number
end
end
```