

AFRILANG Stdlib

std/m/listsearch

Français. Bibliothèque AFRILANG 'std/m/listsearch' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : linearSearch, contains, countValue, lastIndexOf.

```
'import "std/m/listsearch"' · 'use listsearch'
```

```
- 'linearSearch(v list number, target number) → number' - 'contains(v  
list number, target number) → bool' - 'countValue(v list number, target  
number) → number' - 'lastIndexOf(v list number, target number) → num-  
ber'
```

English. AFRILANG library 'std/m/listsearch' (tier medium, category medium). Exports 4 function(s): linearSearch, contains, countValue, lastIndexOf.

```
'import "std/m/listsearch"' · 'use listsearch'
```

```
- 'linearSearch(v list number, target number) → number' - 'contains(v  
list number, target number) → bool' - 'countValue(v list number, tar-  
get number) → number' - 'lastIndexOf(v list number, target number) →  
number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/listsearch' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : linearSearch, contains, countValue, lastIndexOf.

'import "std/m/listsearch"' · 'use listsearch'

```
- `linearSearch(v list number, target number) → number`
- `contains(v list number, target number) → bool`
- `countValue(v list number, target number) → number`
- `lastIndexOf(v list number, target number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/listsearch"
use listsearch
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- linearSearch(v list number, target number) → number•
- contains(v list number, target number) → bool•
- countValue(v list number, target number) → number•
- lastIndexOf(v list number, target number) → number

4. Exemples d'utilisation

```
import "std/m/listsearch"
use listsearch
```

```
create result = linearSearch(/* args */)
say result
```

```
create result = contains(/* args */)
say result
```

```
create result = countValue(/* args */)
say result
```

```
create result = lastIndexOf(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/listsearch"' en tête de fichier.
- Lancez 'afirang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module listsearch

```
function linearSearch(v list number, target number) returns number  
end
```

```
function contains(v list number, target number) returns bool  
end
```

```
function countValue(v list number, target number) returns number  
end
```

```
function lastIndex0f(v list number, target number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/listsearch' (tier medium, category medium). Exports 4 function(s): linearSearch, contains, countValue, lastIndexOf.

'import "std/m/listsearch"' · 'use listsearch'

```
- `linearSearch(v list number, target number) → number`
- `contains(v list number, target number) → bool`
- `countValue(v list number, target number) → number`
- `lastIndexOf(v list number, target number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/listsearch"
use listsearch
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- linearSearch(v list number, target number) → number•
- contains(v list number, target number) → bool•
- countValue(v list number, target number) → number•
- lastIndexOf(v list number, target number) → number

4. Usage examples

```
import "std/m/listsearch"
use listsearch
```

```
create result = linearSearch(/* args */)
say result
```

```
create result = contains(/* args */)
say result
```

```
create result = countValue(/* args */)
say result
```

```
create result = lastIndexOf(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/listsearch"` at the top of your file.
- Run `afrilang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module listsearch

```
function linearSearch(v list number, target number) returns number
end
```

```
function contains(v list number, target number) returns bool
end
```

```
function countValue(v list number, target number) returns number
end
```

```
function lastIndex0f(v list number, target number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/listsearch"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/listsearch/>

Source (extrait)

```
module listsearch

function linearSearch(v list number, target number) returns number
end

function contains(v list number, target number) returns bool
end

function countValue(v list number, target number) returns number
end

function lastIndex0f(v list number, target number) returns number
end
end
```