

AFRILANG Stdlib

std/m/listtopk

Français. Bibliothèque AFRILANG 'std/m/listtopk' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : topK, bottomK, kthLargest, kthSmallest.

```
'import "std/m/listtopk"' · 'use listtopk'
```

```
- 'topK(v list number, k number) → list number' - 'bottomK(v list number, k number) → list number' - 'kthLargest(v list number, k number) → number' - 'kthSmallest(v list number, k number) → number'
```

English.

AFRILANG library 'std/m/listtopk' (tier medium, category medium). Exports 4 function(s): topK, bottomK, kthLargest, kthSmallest.

```
'import "std/m/listtopk"' · 'use listtopk'
```

```
- 'topK(v list number, k number) → list number' - 'bottomK(v list number, k number) → list number' - 'kthLargest(v list number, k number) → number' - 'kthSmallest(v list number, k number) → number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/listtopk' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : topK, bottomK, kthLargest, kthSmallest.

'import "std/m/listtopk"' · 'use listtopk'

```
- `topK(v list number, k number) → list number`
- `bottomK(v list number, k number) → list number`
- `kthLargest(v list number, k number) → number`
- `kthSmallest(v list number, k number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/listtopk"
use listtopk
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- topK(v list number, k number) → list•
bottomK(v list number, k number) → list•
kthLargest(v list number, k number) → number•
kthSmallest(v list number, k number) → number

4. Exemples d'utilisation

```
import "std/m/listtopk"
use listtopk
```

```
create result = topK(/* args */)
say result
```

```
create result = bottomK(/* args */)
say result
```

```
create result = kthLargest(/* args */)
say result
```

```
create result = kthSmallest(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/listtopk"' en tête de fichier.
- Lancez 'afirang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module listtopk

```
function topK(v list number, k number) returns list number  
end
```

```
function bottomK(v list number, k number) returns list number  
end
```

```
function kthLargest(v list number, k number) returns number  
end
```

```
function kthSmallest(v list number, k number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/listtopk' (tier medium, category medium). Exports 4 function(s): topK, bottomK, kthLargest, kthSmallest.

'import "std/m/listtopk"' · 'use listtopk'

```
- `topK(v list number, k number) → list number`
- `bottomK(v list number, k number) → list number`
- `kthLargest(v list number, k number) → number`
- `kthSmallest(v list number, k number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/listtopk"
use listtopk
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- topK(v list number, k number) → list•
bottomK(v list number, k number) → list•
kthLargest(v list number, k number) → number•
kthSmallest(v list number, k number) → number

4. Usage examples

```
import "std/m/listtopk"
use listtopk
```

```
create result = topK(/* args */)
say result
```

```
create result = bottomK(/* args */)
say result
```

```
create result = kthLargest(/* args */)
say result
```

```
create result = kthSmallest(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/listtopk"` at the top of your file.•
Run `afrilang check` before shipping.•
Combine with related stdlib modules from the same category.•
See /stdlib/ for the live source and playground demos.•
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module listtopk

```
function topK(v list number, k number) returns list number
end
```

```
function bottomK(v list number, k number) returns list number
end
```

```
function kthLargest(v list number, k number) returns number
end
```

```
function kthSmallest(v list number, k number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/listtopk"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/listtopk/>

Source (extrait)

```
module listtopk

function topK(v list number, k number) returns list number
end

function bottomK(v list number, k number) returns list number
end

function kthLargest(v list number, k number) returns number
end

function kthSmallest(v list number, k number) returns number
end
end
```