

AFRILANG Stdlib

std/m/matmul2

Français. Bibliothèque AFRILANG 'std/m/matmul2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : mul2x2, mulScalar, dot2, norm2.

```
'import "std/m/matmul2"' · 'use matmul2'  
- 'mul2x2(a list number, b list number) → list number' - 'mulScalar(m list  
number, s number) → list number' - 'dot2(a list number, b list number)  
→ number' - 'norm2(v list number) → number'
```

English. AFRILANG library 'std/m/matmul2' (tier medium, category medium). Exports 4 function(s): mul2x2, mulScalar, dot2, norm2.

```
'import "std/m/matmul2"' · 'use matmul2'  
- 'mul2x2(a list number, b list number) → list number' - 'mulScalar(m list  
number, s number) → list number' - 'dot2(a list number, b list number)  
→ number' - 'norm2(v list number) → number'
```

Catégorie / Category	Modules medium (m/)
Niveau / Tier	medium
Fonctions / Functions	4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/matmul2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : mul2x2, mulScalar, dot2, norm2.

```
'import "std/m/matmul2"' · 'use matmul2'
```

```
- `mul2x2(a list number, b list number) → list number`
- `mulScalar(m list number, s number) → list number`
- `dot2(a list number, b list number) → number`
- `norm2(v list number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/matmul2"
use matmul2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- mul2x2(a list number, b list number) → list•
- mulScalar(m list number, s number) → list•
- dot2(a list number, b list number) → number•
- norm2(v list number) → number

4. Exemples d'utilisation

```
import "std/m/matmul2"
use matmul2
```

```
create result = mul2x2(/* args */)
say result
```

```
create result = mulScalar(/* args */)
say result
```

```
create result = dot2(/* args */)
say result
```

```
create result = norm2(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/m/matmul2"` en tête de fichier.
- Lancez `afirang check` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module matmul2

```
function mul2x2(a list number, b list number) returns list number  
end
```

```
function mulScalar(m list number, s number) returns list number  
end
```

```
function dot2(a list number, b list number) returns number  
end
```

```
function norm2(v list number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/matmul2' (tier medium, category medium). Exports 4 function(s): mul2x2, mulScalar, dot2, norm2.

```
'import "std/m/matmul2"' · 'use matmul2'
```

```
- `mul2x2(a list number, b list number) → list number`
- `mulScalar(m list number, s number) → list number`
- `dot2(a list number, b list number) → number`
- `norm2(v list number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/matmul2"
use matmul2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- mul2x2(a list number, b list number) → list•
- mulScalar(m list number, s number) → list•
- dot2(a list number, b list number) → number•
- norm2(v list number) → number

4. Usage examples

```
import "std/m/matmul2"
use matmul2
```

```
create result = mul2x2(/* args */)
say result
```

```
create result = mulScalar(/* args */)
say result
```

```
create result = dot2(/* args */)
say result
```

```
create result = norm2(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/matmul2"` at the top of your file.
- Run `afrilang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module matmul2

```
function mul2x2(a list number, b list number) returns list number
end
```

```
function mulScalar(m list number, s number) returns list number
end
```

```
function dot2(a list number, b list number) returns number
end
```

```
function norm2(v list number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/matmul2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/matmul2/>

Source (extrait)

```
module matmul2

function mul2x2(a list number, b list number) returns list number
end

function mulScalar(m list number, s number) returns list number
end

function dot2(a list number, b list number) returns number
end

function norm2(v list number) returns number
end
end
```