

AFRILANG Stdlib

std/m/matrix2

Français. Bibliothèque AFRILANG 'std/m/matrix2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : create2x2, det2x2, trace2x2, scale2x2.

```
'import "std/m/matrix2"' · 'use matrix2'
```

```
- 'create2x2(a number, b number, c number, d number) → list number' - 'det2x2(m list number) → number' - 'trace2x2(m list number) → number' - 'scale2x2(m list number, s number) → list number'
```

English.

AFRILANG library 'std/m/matrix2' (tier medium, category medium). Exports 4 function(s): create2x2, det2x2, trace2x2, scale2x2.

```
'import "std/m/matrix2"' · 'use matrix2'
```

```
- 'create2x2(a number, b number, c number, d number) → list number' - 'det2x2(m list number) → number' - 'trace2x2(m list number) → number' - 'scale2x2(m list number, s number) → list number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/matrix2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : create2x2, det2x2, trace2x2, scale2x2.

```
'import "std/m/matrix2"' · 'use matrix2'
```

```
- `create2x2(a number, b number, c number, d number) → list number`
- `det2x2(m list number) → number`
- `trace2x2(m list number) → number`
- `scale2x2(m list number, s number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/matrix2"
use matrix2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- create2x2(a number, b number, c number, d number) → list•
det2x2(m list number) → number•
trace2x2(m list number) → number•
scale2x2(m list number, s number) → list

4. Exemples d'utilisation

```
import "std/m/matrix2"
use matrix2
```

```
create result = create2x2(/* args */)
say result
```

```
create result = det2x2(/* args */)
say result
```

```
create result = trace2x2(/* args */)
say result
```

```
create result = scale2x2(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/m/matrix2"` en tête de fichier.
- Lancez `afirang check` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module matrix2

```
function create2x2(a number, b number, c number, d number) returns list number  
end
```

```
function det2x2(m list number) returns number  
end
```

```
function trace2x2(m list number) returns number  
end
```

```
function scale2x2(m list number, s number) returns list number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/matrix2' (tier medium, category medium). Exports 4 function(s): create2x2, det2x2, trace2x2, scale2x2.

'import "std/m/matrix2"' · 'use matrix2'

```
- `create2x2(a number, b number, c number, d number) → list number`
- `det2x2(m list number) → number`
- `trace2x2(m list number) → number`
- `scale2x2(m list number, s number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/matrix2"
use matrix2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- create2x2(a number, b number, c number, d number) → list•
det2x2(m list number) → number•
trace2x2(m list number) → number•
scale2x2(m list number, s number) → list

4. Usage examples

```
import "std/m/matrix2"
use matrix2
```

```
create result = create2x2(/* args */)
say result
```

```
create result = det2x2(/* args */)
say result
```

```
create result = trace2x2(/* args */)
say result
```

```
create result = scale2x2(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/matrix2"` at the top of your file.
- Run `afrilang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module matrix2

```
function create2x2(a number, b number, c number, d number) returns list number  
end
```

```
function det2x2(m list number) returns number  
end
```

```
function trace2x2(m list number) returns number  
end
```

```
function scale2x2(m list number, s number) returns list number  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/matrix2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/matrix2/>

Source (extrait)

```
module matrix2  
  
function create2x2(a number, b number, c number, d number) returns list number  
end  
  
function det2x2(m list number) returns number  
end  
  
function trace2x2(m list number) returns number  
end  
  
function scale2x2(m list number, s number) returns list number  
end  
end
```