

AFRILANG Stdlib

std/m/matstats

Français. Bibliothèque AFRILANG 'std/m/matstats' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : rowSum, colSum, frobeniusNorm, maxAbs.

```
'import "std/m/matstats"' · 'use matstats'
```

- 'rowSum(m list number, cols number) → list number' - 'colSum(m list number, rows number, cols number) → list number' - 'frobeniusNorm(m list number) → number' - 'maxAbs(m list number) → number'

English.

AFRILANG library 'std/m/matstats' (tier medium, category medium). Exports 4 function(s): rowSum, colSum, frobeniusNorm, maxAbs.

```
'import "std/m/matstats"' · 'use matstats'
```

- 'rowSum(m list number, cols number) → list number' - 'colSum(m list number, rows number, cols number) → list number' - 'frobeniusNorm(m list number) → number' - 'maxAbs(m list number) → number'

Catégorie / Category	Modules medium (m/)	
Niveau / Tier	medium	June 16, 2026
Fonctions / Functions	4	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/matstats' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : rowSum, colSum, frobeniusNorm, maxAbs.

'import "std/m/matstats"' · 'use matstats'

```
- `rowSum(m list number, cols number) → list number`
- `colSum(m list number, rows number, cols number) → list number`
- `frobeniusNorm(m list number) → number`
- `maxAbs(m list number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/matstats"
use matstats
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- rowSum(m list number, cols number) → list
- colSum(m list number, rows number, cols number) → list
- frobeniusNorm(m list number) → number
- maxAbs(m list number) → number

4. Exemples d'utilisation

```
import "std/m/matstats"
use matstats
```

```
create result = rowSum(/* args */)
say result
```

```
create result = colSum(/* args */)
say result
```

```
create result = frobeniusNorm(/* args */)
say result
```

```
create result = maxAbs(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/matstats"' en tête de fichier.
- Lancez 'afirang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module matstats

```
function rowSum(m list number, cols number) returns list number  
end
```

```
function colSum(m list number, rows number, cols number) returns list number  
end
```

```
function frobeniusNorm(m list number) returns number  
end
```

```
function maxAbs(m list number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/matstats' (tier medium, category medium). Exports 4 function(s): rowSum, colSum, frobeniusNorm, maxAbs.

```
'import "std/m/matstats"' · 'use matstats'
```

```
- `rowSum(m list number, cols number) → list number`  
- `colSum(m list number, rows number, cols number) → list number`  
- `frobeniusNorm(m list number) → number`  
- `maxAbs(m list number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/matstats"  
use matstats
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- rowSum(m list number, cols number) → list•
colSum(m list number, rows number, cols number) → list•
frobeniusNorm(m list number) → number•
maxAbs(m list number) → number

4. Usage examples

```
import "std/m/matstats"  
use matstats
```

```
create result = rowSum(/* args */)   
say result
```

```
create result = colSum(/* args */)   
say result
```

```
create result = frobeniusNorm(/* args */)   
say result
```

```
create result = maxAbs(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/matstats"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module matstats

```
function rowSum(m list number, cols number) returns list number
end
```

```
function colSum(m list number, rows number, cols number) returns list number
end
```

```
function frobeniusNorm(m list number) returns number
end
```

```
function maxAbs(m list number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/matstats"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/matstats/>

Source (extrait)

```
module matstats

function rowSum(m list number, cols number) returns list number
end

function colSum(m list number, rows number, cols number) returns list number
end

function frobeniusNorm(m list number) returns number
end

function maxAbs(m list number) returns number
end
end
```