

AFRILANG Stdlib

std/m/mattranspose

Français. Bibliothèque AFRILANG 'std/m/mattranspose' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : transpose2x2, transpose3x3, isSquare, identity2.

```
'import "std/m/mattranspose"' · 'use mattranspose'  
- 'transpose2x2(m list number) → list number' - 'transpose3x3(m list  
number) → list number' - 'isSquare(m list number, n number) → bool' -  
'identity2(ignored number) → list number'
```

English. AFRILANG library 'std/m/mattranspose' (tier medium, category medium). Exports 4 function(s): transpose2x2, transpose3x3, isSquare, identity2.

```
'import "std/m/mattranspose"' · 'use mattranspose'  
- 'transpose2x2(m list number) → list number' - 'transpose3x3(m list  
number) → list number' - 'isSquare(m list number, n number) → bool' -  
'identity2(ignored number) → list number'
```

Catégorie / Category	Modules medium (m/)
Niveau / Tier	medium
Fonctions / Functions	4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/mattranspose' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : transpose2x2, transpose3x3, isSquare, identity2.

'import "std/m/mattranspose"' · 'use mattranspose'

```
- `transpose2x2(m list number) → list number`
- `transpose3x3(m list number) → list number`
- `isSquare(m list number, n number) → bool`
- `identity2(ignored number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/mattranspose"
use mattranspose
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- transpose2x2(m list number) → list•
transpose3x3(m list number) → list•
isSquare(m list number, n number) → bool•
identity2(ignored number) → list

4. Exemples d'utilisation

```
import "std/m/mattranspose"
use mattranspose
```

```
create result = transpose2x2(/* args */)
say result
```

```
create result = transpose3x3(/* args */)
say result
```

```
create result = isSquare(/* args */)
say result
```

```
create result = identity2(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/m/mattranspose"` en tête de fichier.
- Lancez `afirang check` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module mattranspose

```
function transpose2x2(m list number) returns list number  
end
```

```
function transpose3x3(m list number) returns list number  
end
```

```
function isSquare(m list number, n number) returns bool  
end
```

```
function identity2(ignored number) returns list number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/mattranspose' (tier medium, category medium). Exports 4 function(s): transpose2x2, transpose3x3, isSquare, identity2.

'import "std/m/mattranspose"' · 'use mattranspose'

```
- `transpose2x2(m list number) → list number`
- `transpose3x3(m list number) → list number`
- `isSquare(m list number, n number) → bool`
- `identity2(ignored number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/mattranspose"
use mattranspose
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- transpose2x2(m list number) → list•
- transpose3x3(m list number) → list•
- isSquare(m list number, n number) → bool•
- identity2(ignored number) → list

4. Usage examples

```
import "std/m/mattranspose"
use mattranspose
```

```
create result = transpose2x2(/* args */)
say result
```

```
create result = transpose3x3(/* args */)
say result
```

```
create result = isSquare(/* args */)
say result
```

```
create result = identity2(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/mattranspose"` at the top of your file.
- Run `afrilang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module mattranspose

```
function transpose2x2(m list number) returns list number  
end
```

```
function transpose3x3(m list number) returns list number  
end
```

```
function isSquare(m list number, n number) returns bool  
end
```

```
function identity2(ignored number) returns list number  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/mattranspose"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/mattranspose/>

Source (extrait)

```
module mattranspose  
  
function transpose2x2(m list number) returns list number  
end  
  
function transpose3x3(m list number) returns list number  
end  
  
function isSquare(m list number, n number) returns bool  
end  
  
function identity2(ignored number) returns list number  
end  
end
```