

# AFRILANG Stdlib

## std/m/pathparse2

**Français.** Bibliothèque AFRILANG 'std/m/pathparse2' (niveau medium, catégorie medium). Elle expose 5 fonction(s) : basename, dirname, extension, stem, joinPath.

```
'import "std/m/pathparse2"' · 'use pathparse2'
```

```
- 'basename(path text) → text' - 'dirname(path text) → text' - 'extension(path text) → text' - 'stem(path text) → text' - 'joinPath(a text, b text) → text'
```

**English.** AFRILANG library 'std/m/pathparse2' (tier medium, category medium). Exports 5 function(s): basename, dirname, extension, stem, joinPath.

```
'import "std/m/pathparse2"' · 'use pathparse2'
```

```
- 'basename(path text) → text' - 'dirname(path text) → text' - 'extension(path text) → text' - 'stem(path text) → text' - 'joinPath(a text, b text) → text'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 5

June 16, 2026

## Contents

## Français

### 1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/pathparse2' (niveau medium, catégorie medium). Elle expose 5 fonction(s) : basename, dirname, extension, stem, joinPath.

'import "std/m/pathparse2"' · 'use pathparse2'

```
- `basename(path text) → text`  
- `dirname(path text) → text`  
- `extension(path text) → text`  
- `stem(path text) → text`  
- `joinPath(a text, b text) → text`
```

### 2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/pathparse2"  
use pathparse2
```

Niveau : medium · Catégorie : Modules medium (m/)  
Bibliothèques intermédiaires – import std/m.../

### 3. Référence API

- basename(path text) → text•  
dirname(path text) → text•  
extension(path text) → text•  
stem(path text) → text•  
joinPath(a text, b text) → text

### 4. Exemples d'utilisation

```
import "std/m/pathparse2"  
use pathparse2
```

```
create result = basename(/* args */)   
say result
```

```
create result = dirname(/* args */)   
say result
```

```
create result = extension(/* args */)   
say result
```

```
create result = stem(/* args */)   
say result
```

```
create result = joinPath(/* args */)   
say result
```

## 5. Bonnes pratiques

- Préférez ``import "std/m/pathparse2"`` en tête de fichier.
- Lancez ``afrilang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

## 6. Annexe — source

module pathparse2

```
function basename(path text) returns text  
end
```

```
function dirname(path text) returns text  
end
```

```
function extension(path text) returns text  
end
```

```
function stem(path text) returns text  
end
```

```
function joinPath(a text, b text) returns text  
end  
end
```

## English

### 1. Overview

AFRILANG library 'std/m/pathparse2' (tier medium, category medium). Exports 5 function(s): basename, dirname, extension, stem, joinPath.

```
'import "std/m/pathparse2"' · 'use pathparse2'
```

```
- `basename(path text) → text`  
- `dirname(path text) → text`  
- `extension(path text) → text`  
- `stem(path text) → text`  
- `joinPath(a text, b text) → text`
```

### 2. Installation & import

Add the module to your program:

```
import "std/m/pathparse2"  
use pathparse2
```

Tier: medium · Category: Medium modules (m/)  
Intermediate libraries – import std/m.../

### 3. API reference

- basename(path text) → text•  
dirname(path text) → text•  
extension(path text) → text•  
stem(path text) → text•  
joinPath(a text, b text) → text

### 4. Usage examples

```
import "std/m/pathparse2"  
use pathparse2
```

```
create result = basename(/* args */)   
say result
```

```
create result = dirname(/* args */)   
say result
```

```
create result = extension(/* args */)   
say result
```

```
create result = stem(/* args */)   
say result
```

```
create result = joinPath(/* args */)   
say result
```

## 5. Best practices

- Prefer ``import "std/m/pathparse2"`` at the top of your file.
- Run ``afrilang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

## 6. Appendix — source

module pathparse2

```
function basename(path text) returns text
end
```

```
function dirname(path text) returns text
end
```

```
function extension(path text) returns text
end
```

```
function stem(path text) returns text
end
```

```
function joinPath(a text, b text) returns text
end
end
```

## Référence rapide / Quick reference

- Import : `import "std/m/pathparse2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/pathparse2/>

## Source (extrait)

```
module pathparse2

function basename(path text) returns text
end

function dirname(path text) returns text
end

function extension(path text) returns text
end

function stem(path text) returns text
end

function joinPath(a text, b text) returns text
end
end
```