

AFRILANG Stdlib

std/m/random2

Français. Bibliothèque AFRILANG 'std/m/random2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : seedRandom, randomRange, randomList, shuffleList.

```
'import "std/m/random2"' · 'use random2'
```

```
- 'seedRandom(seed number) → number' - 'randomRange(lo number, hi number) → number' - 'randomList(count number, lo number, hi number) → list number' - 'shuffleList(v list number, seed number) → list number'
```

English. AFRILANG library 'std/m/random2' (tier medium, category medium). Exports 4 function(s): seedRandom, randomRange, randomList, shuffleList.

```
'import "std/m/random2"' · 'use random2'
```

```
- 'seedRandom(seed number) → number' - 'randomRange(lo number, hi number) → number' - 'randomList(count number, lo number, hi number) → list number' - 'shuffleList(v list number, seed number) → list number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/random2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : seedRandom, randomRange, randomList, shuffleList.

'import "std/m/random2"' · 'use random2'

```
- `seedRandom(seed number) → number`
- `randomRange(lo number, hi number) → number`
- `randomList(count number, lo number, hi number) → list number`
- `shuffleList(v list number, seed number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/random2"
use random2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- seedRandom(seed number) → number•
randomRange(lo number, hi number) → number•
randomList(count number, lo number, hi number) → list•
shuffleList(v list number, seed number) → list

4. Exemples d'utilisation

```
import "std/m/random2"
use random2
```

```
create result = seedRandom(/* args */)
say result
```

```
create result = randomRange(/* args */)
say result
```

```
create result = randomList(/* args */)
say result
```

```
create result = shuffleList(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/random2"' en tête de fichier.
- Lancez 'afirilang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module random2

```
function seedRandom(seed number) returns number  
end
```

```
function randomRange(lo number, hi number) returns number  
end
```

```
function randomList(count number, lo number, hi number) returns list number  
end
```

```
function shuffleList(v list number, seed number) returns list number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/random2' (tier medium, category medium). Exports 4 function(s): seedRandom, randomRange, randomList, shuffleList.

'import "std/m/random2"' · 'use random2'

```
- `seedRandom(seed number) → number`  
- `randomRange(lo number, hi number) → number`  
- `randomList(count number, lo number, hi number) → list number`  
- `shuffleList(v list number, seed number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/random2"  
use random2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- seedRandom(seed number) → number•
randomRange(lo number, hi number) → number•
randomList(count number, lo number, hi number) → list•
shuffleList(v list number, seed number) → list

4. Usage examples

```
import "std/m/random2"  
use random2
```

```
create result = seedRandom(/* args */)   
say result
```

```
create result = randomRange(/* args */)   
say result
```

```
create result = randomList(/* args */)   
say result
```

```
create result = shuffleList(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/random2"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module random2

```
function seedRandom(seed number) returns number
end
```

```
function randomRange(lo number, hi number) returns number
end
```

```
function randomList(count number, lo number, hi number) returns list number
end
```

```
function shuffleList(v list number, seed number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/random2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/random2/>

Source (extrait)

```
module random2

function seedRandom(seed number) returns number
end

function randomRange(lo number, hi number) returns number
end

function randomList(count number, lo number, hi number) returns list number
end

function shuffleList(v list number, seed number) returns list number
end
end
```