

AFRILANG Stdlib

std/m/statsreg2

Français. Bibliothèque AFRILANG 'std/m/statsreg2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : linearSlope, linearIntercept, predict, rSquared.

```
'import "std/m/statsreg2"' · 'use statsreg2'
```

```
- 'linearSlope(x list number, y list number) → number' - 'linearIntercept(x list number, y list number) → number' - 'predict(slope number, intercept number, x number) → number' - 'rSquared(x list number, y list number) → number'
```

English. AFRILANG library 'std/m/statsreg2' (tier medium, category medium). Exports 4 function(s): linearSlope, linearIntercept, predict, rSquared.

```
'import "std/m/statsreg2"' · 'use statsreg2'
```

```
- 'linearSlope(x list number, y list number) → number' - 'linearIntercept(x list number, y list number) → number' - 'predict(slope number, intercept number, x number) → number' - 'rSquared(x list number, y list number) → number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/statsreg2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : linearSlope, linearIntercept, predict, rSquared.

```
'import "std/m/statsreg2"' · 'use statsreg2'
```

```
- `linearSlope(x list number, y list number) → number`
- `linearIntercept(x list number, y list number) → number`
- `predict(slope number, intercept number, x number) → number`
- `rSquared(x list number, y list number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/statsreg2"
use statsreg2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- linearSlope(x list number, y list number) → number•
- linearIntercept(x list number, y list number) → number•
- predict(slope number, intercept number, x number) → number•
- rSquared(x list number, y list number) → number

4. Exemples d'utilisation

```
import "std/m/statsreg2"
use statsreg2
```

```
create result = linearSlope(/* args */)
say result
```

```
create result = linearIntercept(/* args */)
say result
```

```
create result = predict(/* args */)
say result
```

```
create result = rSquared(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/m/statsreg2"` en tête de fichier.
- Lancez `afirang check` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module statsreg2

```
function linearSlope(x list number, y list number) returns number  
end
```

```
function linearIntercept(x list number, y list number) returns number  
end
```

```
function predict(slope number, intercept number, x number) returns number  
end
```

```
function rSquared(x list number, y list number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/statsreg2' (tier medium, category medium). Exports 4 function(s): linearSlope, linearIntercept, predict, rSquared.

```
'import "std/m/statsreg2"' · 'use statsreg2'
```

```
- `linearSlope(x list number, y list number) → number`  
- `linearIntercept(x list number, y list number) → number`  
- `predict(slope number, intercept number, x number) → number`  
- `rSquared(x list number, y list number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/statsreg2"  
use statsreg2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- linearSlope(x list number, y list number) → number•
linearIntercept(x list number, y list number) → number•
predict(slope number, intercept number, x number) → number•
rSquared(x list number, y list number) → number

4. Usage examples

```
import "std/m/statsreg2"  
use statsreg2
```

```
create result = linearSlope(/* args */)   
say result
```

```
create result = linearIntercept(/* args */)   
say result
```

```
create result = predict(/* args */)   
say result
```

```
create result = rSquared(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/statsreg2"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module statsreg2

```
function linearSlope(x list number, y list number) returns number  
end
```

```
function linearIntercept(x list number, y list number) returns number  
end
```

```
function predict(slope number, intercept number, x number) returns number  
end
```

```
function rSquared(x list number, y list number) returns number  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/statsreg2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/statsreg2/>

Source (extrait)

```
module statsreg2  
  
function linearSlope(x list number, y list number) returns number  
end  
  
function linearIntercept(x list number, y list number) returns number  
end  
  
function predict(slope number, intercept number, x number) returns number  
end  
  
function rSquared(x list number, y list number) returns number  
end  
end
```