

AFRILANG Stdlib

std/m/taxcalc2

Français. Bibliothèque AFRILANG 'std/m/taxcalc2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : incomeTax, netIncome, vatAmount, priceWithVat.

```
'import "std/m/taxcalc2"' · 'use taxcalc2'
```

```
- 'incomeTax(income number, rate number) → number' - 'net-  
Income(gross number, rate number) → number' - 'vatAmount(price  
number, rate number) → number' - 'priceWithVat(price number, rate  
number) → number'
```

English. AFRILANG library 'std/m/taxcalc2' (tier medium, category medium). Exports 4 function(s): incomeTax, netIncome, vatAmount, priceWithVat.

```
'import "std/m/taxcalc2"' · 'use taxcalc2'
```

```
- 'incomeTax(income number, rate number) → number' - 'net-  
Income(gross number, rate number) → number' - 'vatAmount(price  
number, rate number) → number' - 'priceWithVat(price number, rate  
number) → number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/taxcalc2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : `incomeTax`, `netIncome`, `vatAmount`, `priceWithVat`.

'import "std/m/taxcalc2"' · 'use taxcalc2'

```
- `incomeTax(income number, rate number) → number`
- `netIncome(gross number, rate number) → number`
- `vatAmount(price number, rate number) → number`
- `priceWithVat(price number, rate number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/taxcalc2"
use taxcalc2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- `incomeTax(income number, rate number) → number`•
`netIncome(gross number, rate number) → number`•
`vatAmount(price number, rate number) → number`•
`priceWithVat(price number, rate number) → number`

4. Exemples d'utilisation

```
import "std/m/taxcalc2"
use taxcalc2
```

```
create result = incomeTax(/* args */)
say result
```

```
create result = netIncome(/* args */)
say result
```

```
create result = vatAmount(/* args */)
say result
```

```
create result = priceWithVat(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/m/taxcalc2"`` en tête de fichier.
- Lancez ``afirang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module taxcalc2

```
function incomeTax(income number, rate number) returns number  
end
```

```
function netIncome(gross number, rate number) returns number  
end
```

```
function vatAmount(price number, rate number) returns number  
end
```

```
function priceWithVat(price number, rate number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/taxcalc2' (tier medium, category medium). Exports 4 function(s): incomeTax, netIncome, vatAmount, priceWithVat.

```
'import "std/m/taxcalc2"' · 'use taxcalc2'
```

```
- `incomeTax(income number, rate number) → number`  
- `netIncome(gross number, rate number) → number`  
- `vatAmount(price number, rate number) → number`  
- `priceWithVat(price number, rate number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/taxcalc2"  
use taxcalc2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- incomeTax(income number, rate number) → number•
netIncome(gross number, rate number) → number•
vatAmount(price number, rate number) → number•
priceWithVat(price number, rate number) → number

4. Usage examples

```
import "std/m/taxcalc2"  
use taxcalc2
```

```
create result = incomeTax(/* args */)   
say result
```

```
create result = netIncome(/* args */)   
say result
```

```
create result = vatAmount(/* args */)   
say result
```

```
create result = priceWithVat(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/taxcalc2"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module taxcalc2

```
function incomeTax(income number, rate number) returns number
end
```

```
function netIncome(gross number, rate number) returns number
end
```

```
function vatAmount(price number, rate number) returns number
end
```

```
function priceWithVat(price number, rate number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/taxcalc2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/taxcalc2/>

Source (extrait)

```
module taxcalc2

function incomeTax(income number, rate number) returns number
end

function netIncome(gross number, rate number) returns number
end

function vatAmount(price number, rate number) returns number
end

function priceWithVat(price number, rate number) returns number
end
end
```