

AFRILANG Stdlib

std/m/textdiff2

Français. Bibliothèque AFRILANG 'std/m/textdiff2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : commonPrefixLen, commonSuffixLen, levenshtein, similarityRatio.

```
'import "std/m/textdiff2"' · 'use textdiff2'
```

```
- 'commonPrefixLen(a text, b text) → number' - 'commonSuffixLen(a  
text, b text) → number' - 'levenshtein(a text, b text) → number' - 'similar-  
ityRatio(a text, b text) → number'
```

English. AFRILANG library 'std/m/textdiff2' (tier medium, category medium). Exports 4 function(s): commonPrefixLen, commonSuffixLen, levenshtein, similarityRatio.

```
'import "std/m/textdiff2"' · 'use textdiff2'
```

```
- 'commonPrefixLen(a text, b text) → number' - 'commonSuffixLen(a  
text, b text) → number' - 'levenshtein(a text, b text) → number' - 'simi-  
larityRatio(a text, b text) → number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/textdiff2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : commonPrefixLen, commonSuffixLen, levenshtein, similarityRatio.

```
'import "std/m/textdiff2"' · 'use textdiff2'
```

```
- `commonPrefixLen(a text, b text) → number`
- `commonSuffixLen(a text, b text) → number`
- `levenshtein(a text, b text) → number`
- `similarityRatio(a text, b text) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/textdiff2"
use textdiff2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- commonPrefixLen(a text, b text) → number
- commonSuffixLen(a text, b text) → number
- levenshtein(a text, b text) → number
- similarityRatio(a text, b text) → number

4. Exemples d'utilisation

```
import "std/m/textdiff2"
use textdiff2
```

```
create result = commonPrefixLen(/* args */)
say result
```

```
create result = commonSuffixLen(/* args */)
say result
```

```
create result = levenshtein(/* args */)
say result
```

```
create result = similarityRatio(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/m/textdiff2"` en tête de fichier.
- Lancez `afirang check` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module textdiff2

```
function commonPrefixLen(a text, b text) returns number  
end
```

```
function commonSuffixLen(a text, b text) returns number  
end
```

```
function levenshtein(a text, b text) returns number  
end
```

```
function similarityRatio(a text, b text) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/textdiff2' (tier medium, category medium). Exports 4 function(s): commonPrefixLen, commonSuffixLen, levenshtein, similarityRatio.

```
'import "std/m/textdiff2"' · 'use textdiff2'
```

```
- `commonPrefixLen(a text, b text) → number`  
- `commonSuffixLen(a text, b text) → number`  
- `levenshtein(a text, b text) → number`  
- `similarityRatio(a text, b text) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/textdiff2"  
use textdiff2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- commonPrefixLen(a text, b text) → number•
commonSuffixLen(a text, b text) → number•
levenshtein(a text, b text) → number•
similarityRatio(a text, b text) → number

4. Usage examples

```
import "std/m/textdiff2"  
use textdiff2
```

```
create result = commonPrefixLen(/* args */)   
say result
```

```
create result = commonSuffixLen(/* args */)   
say result
```

```
create result = levenshtein(/* args */)   
say result
```

```
create result = similarityRatio(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/m/textdiff2"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module textdiff2

```
function commonPrefixLen(a text, b text) returns number  
end
```

```
function commonSuffixLen(a text, b text) returns number  
end
```

```
function levenshtein(a text, b text) returns number  
end
```

```
function similarityRatio(a text, b text) returns number  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/textdiff2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/textdiff2/>

Source (extrait)

```
module textdiff2  
  
function commonPrefixLen(a text, b text) returns number  
end  
  
function commonSuffixLen(a text, b text) returns number  
end  
  
function levenshtein(a text, b text) returns number  
end  
  
function similarityRatio(a text, b text) returns number  
end  
end
```