

AFRILANG Stdlib

std/m/timestamp2

Français. Bibliothèque AFRILANG 'std/m/timestamp2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : epochDays, fromEpochDays, isValidDate, todayOffset.

'import "std/m/timestamp2"' · 'use timestamp2'

- 'epochDays(date text) → number' - 'fromEpochDays(days number) → text' - 'isValidDate(date text) → bool' - 'todayOffset(date text, offset number) → number'

English. AFRILANG library 'std/m/timestamp2' (tier medium, category medium). Exports 4 function(s): epochDays, fromEpochDays, isValidDate, todayOffset.

'import "std/m/timestamp2"' · 'use timestamp2'

- 'epochDays(date text) → number' - 'fromEpochDays(days number) → text' - 'isValidDate(date text) → bool' - 'todayOffset(date text, offset number) → number'

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/timestamp2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : epochDays, fromEpochDays, isValidDate, todayOffset.

'import "std/m/timestamp2"' · 'use timestamp2'

```
- `epochDays(date text) → number`
- `fromEpochDays(days number) → text`
- `isValidDate(date text) → bool`
- `todayOffset(date text, offset number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/timestamp2"
use timestamp2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- epochDays(date text) → number•
- fromEpochDays(days number) → text•
- isValidDate(date text) → bool•
- todayOffset(date text, offset number) → number

4. Exemples d'utilisation

```
import "std/m/timestamp2"
use timestamp2
```

```
create result = epochDays(/* args */)
say result
```

```
create result = fromEpochDays(/* args */)
say result
```

```
create result = isValidDate(/* args */)
say result
```

```
create result = todayOffset(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/m/timestamp2"' en tête de fichier.
- Lancez 'afirilang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module timestamp2

```
function epochDays(date text) returns number  
end
```

```
function fromEpochDays(days number) returns text  
end
```

```
function isValidDate(date text) returns bool  
end
```

```
function todayOffset(date text, offset number) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/timestamp2' (tier medium, category medium). Exports 4 function(s): epochDays, fromEpochDays, isValidDate, todayOffset.

'import "std/m/timestamp2"' · 'use timestamp2'

```
- `epochDays(date text) → number`
- `fromEpochDays(days number) → text`
- `isValidDate(date text) → bool`
- `todayOffset(date text, offset number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/timestamp2"
use timestamp2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- epochDays(date text) → number
- fromEpochDays(days number) → text
- isValidDate(date text) → bool
- todayOffset(date text, offset number) → number

4. Usage examples

```
import "std/m/timestamp2"
use timestamp2
```

```
create result = epochDays(/* args */)
say result
```

```
create result = fromEpochDays(/* args */)
say result
```

```
create result = isValidDate(/* args */)
say result
```

```
create result = todayOffset(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/timestamp2"` at the top of your file.
- Run `afrilang check` before shipping.
- Combine with related stdlib modules from the same category.
- See /stdlib/ for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module timestamp2

```
function epochDays(date text) returns number  
end
```

```
function fromEpochDays(days number) returns text  
end
```

```
function isValidDate(date text) returns bool  
end
```

```
function todayOffset(date text, offset number) returns number  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/timestamp2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/timestamp2/>

Source (extrait)

```
module timestamp2  
  
function epochDays(date text) returns number  
end  
  
function fromEpochDays(days number) returns text  
end  
  
function isValidDate(date text) returns bool  
end  
  
function todayOffset(date text, offset number) returns number  
end  
end
```