

AFRILANG Stdlib

std/m/timezone2

Français. Bibliothèque AFRILANG 'std/m/timezone2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : utcOffsetHours, toUtc, fromUtc, formatTime.

```
'import "std/m/timezone2"' · 'use timezone2'  
- 'utcOffsetHours(offset number) → number' - 'toUtc(localTime text, off-  
setHours number) → text' - 'fromUtc(utcTime text, offsetHours number)  
→ text' - 'formatTime(hours number, minutes number) → text' English.
```

AFRILANG library 'std/m/timezone2' (tier medium, category medium). Exports 4 function(s): utcOffsetHours, toUtc, fromUtc, formatTime.

```
'import "std/m/timezone2"' · 'use timezone2'  
- 'utcOffsetHours(offset number) → number' - 'toUtc(localTime text, off-  
setHours number) → text' - 'fromUtc(utcTime text, offsetHours number)  
→ text' - 'formatTime(hours number, minutes number) → text'
```

Catégorie / Category	Modules medium (m/)
Niveau / Tier	medium
Fonctions / Functions	4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/timezone2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : utcOffsetHours, toUtc, fromUtc, formatTime.

'import "std/m/timezone2"' · 'use timezone2'

```
- `utcOffsetHours(offset number) → number`
- `toUtc(localTime text, offsetHours number) → text`
- `fromUtc(utcTime text, offsetHours number) → text`
- `formatTime(hours number, minutes number) → text`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/timezone2"
use timezone2
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- utcOffsetHours(offset number) → number•
 toUtc(localTime text, offsetHours number) → text•
 fromUtc(utcTime text, offsetHours number) → text•
 formatTime(hours number, minutes number) → text

4. Exemples d'utilisation

```
import "std/m/timezone2"
use timezone2
```

```
create result = utcOffsetHours(/* args */)
say result
```

```
create result = toUtc(/* args */)
say result
```

```
create result = fromUtc(/* args */)
say result
```

```
create result = formatTime(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/m/timezone2"` en tête de fichier. •
 Lancez `afirang check` avant de livrer. •
 Combinez avec les modules stdlib de la même catégorie. •
 Voir /stdlib/ pour le source live et les démos playground. •
 Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module timezone2

```
function utcOffsetHours(offset number) returns number  
end
```

```
function toUtc(localTime text, offsetHours number) returns text  
end
```

```
function fromUtc(utcTime text, offsetHours number) returns text  
end
```

```
function formatTime(hours number, minutes number) returns text  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/timezone2' (tier medium, category medium). Exports 4 function(s): utcOffsetHours, toUtc, fromUtc, formatTime.

'import "std/m/timezone2"' · 'use timezone2'

```
- `utcOffsetHours(offset number) → number`
- `toUtc(localTime text, offsetHours number) → text`
- `fromUtc(utcTime text, offsetHours number) → text`
- `formatTime(hours number, minutes number) → text`
```

2. Installation & import

Add the module to your program:

```
import "std/m/timezone2"
use timezone2
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- utcOffsetHours(offset number) → number•
 toUtc(localTime text, offsetHours number) → text•
 fromUtc(utcTime text, offsetHours number) → text•
 formatTime(hours number, minutes number) → text

4. Usage examples

```
import "std/m/timezone2"
use timezone2
```

```
create result = utcOffsetHours(/* args */)
say result
```

```
create result = toUtc(/* args */)
say result
```

```
create result = fromUtc(/* args */)
say result
```

```
create result = formatTime(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/timezone2"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module timezone2

```
function utcOffsetHours(offset number) returns number  
end
```

```
function toUtc(localTime text, offsetHours number) returns text  
end
```

```
function fromUtc(utcTime text, offsetHours number) returns text  
end
```

```
function formatTime(hours number, minutes number) returns text  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/m/timezone2"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/timezone2/>

Source (extrait)

```
module timezone2  
  
function utcOffsetHours(offset number) returns number  
end  
  
function toUtc(localTime text, offsetHours number) returns text  
end  
  
function fromUtc(utcTime text, offsetHours number) returns text  
end  
  
function formatTime(hours number, minutes number) returns text  
end  
end
```