

AFRILANG Stdlib

std/m/vector3

Français. Bibliothèque AFRILANG 'std/m/vector3' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : cross3, dot3, length3, normalize3.

```
'import "std/m/vector3"' · 'use vector3'  
- 'cross3(a list number, b list number) → list number' - 'dot3(a list num-  
ber, b list number) → number' - 'length3(v list number) → number' -  
'normalize3(v list number) → list number'
```

English. AFRILANG library 'std/m/vector3' (tier medium, category medium). Exports 4 function(s): cross3, dot3, length3, normalize3.

```
'import "std/m/vector3"' · 'use vector3'  
- 'cross3(a list number, b list number) → list number' - 'dot3(a list num-  
ber, b list number) → number' - 'length3(v list number) → number' -  
'normalize3(v list number) → list number'
```

Catégorie / Category	Modules medium (m/)
Niveau / Tier	medium
Fonctions / Functions	4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/vector3' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : cross3, dot3, length3, normalize3.

```
'import "std/m/vector3"' · 'use vector3'
```

```
- `cross3(a list number, b list number) → list number`
- `dot3(a list number, b list number) → number`
- `length3(v list number) → number`
- `normalize3(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/vector3"
use vector3
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- cross3(a list number, b list number) → list•
- dot3(a list number, b list number) → number•
- length3(v list number) → number•
- normalize3(v list number) → list

4. Exemples d'utilisation

```
import "std/m/vector3"
use vector3
```

```
create result = cross3(/* args */)
say result
```

```
create result = dot3(/* args */)
say result
```

```
create result = length3(/* args */)
say result
```

```
create result = normalize3(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/m/vector3"` en tête de fichier.
- Lancez `afirang check` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module vector3

```
function cross3(a list number, b list number) returns list number  
end
```

```
function dot3(a list number, b list number) returns number  
end
```

```
function length3(v list number) returns number  
end
```

```
function normalize3(v list number) returns list number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/vector3' (tier medium, category medium). Exports 4 function(s): cross3, dot3, length3, normalize3.

'import "std/m/vector3"' · 'use vector3'

```
- `cross3(a list number, b list number) → list number`
- `dot3(a list number, b list number) → number`
- `length3(v list number) → number`
- `normalize3(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/vector3"
use vector3
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- cross3(a list number, b list number) → list•
dot3(a list number, b list number) → number•
length3(v list number) → number•
normalize3(v list number) → list

4. Usage examples

```
import "std/m/vector3"
use vector3
```

```
create result = cross3(/* args */)
say result
```

```
create result = dot3(/* args */)
say result
```

```
create result = length3(/* args */)
say result
```

```
create result = normalize3(/* args */)
say result
```

5. Best practices

- Prefer `import "std/m/vector3"` at the top of your file.•
Run `afrilang check` before shipping.•
Combine with related stdlib modules from the same category.•
See /stdlib/ for the live source and playground demos.•
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module vector3

```
function cross3(a list number, b list number) returns list number
end
```

```
function dot3(a list number, b list number) returns number
end
```

```
function length3(v list number) returns number
end
```

```
function normalize3(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/vector3"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/vector3/>

Source (extrait)

```
module vector3

function cross3(a list number, b list number) returns list number
end

function dot3(a list number, b list number) returns number
end

function length3(v list number) returns number
end

function normalize3(v list number) returns list number
end
end
```