

AFRILANG Stdlib

std/m/wordtok

Français. Bibliothèque AFRILANG 'std/m/wordtok' (niveau medium, catégorie medium). Elle expose 5 fonction(s) : tokenize, tokenCount, longestToken, shortestToken, avgTokenLen.

```
'import "std/m/wordtok"' · 'use wordtok'
```

```
- 'tokenize(s text) → list text' - 'tokenCount(s text) → number' - 'longest-  
Token(s text) → text' - 'shortestToken(s text) → text' - 'avgTokenLen(s  
text) → number'
```

English. AFRILANG library 'std/m/wordtok' (tier medium, category medium). Exports 5 function(s): tokenize, tokenCount, longestToken, shortestToken, avgTokenLen.

```
'import "std/m/wordtok"' · 'use wordtok'
```

```
- 'tokenize(s text) → list text' - 'tokenCount(s text) → number' - 'longest-  
Token(s text) → text' - 'shortestToken(s text) → text' - 'avgTokenLen(s  
text) → number'
```

Catégorie / Category Modules medium (m/)

Niveau / Tier medium

Fonctions / Functions 5

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/wordtok' (niveau medium, catégorie medium). Elle expose 5 fonction(s) : tokenize, tokenCount, longestToken, shortestToken, avgTokenLen.

```
'import "std/m/wordtok"' · 'use wordtok'
```

```
- `tokenize(s text) → list text`  
- `tokenCount(s text) → number`  
- `longestToken(s text) → text`  
- `shortestToken(s text) → text`  
- `avgTokenLen(s text) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/wordtok"  
use wordtok
```

Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires – import std/m.../

3. Référence API

- tokenize(s text) → list
tokenCount(s text) → number
longestToken(s text) → text
shortestToken(s text) → text
avgTokenLen(s text) → number

4. Exemples d'utilisation

```
import "std/m/wordtok"  
use wordtok
```

```
create result = tokenize(/* args */)   
say result
```

```
create result = tokenCount(/* args */)   
say result
```

```
create result = longestToken(/* args */)   
say result
```

```
create result = shortestToken(/* args */)   
say result
```

```
create result = avgTokenLen(/* args */)   
say result
```

5. Bonnes pratiques

- Préférez ``import "std/m/wordtok"`` en tête de fichier.
- Lancez ``afrilang check`` avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module wordtok

```
function tokenize(s text) returns list text  
end
```

```
function tokenCount(s text) returns number  
end
```

```
function longestToken(s text) returns text  
end
```

```
function shortestToken(s text) returns text  
end
```

```
function avgTokenLen(s text) returns number  
end  
end
```

English

1. Overview

AFRILANG library 'std/m/wordtok' (tier medium, category medium). Exports 5 function(s): tokenize, tokenCount, longestToken, shortestToken, avgTokenLen.

```
'import "std/m/wordtok"' · 'use wordtok'
```

```
- `tokenize(s text) → list text`  
- `tokenCount(s text) → number`  
- `longestToken(s text) → text`  
- `shortestToken(s text) → text`  
- `avgTokenLen(s text) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/wordtok"  
use wordtok
```

Tier: medium · Category: Medium modules (m/)
Intermediate libraries – import std/m.../

3. API reference

- tokenize(s text) → list•
tokenCount(s text) → number•
longestToken(s text) → text•
shortestToken(s text) → text•
avgTokenLen(s text) → number

4. Usage examples

```
import "std/m/wordtok"  
use wordtok
```

```
create result = tokenize(/* args */)   
say result
```

```
create result = tokenCount(/* args */)   
say result
```

```
create result = longestToken(/* args */)   
say result
```

```
create result = shortestToken(/* args */)   
say result
```

```
create result = avgTokenLen(/* args */)   
say result
```

5. Best practices

- Prefer ``import "std/m/wordtok"`` at the top of your file.
- Run ``afrilang check`` before shipping.
- Combine with related stdlib modules from the same category.
- See `/stdlib/` for the live source and playground demos.
- Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module wordtok

```
function tokenize(s text) returns list text
end
```

```
function tokenCount(s text) returns number
end
```

```
function longestToken(s text) returns text
end
```

```
function shortestToken(s text) returns text
end
```

```
function avgTokenLen(s text) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/wordtok"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/m/wordtok/>

Source (extrait)

```
module wordtok

function tokenize(s text) returns list text
end

function tokenCount(s text) returns number
end

function longestToken(s text) returns text
end

function shortestToken(s text) returns text
end

function avgTokenLen(s text) returns number
end
end
```