

AFRILANG Stdlib

std/music

Français. Bibliothèque AFRILANG 'std/music' (niveau simple, catégorie utilities). Elle expose 2 fonction(s) : midiNote, freqA4.

'import "std/music"' · 'use music'

- 'midiNote(octave number, note number) → number' - 'freqA4(ignored number) → number' **English.** AFRILANG library 'std/music' (tier simple, category utilities). Exports 2 function(s): midiNote, freqA4.

'import "std/music"' · 'use music'

- 'midiNote(octave number, note number) → number' - 'freqA4(ignored number) → number'

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/music' (niveau simple, catégorie utilities). Elle expose 2 fonction(s) : midiNote, freqA4.

'import "std/music"' · 'use music'

```
- `midiNote(octave number, note number) → number`
- `freqA4(ignored number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/music"
use music
```

Niveau : simple · Catégorie : Utilitaires
Helpers simples et fonctions ponctuelles.

3. Référence API

- midiNote(octave number, note number) → number•
freqA4(ignored number) → number

4. Exemples d'utilisation

```
import "std/music"
use music
```

```
create result = midiNote(/* args */)
say result
```

```
create result = freqA4(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/music"` en tête de fichier. •
Lancez `afriLang check` avant de livrer. •
Combinez avec les modules stdlib de la même catégorie. •
Voir /stdlib/ pour le source live et les démos playground. •
Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module music

```
function midiNote(octave number, note number) returns number
end
```

```
function freqA4(ignored number) returns number
end
end
```

English

1. Overview

AFRILANG library 'std/music' (tier simple, category utilities). Exports 2 function(s): midiNote, freqA4.

```
'import "std/music"' · 'use music'
```

```
- `midiNote(octave number, note number) → number`
- `freqA4(ignored number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/music"
use music
```

Tier: simple · Category: Utilities
Simple helpers and single-purpose functions.

3. API reference

- midiNote(octave number, note number) → number•
freqA4(ignored number) → number

4. Usage examples

```
import "std/music"
use music
```

```
create result = midiNote(/* args */)
say result
```

```
create result = freqA4(/* args */)
say result
```

5. Best practices

- Prefer `import "std/music"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module music

```
function midiNote(octave number, note number) returns number
end
```

```
function freqA4(ignored number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/music"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/music/>

Source (extrait)

```
module music

function midiNote(octave number, note number) returns number
end

function freqA4(ignored number) returns number
end
end
```