

AFRILANG Stdlib

std/platform

Français. Bibliothèque AFRILANG 'std/platform' (niveau simple, catégorie utilities). Elle expose 2 fonction(s) : osName, archName.

'import "std/platform"' · 'use platform'

- 'osName(ignored number) → text' - 'archName(ignored number) → text'

English. AFRILANG library 'std/platform' (tier simple, category utilities). Exports 2 function(s): osName, archName.

'import "std/platform"' · 'use platform'

- 'osName(ignored number) → text' - 'archName(ignored number) → text'

Catégorie / Category	Utilitaires	
Niveau / Tier	simple	June 16, 2026
Fonctions / Functions	2	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/platform' (niveau simple, catégorie utilities). Elle expose 2 fonction(s) : osName, archName.

'import "std/platform"' · 'use platform'

```
- `osName(ignored number) → text`
- `archName(ignored number) → text`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/platform"
use platform
```

Niveau : simple · Catégorie : Utilitaires
Helpers simples et fonctions ponctuelles.

3. Référence API

- osName(ignored number) → text
- archName(ignored number) → text

4. Exemples d'utilisation

```
import "std/platform"
use platform
```

```
create result = osName(/* args */)
say result
```

```
create result = archName(/* args */)
say result
```

5. Bonnes pratiques

- Préférez 'import "std/platform"' en tête de fichier.
- Lancez 'afrilang check' avant de livrer.
- Combinez avec les modules stdlib de la même catégorie.
- Voir /stdlib/ pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module platform

```
function osName(ignored number) returns text
end
```

```
function archName(ignored number) returns text
end
end
```

English

1. Overview

AFRILANG library 'std/platform' (tier simple, category utilities). Exports 2 function(s): osName, archName.

```
'import "std/platform"' · 'use platform'
```

```
- `osName(ignored number) → text`  
- `archName(ignored number) → text`
```

2. Installation & import

Add the module to your program:

```
import "std/platform"  
use platform
```

Tier: simple · Category: Utilities
Simple helpers and single-purpose functions.

3. API reference

- osName(ignored number) → text•
archName(ignored number) → text

4. Usage examples

```
import "std/platform"  
use platform
```

```
create result = osName(/* args */)   
say result
```

```
create result = archName(/* args */)   
say result
```

5. Best practices

- Prefer `import "std/platform"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module platform

```
function osName(ignored number) returns text  
end
```

```
function archName(ignored number) returns text  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/platform"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/platform/>

Source (extrait)

```
module platform

function osName(ignored number) returns text
end

function archName(ignored number) returns text
end
end
```