

AFRILANG Stdlib

std/quiz

Français. Bibliothèque AFRILANG 'std/quiz' (niveau simple, catégorie graphics). Elle expose 2 fonction(s) : scorePercent, isPerfect.

'import "std/quiz"' · 'use quiz'

- 'scorePercent(correct number, total number) → number' - 'isPerfect(correct number, total number) → bool'

English. AFRILANG library 'std/quiz' (tier simple, category graphics). Exports 2 function(s): scorePercent, isPerfect.

'import "std/quiz"' · 'use quiz'

- 'scorePercent(correct number, total number) → number' - 'isPerfect(correct number, total number) → bool'

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/quiz' (niveau simple, catégorie graphics). Elle expose 2 fonction(s) : scorePercent, isPerfect.

'import "std/quiz"' · 'use quiz'

```
- `scorePercent(correct number, total number) → number`
- `isPerfect(correct number, total number) → bool`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/quiz"
use quiz
```

Niveau : simple · Catégorie : Graphiques & UI
Couleurs, SDL, fenêtres, dessin.

3. Référence API

- scorePercent(correct number, total number) → number
isPerfect(correct number, total number) → bool

4. Exemples d'utilisation

```
import "std/quiz"
use quiz
```

```
create result = scorePercent(/* args */)
say result
```

```
create result = isPerfect(/* args */)
say result
```

5. Bonnes pratiques

- Préférez `import "std/quiz"` en tête de fichier.
Lancez `afrilang check` avant de livrer.
Combinez avec les modules stdlib de la même catégorie.
Voir /stdlib/ pour le source live et les démos playground.
Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module quiz

```
function scorePercent(correct number, total number) returns number
end
```

```
function isPerfect(correct number, total number) returns bool
end
end
```

English

1. Overview

AFRILANG library 'std/quiz' (tier simple, category graphics). Exports 2 function(s): scorePercent, isPerfect.

'import "std/quiz"' · 'use quiz'

```
- `scorePercent(correct number, total number) → number`
- `isPerfect(correct number, total number) → bool`
```

2. Installation & import

Add the module to your program:

```
import "std/quiz"
use quiz
```

Tier: simple · Category: Graphics & UI
Colors, SDL, windows, drawing.

3. API reference

- scorePercent(correct number, total number) → number•
isPerfect(correct number, total number) → bool

4. Usage examples

```
import "std/quiz"
use quiz
```

```
create result = scorePercent(/* args */)
say result
```

```
create result = isPerfect(/* args */)
say result
```

5. Best practices

- Prefer `import "std/quiz"` at the top of your file. •
Run `afrilang check` before shipping. •
Combine with related stdlib modules from the same category. •
See /stdlib/ for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module quiz

```
function scorePercent(correct number, total number) returns number
end
```

```
function isPerfect(correct number, total number) returns bool
end
end
```

Référence rapide / Quick reference

- Import : `import "std/quiz"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/quiz/>

Source (extrait)

```
module quiz

function scorePercent(correct number, total number) returns number
end

function isPerfect(correct number, total number) returns bool
end
end
```