

AFRILANG Stdlib

std/weekday

Français. Bibliothèque AFRILANG 'std/weekday' (niveau simple, catégorie time). Elle expose 2 fonction(s) : weekIndex, isWeekendIndex.

'import "std/weekday"' · 'use weekday'

- 'weekIndex(day number) → number' - 'isWeekendIndex(day number) → bool'

English. AFRILANG library 'std/weekday' (tier simple, category time). Exports 2 function(s): weekIndex, isWeekendIndex.

'import "std/weekday"' · 'use weekday'

- 'weekIndex(day number) → number' - 'isWeekendIndex(day number) → bool'

Catégorie / Category	Temps & dates	
Niveau / Tier	simple	June 16, 2026
Fonctions / Functions	2	

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/weekday' (niveau simple, catégorie time). Elle expose 2 fonction(s) : `weekIndex`, `isWeekendIndex`.

'import "std/weekday"' · 'use weekday'

```
- `weekIndex(day number) → number`
- `isWeekendIndex(day number) → bool`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/weekday"
use weekday
```

Niveau : simple · Catégorie : Temps & dates
Horloge, calendrier, délais, formatage temporel.

3. Référence API

- `weekIndex(day number) → number`
- `isWeekendIndex(day number) → bool`

4. Exemples d'utilisation

```
import "std/weekday"
use weekday
```

```
create result = weekIndex(/* args */)
say result
```

```
create result = isWeekendIndex(/* args */)
say result
```

5. Bonnes pratiques

- Préférez ``import "std/weekday"`` en tête de fichier.
- Lancez ``afri-lang check`` avant de livrer.
- Combinez avec les modules `stdlib` de la même catégorie.
- Voir `/stdlib/` pour le source live et les démos playground.
- Signalez les problèmes sur GitHub si une export manque.

6. Annexe — source

module `weekday`

```
function weekIndex(day number) returns number
end
```

```
function isWeekendIndex(day number) returns bool
end
end
```

English

1. Overview

AFRILANG library 'std/weekday' (tier simple, category time). Exports 2 function(s): `weekIndex`, `isWeekendIndex`.

```
'import "std/weekday"' · 'use weekday'
```

```
- `weekIndex(day number) → number`  
- `isWeekendIndex(day number) → bool`
```

2. Installation & import

Add the module to your program:

```
import "std/weekday"  
use weekday
```

Tier: simple · Category: Time & dates
Clock, calendar, delays, time formatting.

3. API reference

- `weekIndex(day number) → number`•
`isWeekendIndex(day number) → bool`

4. Usage examples

```
import "std/weekday"  
use weekday
```

```
create result = weekIndex(/* args */)   
say result
```

```
create result = isWeekendIndex(/* args */)   
say result
```

5. Best practices

- Prefer ``import "std/weekday"`` at the top of your file. •
Run ``afri-lang check`` before shipping. •
Combine with related stdlib modules from the same category. •
See `/stdlib/` for the live source and playground demos. •
Report issues on GitHub if an export is missing or undocumented.

6. Appendix — source

module `weekday`

```
function weekIndex(day number) returns number  
end
```

```
function isWeekendIndex(day number) returns bool  
end  
end
```

Référence rapide / Quick reference

- Import : `import "std/weekday"`
- Vérification : `afrilang check`
- Documentation : <https://afrilang.dev/stdlib/std/weekday/>

Source (extrait)

```
module weekday

function weekIndex(day number) returns number
end

function isWeekendIndex(day number) returns bool
end
end
```