

AFRILANG Stdlib

std/area_conv

Bibliothèque AFRILANG ``std/area_conv`` (niveau simple, catégorie text). Elle expose 2 fonction(s) : `m2ToCm2`, `cm2ToM2`.

```
`import "std/area_conv" . `use area_conv`
```

- ``m2ToCm2(m2 number) ? number``
- ``cm2ToM2(cm2 number) ? number``

Category: text | Tier: simple | Functions: 2

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/area\_conv` (niveau simple, catégorie text). Elle expose 2 fonction(s) : m2ToCm2, cm2ToM2.

```
`import "std/area_conv"` · `use area_conv`  
- `m2ToCm2(m2 number) ? number`  
- `cm2ToM2(cm2 number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/area_conv"  
use area_conv
```

Niveau : simple · Catégorie : Texte & chaînes
Manipulation de texte, regex, formatage, parsing.

3. Référence API

```
? m2ToCm2(m2 number) ? number  
? cm2ToM2(cm2 number) ? number
```

4. Exemples d'utilisation

```
import "std/area_conv"  
use area_conv  
  
create result = m2ToCm2(/* args */)   
say result  
  
create result = cm2ToM2(/* args */)   
say result
```

5. Bonnes pratiques

- ? Préférez `import "std/area\_conv"` en tête de fichier.
- ? Lancez `afrilang check` avant de livrer.
- ? Combinez avec les modules stdlib de la même catégorie.
- ? Voir /stdlib/ pour le source live et les démos playground.
- ? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module area_conv  
  
function m2ToCm2(m2 number) returns number  
end  
  
function cm2ToM2(cm2 number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/area\_conv` (tier simple, category text). Exports 2 function(s): m2ToCm2, cm2ToM2.

```
`import "std/area_conv"` · `use area_conv`  
- `m2ToCm2(m2 number) ? number`  
- `cm2ToM2(cm2 number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/area_conv"  
use area_conv
```

Tier: simple · Category: Text & strings

Text manipulation, regex, formatting, parsing.

3. API reference

```
? m2ToCm2(m2 number) ? number  
? cm2ToM2(cm2 number) ? number
```

4. Usage examples

```
import "std/area_conv"  
use area_conv  
  
create result = m2ToCm2(/* args */)   
say result  
  
create result = cm2ToM2(/* args */)   
say result
```

5. Best practices

- ? Prefer `import "std/area\_conv"` at the top of your file.
- ? Run `afrilang check` before shipping.
- ? Combine with related stdlib modules from the same category.
- ? See /stdlib/ for the live source and playground demos.
- ? Report issues on GitHub if an export is missing or undocumented.

6. Appendix ? source

```
module area_conv  
  
function m2ToCm2(m2 number) returns number  
end  
  
function cm2ToM2(cm2 number) returns number  
end  
end
```


