

AFRILANG Stdlib

std/diff

Bibliothèque AFRILANG `std/diff` (niveau simple, catégorie utilities). Elle expose 2 fonction(s) : delta, absDelta.

```
`import "std/diff"` · `use diff`
```

- `delta(a number, b number) ? number`
- `absDelta(a number, b number) ? number`

Category: utilities | Tier: simple | Functions: 2

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/diff` (niveau simple, catégorie utilities). Elle expose 2 fonction(s) : delta, absDelta.

```
`import "std/diff" . `use diff`  
- `delta(a number, b number) ? number`  
- `absDelta(a number, b number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/diff"  
use diff
```

Niveau : simple · Catégorie : Utilitaires
Helpers simples et fonctions ponctuelles.

3. Référence API

```
? delta(a number, b number) ? number  
? absDelta(a number, b number) ? number
```

4. Exemples d'utilisation

```
import "std/diff"  
use diff  
  
create result = delta(/* args */)   
say result  
  
create result = absDelta(/* args */)   
say result
```

5. Bonnes pratiques

- ? Préférez `import "std/diff"` en tête de fichier.
- ? Lancez `afrilang check` avant de livrer.
- ? Combinez avec les modules stdlib de la même catégorie.
- ? Voir /stdlib/ pour le source live et les démos playground.
- ? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module diff  
  
function delta(a number, b number) returns number  
end  
  
function absDelta(a number, b number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library ``std/diff`` (tier simple, category utilities). Exports 2 function(s): `delta`, `absDelta`.

```
`import "std/diff"` . `use diff`  
- `delta(a number, b number) ? number`  
- `absDelta(a number, b number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/diff"  
use diff
```

Tier: simple · Category: Utilities

Simple helpers and single-purpose functions.

3. API reference

? `delta(a number, b number) ? number`
? `absDelta(a number, b number) ? number`

4. Usage examples

```
import "std/diff"  
use diff  
  
create result = delta(/* args */)   
say result  
  
create result = absDelta(/* args */)   
say result
```

5. Best practices

? Prefer ``import "std/diff"`` at the top of your file.
? Run ``afriLang check`` before shipping.
? Combine with related stdlib modules from the same category.
? See `/stdlib/` for the live source and playground demos.
? Report issues on GitHub if an export is missing or undocumented.

6. Appendix ? source

```
module diff  
  
function delta(a number, b number) returns number  
end  
  
function absDelta(a number, b number) returns number  
end  
end
```


