

AFRILANG Stdlib

std/rect

Bibliothèque AFRILANG `std/rect` (niveau simple, catégorie text). Elle expose 2 fonction(s) : area, perimeter.

```
`import "std/rect" · `use rect`
```

- `area(w number, h number) ? number`
- `perimeter(w number, h number) ? number`

Category: text | Tier: simple | Functions: 2

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG ``std/rect`` (niveau simple, catégorie text). Elle expose 2 fonction(s) :
area, perimeter.

```
`import "std/rect"` . `use rect`  
- `area(w number, h number) ? number`  
- `perimeter(w number, h number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/rect"  
use rect
```

Niveau : simple · Catégorie : Texte & chaînes
Manipulation de texte, regex, formatage, parsing.

3. Référence API

```
? area(w number, h number) ? number  
? perimeter(w number, h number) ? number
```

4. Exemples d'utilisation

```
import "std/rect"  
use rect  
  
create result = area(/* args */)   
say result  
  
create result = perimeter(/* args */)   
say result
```

5. Bonnes pratiques

- ? Préférez ``import "std/rect"`` en tête de fichier.
- ? Lancez ``afrilang check`` avant de livrer.
- ? Combinez avec les modules stdlib de la même catégorie.
- ? Voir `/stdlib/` pour le source live et les démos playground.
- ? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module rect  
  
function area(w number, h number) returns number  
end  
  
function perimeter(w number, h number) returns number  
end  
end
```

ENGLISH

1. Overview

AFRILANG library `std/rect` (tier simple, category text). Exports 2 function(s): area, perimeter.

```
`import "std/rect"` · `use rect`  
- `area(w number, h number) ? number`  
- `perimeter(w number, h number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/rect"  
use rect
```

Tier: simple · Category: Text & strings
Text manipulation, regex, formatting, parsing.

3. API reference

? area(w number, h number) ? number
? perimeter(w number, h number) ? number

4. Usage examples

```
import "std/rect"  
use rect  
  
create result = area(/* args */)   
say result  
  
create result = perimeter(/* args */)   
say result
```

5. Best practices

? Prefer `import "std/rect"` at the top of your file.
? Run `afrilang check` before shipping.
? Combine with related stdlib modules from the same category.
? See /stdlib/ for the live source and playground demos.
? Report issues on GitHub if an export is missing or undocumented.

6. Appendix ? source

```
module rect  
  
function area(w number, h number) returns number  
end  
  
function perimeter(w number, h number) returns number  
end  
end
```


