

AFRILANG Stdlib

std/retry

Bibliothèque AFRILANG `std/retry` (niveau simple, catégorie text). Elle expose 2 fonction(s) : backoffMs, shouldRetry.

```
`import "std/retry" . `use retry`
```

- `backoffMs(attempt number) ? number`
- `shouldRetry(attempt number, max number) ? bool`

Category: text | Tier: simple | Functions: 2

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRI LANG `std/retry` (niveau simple, catégorie text). Elle expose 2 fonction(s) : backoffMs, shouldRetry.

```
`import "std/retry"` · `use retry`  
- `backoffMs(attempt number) ? number`  
- `shouldRetry(attempt number, max number) ? bool`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/retry"  
use retry
```

Niveau : simple · Catégorie : Texte & chaînes
Manipulation de texte, regex, formatage, parsing.

3. Référence API

```
? backoffMs(attempt number) ? number  
? shouldRetry(attempt number, max number) ? bool
```

4. Exemples d'utilisation

```
import "std/retry"  
use retry  
  
create result = backoffMs(/* args */)   
say result  
  
create result = shouldRetry(/* args */)   
say result
```

5. Bonnes pratiques

```
? Préférez `import "std/retry"` en tête de fichier.  
? Lancez `afrilang check` avant de livrer.  
? Combinez avec les modules stdlib de la même catégorie.  
? Voir /stdlib/ pour le source live et les démos playground.  
? Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe ? source

```
module retry  
  
function backoffMs(attempt number) returns number  
end  
  
function shouldRetry(attempt number, max number) returns bool  
end  
end
```

ENGLISH

1. Overview

AFRILANG library ``std/retry`` (tier simple, category text). Exports 2 function(s): `backoffMs`, `shouldRetry`.

```
`import "std/retry"` · `use retry`  
- `backoffMs(attempt number) ? number`  
- `shouldRetry(attempt number, max number) ? bool`
```

2. Installation & import

Add the module to your program:

```
import "std/retry"  
use retry
```

Tier: simple · Category: Text & strings
Text manipulation, regex, formatting, parsing.

3. API reference

? `backoffMs(attempt number) ? number`
? `shouldRetry(attempt number, max number) ? bool`

4. Usage examples

```
import "std/retry"  
use retry  
  
create result = backoffMs(/* args */)   
say result  
  
create result = shouldRetry(/* args */)   
say result
```

5. Best practices

? Prefer ``import "std/retry"`` at the top of your file.
? Run ``afriLang check`` before shipping.
? Combine with related stdlib modules from the same category.
? See `/stdlib/` for the live source and playground demos.
? Report issues on GitHub if an export is missing or undocumented.

6. Appendix ? source

```
module retry  
  
function backoffMs(attempt number) returns number  
end  
  
function shouldRetry(attempt number, max number) returns bool  
end  
end
```


