

AFRILANG Stdlib

std/c/sigfilter

Bibliothèque AFRILANG `std/c/sigfilter` (niveau complex, catégorie complex). Elle expose 6 fonction(s) : lowPass, highPa

```
`import "std/c/sigfilter"` · `use sigfilter`
```

- `lowPass(v list number, alpha number) ? list number`
- `highPass(v list number, alpha number) ? list number`
- `medianFilter(v list number, win number) ? list number`
- `savgol(v list number, win number) ? list number`
- `bandpass(v list number, lo number, hi number) ? list number`
- `snr(signal list number, noise list number) ? number`

Category: complex | Tier: complex | Functions: 6

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/sigfilter` (niveau complex, catégorie complex). Elle expose 6 fonction(s) : lowPass, highPa

```
`import "std/c/sigfilter"` . `use sigfilter`  
- `lowPass(v list number, alpha number) ? list number`  
- `highPass(v list number, alpha number) ? list number`  
- `medianFilter(v list number, win number) ? list number`  
- `savgol(v list number, win number) ? list number`  
- `bandpass(v list number, lo number, hi number) ? list number`  
- `snr(signal list number, noise list number) ? number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/sigfilter"  
use sigfilter
```

Niveau : complex · Catégorie : Modules complex (c/)

Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

```
? lowPass(v list number, alpha number) ? list  
? highPass(v list number, alpha number) ? list  
? medianFilter(v list number, win number) ? list  
? savgol(v list number, win number) ? list  
? bandpass(v list number, lo number, hi number) ? list  
? snr(signal list number, noise list number) ? number
```

4. Exemples d'utilisation

```
import "std/c/sigfilter"  
use sigfilter  
  
create result = lowPass(/* args */)   
say result  
  
create result = highPass(/* args */)   
say result  
  
create result = medianFilter(/* args */)   
say result  
  
create result = savgol(/* args */)   
say result  
  
create result = bandpass(/* args */)   
say result  
  
create result = snr(/* args */)   
say result
```

5. Bonnes pratiques

? Préférez `import "std/c/sigfilter"` en tête de fichier.
? Lancez `afrilang check` avant de livrer.
? Combinez avec les modules stdlib de la même catégorie.
? Voir /stdlib/ pour le source live et les démos playground.
? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module sigfilter  
  
function lowPass(v list number, alpha number) returns list number  
end
```

```
function highPass(v list number, alpha number) returns list number
end

function medianFilter(v list number, win number) returns list number
end

function savgol(v list number, win number) returns list number
end

function bandpass(v list number, lo number, hi number) returns list number
end

function snr(signal list number, noise list number) returns number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/sigfilter` (tier complex, category complex). Exports 6 function(s): lowPass, highPass, medianFil

```
`import "std/c/sigfilter"` . `use sigfilter`  
- `lowPass(v list number, alpha number) ? list number`  
- `highPass(v list number, alpha number) ? list number`  
- `medianFilter(v list number, win number) ? list number`  
- `savgol(v list number, win number) ? list number`  
- `bandpass(v list number, lo number, hi number) ? list number`  
- `snr(signal list number, noise list number) ? number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/sigfilter"  
use sigfilter
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

```
? lowPass(v list number, alpha number) ? list  
? highPass(v list number, alpha number) ? list  
? medianFilter(v list number, win number) ? list  
? savgol(v list number, win number) ? list  
? bandpass(v list number, lo number, hi number) ? list  
? snr(signal list number, noise list number) ? number
```

4. Usage examples

```
import "std/c/sigfilter"  
use sigfilter  
  
create result = lowPass(/* args */)   
say result  
  
create result = highPass(/* args */)   
say result  
  
create result = medianFilter(/* args */)   
say result  
  
create result = savgol(/* args */)   
say result  
  
create result = bandpass(/* args */)   
say result  
  
create result = snr(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/c/sigfilter"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module sigfilter  
  
function lowPass(v list number, alpha number) returns list number  
end
```

```
function highPass(v list number, alpha number) returns list number
end

function medianFilter(v list number, win number) returns list number
end

function savgol(v list number, win number) returns list number
end

function bandpass(v list number, lo number, hi number) returns list number
end

function snr(signal list number, noise list number) returns number
end
end
```