

AFRILANG Stdlib

std/c/simdiscrete

Bibliothèque AFRILANG `std/c/simdiscrete` (niveau complex, catégorie complex). Elle expose 8 fonction(s) :
discSum, disc

```
`import "std/c/simdiscrete" . `use simdiscrete`
```

- `discSum(v list number) ? number`
- `discMean(v list number) ? number`
- `discMin(v list number) ? number`
- `discMax(v list number) ? number`
- `discVar(v list number) ? number`
- `discStd(v list number) ? number`
- `discNorm(v list number) ? list number`
- `simulate(steps number, seed number) ? list number`

Category: complex | Tier: complex | Functions: 8

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/simdiscrete` (niveau complex, catégorie complex). Elle expose 8 fonction(s) : discSum, disc

```
`import "std/c/simdiscrete" . `use simdiscrete`  
- `discSum(v list number) ? number`  
- `discMean(v list number) ? number`  
- `discMin(v list number) ? number`  
- `discMax(v list number) ? number`  
- `discVar(v list number) ? number`  
- `discStd(v list number) ? number`  
- `discNorm(v list number) ? list number`  
- `simulate(steps number, seed number) ? list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/simdiscrete"  
use simdiscrete
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

```
? discSum(v list number) ? number  
? discMean(v list number) ? number  
? discMin(v list number) ? number  
? discMax(v list number) ? number  
? discVar(v list number) ? number  
? discStd(v list number) ? number  
? discNorm(v list number) ? list  
? simulate(steps number, seed number) ? list
```

4. Exemples d'utilisation

```
import "std/c/simdiscrete"  
use simdiscrete  
  
create result = discSum(/* args */)   
say result  
  
create result = discMean(/* args */)   
say result  
  
create result = discMin(/* args */)   
say result  
  
create result = discMax(/* args */)   
say result  
  
create result = discVar(/* args */)   
say result  
  
create result = discStd(/* args */)   
say result
```

5. Bonnes pratiques

- ? Préférez `import "std/c/simdiscrete"` en tête de fichier.
- ? Lancez `afirilang check` avant de livrer.
- ? Combinez avec les modules stdlib de la même catégorie.
- ? Voir /stdlib/ pour le source live et les démos playground.
- ? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module simdiscrete
function discSum(v list number) returns number
end
function discMean(v list number) returns number
end
function discMin(v list number) returns number
end
function discMax(v list number) returns number
end
function discVar(v list number) returns number
end
function discStd(v list number) returns number
end
function discNorm(v list number) returns list number
end
function simulate(steps number, seed number) returns list number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/simdiscrete` (tier complex, category complex). Exports 8 function(s):
discSum, discMean, discMin

```
`import "std/c/simdiscrete"` . `use simdiscrete`  
- `discSum(v list number) ? number`  
- `discMean(v list number) ? number`  
- `discMin(v list number) ? number`  
- `discMax(v list number) ? number`  
- `discVar(v list number) ? number`  
- `discStd(v list number) ? number`  
- `discNorm(v list number) ? list number`  
- `simulate(steps number, seed number) ? list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/simdiscrete"  
use simdiscrete
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

```
? discSum(v list number) ? number  
? discMean(v list number) ? number  
? discMin(v list number) ? number  
? discMax(v list number) ? number  
? discVar(v list number) ? number  
? discStd(v list number) ? number  
? discNorm(v list number) ? list  
? simulate(steps number, seed number) ? list
```

4. Usage examples

```
import "std/c/simdiscrete"  
use simdiscrete  
  
create result = discSum(/* args */)   
say result  
  
create result = discMean(/* args */)   
say result  
  
create result = discMin(/* args */)   
say result  
  
create result = discMax(/* args */)   
say result  
  
create result = discVar(/* args */)   
say result  
  
create result = discStd(/* args */)   
say result
```

5. Best practices

```
? Prefer `import "std/c/simdiscrete"` at the top of your file.  
? Run `afrilang check` before shipping.  
? Combine with related stdlib modules from the same category.  
? See /stdlib/ for the live source and playground demos.  
? Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix ? source

```
module simdiscrete
function discSum(v list number) returns number
end
function discMean(v list number) returns number
end
function discMin(v list number) returns number
end
function discMax(v list number) returns number
end
function discVar(v list number) returns number
end
function discStd(v list number) returns number
end
function discNorm(v list number) returns list number
end
function simulate(steps number, seed number) returns list number
end
end
```