



Wrocław University  
of Science and Technology

---

INFORMATION SYSTEMS MODELING  
LAB04 GROUP 3

---

## ***WroclArts System*** **– Documentation –**

---

**– Frontend Development and Aspect-oriented programming –**

***Student***

Maxime LUCE  
*Student ID: 294620*

***Teacher***

Tomasz KUBIK

Academic year 2025/2026 – May 12, 2026

## Contents

|                                      |          |
|--------------------------------------|----------|
| <b>Introduction</b>                  | <b>1</b> |
| <b>1 Frontend development</b>        | <b>1</b> |
| <b>2 Aspect Oriented Programming</b> | <b>3</b> |
| <b>Appendixes</b>                    | <b>5</b> |
| List of Figures . . . . .            | 5        |

## Introduction

This document presents the development of the Frontend for the *WrocławArts* system, using the backend application for the fourth laboratory of "Information Systems Modelling". We also present the implementation of the Aspect Oriented Programming (AOP).

The implemented code can be found here <https://github.com/MaximeLuce/WroclArts>.

## 1 Frontend development

Once you run the frontend application, you arrive on the homepage (**Figure 1**), where you can see a list of all events (got from the database) and a fake map to display these events. You can also see some filters and buttons that need to be implemented.




Figure 1: View of the homepage

On the homepage, there are yet two active links: one for admin's panel and one for the page to register to an event. The Figure 2 present the view of this page where we assume that we are already logged in with the user with ID= 1 and we can register or unregister to all events.




Figure 2: View of the fake page to register to an event

The admin's panel (Figure 3) presents all key features that you can use: CRUD for events and organizations and display the system's statistics.




Figure 3: View of the admin's panel

## 2 Aspect Oriented Programming

Using AOP, we can log all methods used in the service implementation as it is illustrate Figure 4. We are also able to store system's statistics such as the percentage of used API and the highest price of an seen event (Figure 5).

```
DEBUG AOP -> Service intercepté : findAllEvents
Method [findAllEvents] gets called with parameters []
Hibernate: select ee1_0.id,ee1_0.address,ee1_0.category,c1_0.event_id,c1_0.id,c1_0.date_creat:
Execution took [6ms]
```

Figure 4: Example of logs in the backend application




Figure 5: Example of statistics got during the run of the application

## Appendixes

### List of Figures

|   |                                                                       |   |
|---|-----------------------------------------------------------------------|---|
| 1 | View of the homepage . . . . .                                        | 2 |
| 2 | View of the fake page to register to an event . . . . .               | 2 |
| 3 | View of the admin's panel . . . . .                                   | 3 |
| 4 | Example of logs in the backend application . . . . .                  | 3 |
| 5 | Example of statistics got during the run of the application . . . . . | 4 |

