

Tennis Data Feed

1. [TOURNAMENTS LIST FEED](#)
2. [TOURNAMENTS FIXTURES/RESULTS FEED](#)
3. [TOURNAMENT DRAW](#)
4. [LIVESCORE FEED](#)
5. [LIVE GAME PLAYER STATS FEED](#)
6. [LIVE GAME POINT 2 POINT FEED](#)
7. [PREGAME ODDS COMPARISON FEED](#)
8. [PLAYER RANKINGS FEED](#)
9. [PLAYER PROFILES FEED](#)
10. [HEAD 2 HEAD COMPARISON FEED \(H2H\)](#)

Basic feed format description and common flags to be used

- feed time zone is UTC.
- JSON format - to convert feed into JSON add “?json=1” parameter to the feed URL.

```
https://www.goalserve.com/getfeed/-----/tennis_scores/home?json=1  
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=tennis_10&json=1
```

- all ID values are always static and not change every season
- all ID values are unique in single sport scope, not globally

1) TOURNAMENTS LIST FEED

- refresh period once every 3 hours

https://www.goalserve.com/getfeed/-----/tennis_scores/leagues

<league country="Atp-Singles" name="ATP Auckland" season="2020" id="16161">		
id	int	tournament id
country	string	series Name Possible values Atp-Singles Wta-Singles Atp-Doubles Wta-Doubles Itf-Men-Singles Itf-Women-Singles Itf-Men-Doubles Itf-Women-Doubles Challenger-Men-Singles Challenger-Women-Singles Challenger-Men-Doubles Challenger-Women-Doubles Teams-Men Teams-Women Exhibition-Men Exhibition -Women Mixed-Doubles
name	String	tournament name
season	sttring	Current season

<fixture>		
current season schedules/results		
<history>		
historical league results seasons		
<history-p2p>		
historical point by point match scores		
<history-stats>		
historical match player stats		

Accessing historical data by season

- historical results by league and season

https://www.goalserve.com/getfeed/-----/tennis_scores/16129-2009

- historical point by point by league and season

https://www.goalserve.com/getfeed/-----/tennis_scores/16161-2016_p2p

- historical game stats by league and season

https://www.goalserve.com/getfeed/-----/tennis_scores/19507-2019-stats

2) TOURNAMENT FIXTURES/RESULTS FEED

- refresh period once every 1 hour
- can be accessed by tournament ID

https://www.goalserve.com/getfeed/-----/tennis_scores/19174

<tournament league="ATP Paris" season="2020" id="19174">		
id	int	tournament id
league	string	tournament name
season	String	tournament season value

<week number="ATP Paris - Semi-finals" qualification="True">		
tournament stage element		
number	String	stage name
qualification	bool	tournmaent qualificaiton stage flag True - is qualification False - main tournament

<match date="31.10.2020" time="09:10" status="Finished" tb="False" id="970904">		
date	date (dd.MM.yyyy)	match start date
time	time (HH:mm)	match start time
status	string	match status. Possible values: Not Started Finished - finished Retired - retired Cancelled - cancelled Suspended - suspended Awarded - technical loss Walk over - technical loss Postponed Abandoned
tb	bool	match is in tiebreak. Valid for live score feed. In results feed allways False
id	int	match id

<player name="L. Djere" serve="False" game_score="" s1="6" s2="6" s3="" s4="" s5="" totalscore="2" winner="True" id="14763" />		
name	stirng	player name
serve	bool	valid for livescore feed only. Always False.
game_score	string	valid for livescore feed only. Always empty.
s1,s2,s3,s4,s5	string	SET score. Can include tiebreak score separated by "." "6" - normal set score "6.5" - tiebreak. "6" set score, "5" tiebreak score
totalscore	int	total sets won by player. match score
winner	bool	True - player match winner False - player lost the match.
id	int	player ID

3) TOURNAMENT DRAW

- refresh period once every 1 hour
- provide complete tournament draw and entries list in advance
- can be accessed by tournament ID

https://www.goalserve.com/getfeed/-----/tennis_scores/19174-draw

<tournament league="ATP Paris" season="2020" id="19174">		
id	int	tournament id
league	string	tournament name
season	String	tournament season value

<code><stage name="Singles - Qualification" qualification="True"></code>			<code><stage name="Singles - Qualification" qualification="True"></code>
tournament stage element			
number	String	stage name	
qualification	bool	tournmaent qualificaiton stage flag True - is qualification False - main tournament	

<round name="Final" >			<stage name="Singles - Qualification" qualification="True">
tournament stage round			

<match status="Finished" id="2478420" match_number="1" next="9">		
date	date (dd.MM.yyyy)	match start date
status	string	match status. Possible values: Not Started Finished - finished Retired - retired Cancelled - cancelled Suspended - suspended Awarded - technical loss Walk over - technical loss Postponed Abandoned
match_number	int	match number in the draw. Used to create connection between matches between rounds. In this example next attribute have value 9 what means that winner for this game (number 1) will play next match in the game with number 9 . This way you can create connections between stages and matches.
next	int	next game number that winner will play.
id	int	match id

<player name="F. Meligeni Alves" seed="Alt" totalscore="2" winner="True" id="131928" />		
name	stirng	player name
seed	string	seed number for seeded players. For other players value can be: Alt - alternate WC - wild card player
totalscore	int	match score for player. Sets won

winner	bool	True - player match winner False - player lost the match.
id	int	player ID

<player name="" seed="Bye" totalscore="" winner="False" id="175696" />		
BYE player. For BYE matches		

4) LIVESCORE FEED

- refresh period every 5 seconds
- can be accessed by tournament ID
- feed display current date games. Switch on new date every midnight UTC

URL format

https://www.goalserve.com/getfeed/-----/tennis_scores/home ---- today matches and live score
https://www.goalserve.com/getfeed/-----/tennis_scores/d1 ---- tomorrow games
https://www.goalserve.com/getfeed/-----/tennis_scores/d-1 ---- yesterday finished games

Feed elements description

<category name="Atp - Singles: Sofia (Bulgaria), Hard (Indoor)" id="23104">		
id	int	tournament id
league	string	tournament name
<match date="31.10.2020" time="09:10" status="Finished" tb="False" id="970904">		
date	date (dd.MM.yyyy)	match start date
time	time (HH:mm)	match start time
status	string	match status. Possible values: Not Started Finished - finished Retired - retired Cancelled - cancelled Suspended - suspended Awarded - technical loss Walk over - technical loss Postponed Abandoned Set 1 - live status Set 2 - live status Set 3 - live status Set 4 - live status Set 5 - live status Interrupted
tb	bool	tiebreak flag. If true game is in tiebreak.
id	int	match id
<player name="L. Djere" serve="False" game_score="" s1="6" s2="6" s3="" s4="" s5="" totalscore="2" winner="True" id="14763" />		
name	string	player name
serve	bool	true if current player is serving now.
game_score	string	game score. Possible values "" - game is not live. "0", "15", "30", "40", "A" - live statuses
s1,s2,s3,s4,s5	string	SET score. Can include tiebreak score separated by "." "6" - normal set score "6.5" - tiebreak. "6" set score, "5" tiebreak score
totalscore	int	total sets won by player. match score
winner	bool	True - player match winner False - player lost the match.
id	int	player ID

Available feed filtering options

- filtering live feed by league id

https://www.goalserve.com/getfeed/-----/tennis_scores/home?cat=23104

- filtering live feed by match ID attribute

https://www.goalserve.com/getfeed/-----/tennis_scores/match?id=978179

5) LIVE GAME PLAYER STATS FEED

- refresh period every 30 seconds
- feed display current date games. Switch on new date every midnight UTC

URL format

https://www.goalserve.com/getfeed/-----/tennis_scores/home_gamestats ---- today
https://www.goalserve.com/getfeed/-----/tennis_scores/d-1_gamestats ---- yesterday

Feed elements description

<category name="Atp - Singles: Sofia (Bulgaria), Hard (Indoor)" id="23104">		
id	int	tournament id
league	string	tournament name

<match date="31.10.2020" time="09:10" id="970904">		
date	date (dd.MM.yyyy)	match start date
time	time (HH:mm)	match start time
id	int	match id
<player name="L. Djere" id="14763" />		
name	string	player name
id	int	player ID

<category name="Atp - Singles: Sofia (Bulgaria), Hard (Indoor)" id="23104">		
id	int	tournament id
league	string	tournament name

- historical game stats by league and season. League ID can be obtained from leagues feed.

https://www.goalserve.com/getfeed/-----/tennis_scores/19507-2019-stats

6) LIVE GAME POINT 2 POINT FEED

- refresh period every 60 seconds
- feed display current date games. Switch on new date every midnight UTC

URL format

```
https://www.goalserve.com/getfeed/-----/tennis_scores/home_p2p ---- today
https://www.goalserve.com/getfeed/-----/tennis_scores/d-1_p2p ---- yesterday
```

Feed elements description

<category name="Atp - Singles: Sofia (Bulgaria), Hard (Indoor)" id="23104">		
id	int	tournament id
league	string	tournament name

<match date="31.10.2020" time="09:10" id="970904">		
date	date (dd.MM.yyyy)	match start date
time	time (HH:mm)	match start time
id	int	match id
<player name="L. Djere" id="14763" />		
name	string	player name
id	int	player ID

<category name="Atp - Singles: Sofia (Bulgaria), Hard (Indoor)" id="23104">		
id	int	tournament id
league	string	tournament name

- historical point by point by league and season. League ID can be obtained from leagues feed.

```
https://www.goalserve.com/getfeed/----- /tennis_scores/16161-2016_p2p
```

7) PREGAME ODDS COMPARISON FEED

- pregame odds comparison feed between various bookmakers
- feed display only NOT started games. There is no flag that indicate if game was started. You need to use game start time and close betting before kickoff time
- **requests limit – 1 request every 10 seconds per sport with ts attribute. Without ts the limit is 1 request per 30 seconds.**
- odds are updating average every 30 seconds depending on bookmaker
- removed / suspended odds are marked with stop=True attribute as explained below
- timestamp feature is available to get only updated data to avoid every time full feed download
- feed size without filters/timestamp can have large size >10MB
- feed compressed using GZIP - use GZIP compression while you download the feed minimize bandwidth. Without using GZIP compression you may receive timeouts when feed size is big over weekend
- feed does NOT provide results or scores. Only odds

URL format

```
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=tennis_10
```

this is the main feed which return all possible bets/bookmakers. It contain all available bookmakers/markets. Feed can have large file size. Apply GZIP compression in your parser to minimize bandwidth and speed up download.

```
contentEncondings.add( "gzip" );  
httpHeaders.put( "Content-Encoding", contentEncondings );  
context.put( MessageContext.HTTP_REQUEST_HEADERS, httpHeaders );
```

After initial load you need to extract timestamp value from root node to get only updated data on next request(instead of loading full dataset once again)

a)Timestamp - Import only latest changes after last download, instead of loading full feed.

After initial load please save "ts" attribute value which show last odd update time

<scores sport="tennis" ts="1474825423341">

on every next new request pass this value to the feed URL. This way you can reduce your bandwidth and increase feed download/processing time on your side :

```
http://www.goalserve.com/getfeed/.../getodds/soccer?cat=tennis_10&ts=1474825423341
```

Feed elements description

<scores sport="tennis" ts="1591175205">		
sport	string	sport name
ts	bigint	last feed updated timestamp.

<category name="Atp - Singles: Finals - London (World), Hard (Indoor)" gid="24489" id="24489">		
name	string	country and league name separated by ":"
gid	int	main stage id. used to map fixtures with live score and standings feeds. Unique for each different stage in a given league. NOT change in every season.
id	int	league id

<matches>		

<match date="31.10.2020" time="09:10" status="Finished" id="970904">		
date	date (dd.MM.yyyy)	match start date
time	time (HH:mm)	match start time
status	string	match status. Possible values: Not Started Finished - finished Retired - retired Cancelled - cancelled Suspended - suspended Awarded - technical loss Walk over - technical loss Postponed Abandoned Interrupted
id	int	match id

<player name="L. Djere" serve="False" game score="" s1="6" s2="6" s3="" s4="" s5="" totalscore="2" winner="True" id="14763" />		
name	string	player name
serve	bool	false in odds feed.
game_score	string	empty in odds feed
s1,s2,s3,s4,s5	string	empty in odds feed
totalscore	int	empty in odds feed
id	int	player ID

<odds ts="" />		
odds element. ts attribute allways empty [obsolete] - please use main document ts value		

<type value="Match Winner" stop="False" id="1">		
betting market node.		
value	string	market name
stop	bit (True/False)	indicate if market is suspended by bookmaker. True - betting suspended / market not active False - betting is active
id	int	market unique id
Available markets dictionary you can find at the end of this section in available filtering options.		

<bookmaker name="bwin" stop="False" ts="1591116398" id="2">		
bookmaker node		
name	string	bookmaker name
stop	bool (True/False)	indicate if market is suspended by bookmaker. Stop only for this bookmaker True - betting suspended / market not active False - betting is active

ts	bigint	bookmaker last updated time for this market
id	int	bookmaker id
Available bookmaker list with ID (New bookmakers can appear in the feed any time. To get updated please always read feed for new bookmaker ids and save them if they will appear):		

<total name="3.5" ismain="False" stop="False">		
Available only for Total/Over Under markets. Additional element that show OverUnder / Total value.		
name	string	over/under value
ismain	bool (True/False)	flag indicate if given over/under value is main line at this moment True - main line False - alternative line
stop	bool (True/False)	line suspended flag True - betting suspended / market not active False - betting is active

<handicap name="-1.75" ismain="False" stop="False">		
Available only for Handicap/Spread markets. Additional element that show Handicap/Spread value.		
name	string	handicap value. Display first child node handicap value. Second child node will have opposite value!! Examples <pre><handicap name="+2.5" ismain="False" stop="False"> <odd name="Home" value="1.05"/> <odd name="Away" value="13.00"/> </handicap></pre> +2.5 for Home and -2.5 for Away <pre><handicap name="+2.5" ismain="False" stop="False"> <odd name="Away" value="1.05"/> <odd name="Home" value="13.00"/> </handicap></pre> +2.5 for Away and -2.5 for Home <pre><handicap name="-2.5" ismain="False" stop="False"> <odd name="Home" value="1.05"/> <odd name="Away" value="13.00"/> </handicap></pre> -2.5 for Home and +2.5 for Away
ismain	bool (True/False)	flag indicate if given handicap value is main line at this moment True - main line False - alternative line
stop	bool (True/False)	line suspended flag True - betting suspended / market not active False - betting is active

<odd name="Home" value="1.05"/>		
name	string	odd selection name
value	decimal	odd value in decimal format
us	int [development]	display odd in US format. Under development

Available feed filtering options

- available markets dictionary

https://www.goalserve.com/getfeed/-----/tennis_scores/pregame_markets

- available bookmakers dictionary

https://www.goalserve.com/getfeed/-----/tennis_scores/pregame_bookmakers

- By date period – return matches for selected period

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=tennis_10&date_start=21.06.2020&date_end=22.06.2020

date_start – start date period in dd.MM.yyyy

date_end – end date period in dd.MM.yyyy. Always apply date_end attribute even if searching just for 1 day

- By league id – return odds for given league (multiple ids separated with comma “,”)

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=tennis_10&league=24489
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=tennis_10&league=24489,10133

league – league id

- By league gid – return odds for given league gid (multiple ids separated with comma “,”)

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=tennis_10&league=_10133

league – league gid value

- By bookmaker id (multiple ids separated with comma “,”)

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=tennis_10&bm=16
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=tennis_10&bm=16,2,105

bm – bookmaker ID

- By market id (multiple ids separated with comma “,”)

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=tennis_10&market=16
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=tennis_10&market=16,2,105

market – market ID

- inplay odds feed mapping . Inplay odds access is required

https://www.goalserve.com/getfeed/-----/tennis_scores/inplay-mapping

<match pregame_match_id="3423847" pregame_team1_id="5721" pregame_team2_id="5730" inplay_match_id="89732575" inplay_team1_id="Laci" inplay_team2_id="KF Teuta" />		
pregame_match_id	int	match "id" attribute value from pregame odds feed
pregame_team1_id	int	team 1 id from pregame feed
pregame_team2_id	int	team 2 id from pregame feed
inplay_match_id	int	inplay odds feed match ID
inplay_team1_id	string	team 1 inplay odds feed name mapped with team 1 from pregame
inplay_team2_id	string	team 2 inplay odds feed name mapped with team 2 from pregame

using mapping between pregame and inplay it is possible to request inplay results feed by pregame ID and use it for odds calculation. Please check below example how to request inplay results feed by pregame id (3476763 – is a pregame id in below example)

<http://69.64.68.124:8083/api/v1/mappings/tennis/983395?key=AAMPCgAGDw8IDAUBAIMDA>

8) PLAYER RANKINGS FEED

- refresh period once every Monday at 8AM UTC
- available for ATP and WTA

```
https://www.goalserve.com/getfeed/-----/tennis_scores/atp
https://www.goalserve.com/getfeed/-----/tennis_scores/wta
```

<player name="Novak Djokovic" rank="1" movement="same" country="Serbia" points="11,830" id="1945" />		
name	string	player name
rank	int	current player ranking position
movement	same/up/down	movement after previous week update
country	string	player country Name
points	decimal	ranking points
id	int	player ID

9) PLAYER PROFILES FEED

- refresh period once every Monday at 8AM UTC
- can be accessed using player ID
- player ID list available for ATP/WTa using ATP/WTa rankings feed

```
https://www.goalserve.com/getfeed/-----/tennis_scores/profile?id=2010
```

<player id="2010">		
id	int	player ID
<name>Yuichi Sugita</name>		
player name		
<country>Japan</country>		
player country		
<rank>ATP: 100</rank>		
current ATP/WTa rank.		
<bday>18.09.1988</bday>		
birth date. Format "dd.MM.yyyy"		

results		
latest year tournaments results		

schedules		
upcoming games if available		

<stats>-><singles>		
<stats>-><doubles>		
overall tournament stats for all years divided into singles, doubles and mixed doubles.		
name	int	year
rank	int	highest rank during the year
titles	int	titles won
matches_won	int	total matches won on all surfaces
matches_lost	int	total matches lost on all surfaces
hard_won	int	total matches won on hard surface
hard_lost	int	total matches lost on hard surface
clay_won	int	total matches won on clay surface
clay_lost	int	total matches lost on clay surface
grass_won	int	total matches won on grass surface
grass_lost	int	total matches lost on grass surface

<tournaments>-><singles>		
<tournaments >-><doubles>		
list of tournament prize money for all years divided into singles, doubles and mixed doubles.		

image		
player image encoded in base64 string. png format.		

10) HEAD 2 HEAD COMPARISON FEED (H2H)

- refresh period every 1 hour
- can be accessed using 2 player IDs

https://www.goalserve.com/getfeed/-----/tennis_scores/h2h_1425-1130

1428-1130 – 2 player IDs to compare (1425 and 1130 divided by “-“)

top50		
last 50 games between 2 players		

overall		
total number of player 1 wins, losses and player 2 wins and losses		

leagues		
matches comparison divided by tournaments		

top50		
last 50 games between 2 players		

