

JS noter

Max Er Sej

January 2023

1 variables

Datatypes: undefined, null, boolean, string, symbols, number and object

1. **var**
var number = 15
var is going to be used throughout the whole program.(if global)
2. **let**
let number = 10
let will only be used inside the scope of where the variable is declared.
3. **const**
const pi = 3.14
const is a variable that is unchangeable.

1.1 Declaring variables

Variables are case sensitive. **declare variable** var a; or var a
assign variable a = 7;
declare and assign var b = 2;
console.log(a)

1.1.1 numbers

```
var subtraction = 45 - 33;  
var multiply = 8 * 10;  
var divide = 66 / 33;  
var increment = increment -; or increment ++;  
var float = 5.7;  
var multiply = 5.3 * 7.5;  
var modulus remainder 11 % 3;
```

```
var a += 12
var b /= 12; divides by 12.
```

1.1.2 Strings

```
var name = "Max";
var occupation = "baller";
escape character string string: var myStr = "I am a \"double qouted string\yeet"
A string can be made with single qoutes, which makes it easier with " inside or
back ticks '.
```

addition strings

```
var string = "i come first. ";
string += "i come seconds. ";
```

```
var name = "max";
var string = "Ny name is" + name + " and i am yeet"
```

length of string

```
var string = "balls";
length = string.length;
```

indexing of string

```
var string = yeet;
firstletter = string[0];
```

strings er immutable som betyder at man ikke kan ændre et enkelt bogstav.

1.1.3 Arrays

Any datatype can be added into an array.

```
var array = ["Max", 23]
```

nested array, multidimensional array

```
var array = ["yeet", 23, yeet];
```

accessing arrays

```
var array = [20,30,50];
var items = array[0];
```

modify arrays

```
var array = [20,30,50];
array[0] = 10;
dermed bliver det 10,30,50.
```

accessing multidimensional arrays

```
var array = [["yeet", 23], yeet];  
var data = array[0][0];
```

appending and removing from array

```
var array = [1,2,3,4]  
array.push(5)  
array.pop(5)  
array.shift(), removes the first element  
array.unshift(0) adds an element into the first index
```

multidimensionl array

```
var array = [["eggs", 3],["balls", 2]]
```

1.1.4 Scopes and variables

variables delcared outside of functions are global.

variables defined inside a function without a var keyword is global.

Local scope: only visable inside the scope.