



A Second Chance at Flight


Wildlife Rescue 2025 Annual Report

www.raptorrescue.org

4,214


Lives reclaimed from the brink in a single year.

An ecosystem of impact. 53 unique species saved.





The Urban
Survivors



The Nocturnal
Hunters



The Rare
Encounters

[Hover to explore the 2025 rescue gallery]



The Black Kite

3,341 Rescued

The highest volume rescue of 2025. Facing the harshest realities of the urban environment, these resilient raptors require rapid extraction and specialized care.

The Barn Owl

150 Rescued


Nocturnal navigators uniquely susceptible to environmental hazards. Recovery requires highly specialized incubators and zero-stress quiet zones.





The Shikra 72 Rescued

A master of agility, these smaller birds of prey represent the diverse, delicate, and often rare species relying on our advanced veterinary interventions.



Unprecedented scale demands unprecedented science.

To process 4,214 rescues, Wildlife Rescue evolved from a local grassroots effort into a world-class, technologically advanced avian hospital.

CONTINUUM OF CARE TIMELINE

PHASE 1: EXTRACTION

- Tata Tiago EV Ambulance
- Carbon Fiber Poles

PHASE 2: DIAGNOSTICS

- Digital DR X-Ray
- Automatic Chemistry Analyser
- Blood Centrifuge
- LCD Microscope

PHASE 3: INTERVENTION

- Laser Surgery + Therapy Machine
- Microwave Ablation Machine
- Ultrasonic Scalpel & Vessel Sealer

PHASE 4: RECOVERY

- ICU Incubator
- Patient Vital Signs Monitor
- Ozonised Water Machine
- Automatic Autoclave

PRECISION EXTRACTION



Tata Tiago EV Ambulance & Carbon Fiber Poles designed to safely reach birds in cramped or water-based danger zones with zero emissions.


IMMEDIATE CLARITY



Digital X-Ray Machine DR System paired with Gas Anaesthesia


Diagnosing internal trauma in fragile avian bodies requires zero-stress sedation and immediate, high-definition imaging.

ADVANCED SURGICAL INTERVENTION



Ultrasonic Scalpel & Vessel Sealer utilizes ultrasonic tech to cut soft tissues and seal vessels without collateral damage.

TECHNOLOGICALLY INCUBATING HOPE



ICU Incubator & 5-Parameter Patient Vital Signs Monitor tracking live Temperature, SPO2, CO2, Blood Pressure, and ECG.



**Science gives
us the tools.
Empathy does
the work.**

Behind every piece of
equipment and every
metric is a dedicated team
fighting to give these
creatures the sky back.

You are the wind beneath their wings.

The ICU incubators, the EV ambulances, the 4,214 second chances—none of this exists without the uncompromising support of our donor network.

Partner with us for 2026.

Bank Details:

Account Holder: Wildlife Rescue

Bank Name: HDFC Bank

Account Number: 50100181991374

IFSC Code: HDFC0000558

Branch: Ajmeri Gate

Scan to Donate Instantly





Thank you for giving them the sky.

www.raptorrescue.org | nadeem@raptorrescue.org | 2970, Shah Ganj, Ajmeri Gate, Delhi 110006 | 9810029698



2025 Wildlife Rescue Annual Review

The Raptor Focus: Clinical Diagnostics,
Seasonal Triage, and Preparedness

2025 Clinical Vitals

1,657

Cut Wounds (CW)

592

Fractures (FR)

466

Dehydration (DEHY)

123

Septicemia (SEP)

Note: While our overall caseload includes Blue Rock Pigeons (primarily categorized under 'Others' representing Ranikhet Disease outbreaks), our clinical and surgical resources this year were overwhelmingly dedicated to critical raptor care.


Crisis I: The Baby Season

April – May

The onset of extreme summer temperatures triggers our first major triage event of the year. As urban heat rises, nestling raptors face extreme vulnerability, transforming a standard breeding season into a critical pediatric dehydration crisis.



Clinical Correlation: Nestling Arrivals vs. Dehydration (DEHY) Cases



The data reveals a direct correlation: the spring clinical surge is not a general raptor crisis, but a highly targeted pediatric dehydration event.

Crisis II: Kite Flying Season

July 15 – Sept 15

The deadliest season for urban raptors. The cultural proliferation of kite strings creates an invisible, lethal hazard in the urban canopy, resulting in extreme laceration trauma.



Threat Heatmap: Seasonal & Demographic Analysis of Cut Wounds (CW)

Cut Wounds (CW) Recorded (Jan – Dec)



Juvenile Surge: 81 Juvenile rescues in July; 69 Juvenile rescues in August.

Why Juveniles?

Inexperienced flight patterns and unrefined spatial awareness make newly fledged and juvenile birds uniquely susceptible to unseen, suspended kite threads.



Patient Profile: Barn Owl

Clinical Context

Strictly nocturnal and unaffected by daytime kite flying activities, Barn Owls present a distinctly different clinical challenge from Black Kites.

Primary Admissions

- **Fractures (FR)** High incidence resulting from nocturnal urban collisions (vehicles, unseen architecture).
- **Dehydration (DEHY)** Occurs strictly during extreme weather anomalies.

Zero incidence of Cut Wounds (CW) from kite threads.



Patient Profile: Shikra

Clinical Context

Fast, agile, and sharp. Shikras operate below the typical kite-flying altitudes and rely on high-speed maneuverability.

Primary Admissions

- **Fractures (FR)** Primary cause of admission due to high-speed pursuit collisions with glass and urban infrastructure.
- **Septicemia (SEP)** Occasional complications from minor prey-related injuries.
- **Dehydration (DEHY)** Seasonal vulnerability during the April/May heatwaves.

Diagnostic Comparison Matrix

	Black Kites	Barn Owls	Shikras
Anthropogenic Threat Vulnerability (Kite Strings)	Extreme (Highest CW incidence)	Minimal (Nocturnal protection)	Minimal (Low-altitude agility)
Primary Afflictions	Cut Wounds (CW) & Septicemia (SEP)	Fractures (FR) & Environmental Dehydration (DEHY)	High-Speed Fractures (FR) & Dehydration (DEHY)
Peak Intake Season	August - September (Kite Season)	Evenly distributed ; acute spikes correlating only with extreme weather.	

2026 Operational Preparedness

How 2025's telemetry dictates our future clinical posture.

1. Pediatric IV Supply Chain

Stockpiling specialized fluids and micro-syringes by March 15th to pre-empt the inevitable April/May **Nestling (N) DEHY** spike.

2. Surgical **CW** Readiness

Ramping up trauma response protocols, suture inventories, and triage staffing ahead of the July 1 kite string surge.

3. Specialized Recovery Infrastructure

Expanding isolated, low-stress, padded wards specifically engineered for the collision-prone Shikras and Barn Owls recovering from **Fractures (FR)**.