### v1.4.3.0

Assets (4)

## **Bug Fixes**

- improve the stability by resetting rf module while switching between ble and zigbee mode
- fix the issue that the ota state can't be reset once missing upgrade end response command

#### **Features**

- add wwah and update stack for wwah requirements
- add sample code for boot loader
- update adc driver and open source codes
- add option to skip routing
- add callback for mgmt\_nwk\_update\_req indication
- add OTA breakpoint resume function by restarting from the previous offset of OTA
- optimize compatibility and connection speed by modifying the ble connection settings

## v1.4.2.0

-o- d8e0f2af 🛷 v1.4.2.0 • released 1 month ago by 🎩

Assets (4)

## **Bug Fixes**

• fixed the issue that ZED node can't transmit data successfully, the poll rate should be kept till all tasks are finished

#### **Features**

- use Analog registers to restore some information when the ZED node enter deep sleep mode
- update RF driver to turn off RF module for the node which RxWhileOnIdle is 0.

## v1.4.1.0

- 50c2d52d 
✓ v1.4.1.0 • released 1 month ago by 

■

Assets (4)

## **Bug Fixes**

- fix the issue zigbee/ble concurrent state machine, need to add irq protection when doing ble/zigbee mode switch
- should add csma-cca for zigbee transmission

# **Code Refactory**

• remove ble/ zigbee/ to stack/ble, stack/zigbee

#### **Features**

- update ble stack to the version 3.4.0 fix
- add version information(4Bytes) in .bin file at the the offset of 0x04
- support pre-install code (can join the network using default global link key as well)
- update the function of rf\_set\_tx\_power (use the value replace of index)
- add tx power calibration from NV
- modify the adv interval from 30ms to 500ms during Zigbee OTA is doing
- update flash mapping for Ironman project
- add application for low power device

v1.4.0.0

Assets (4)

This version will be put on Wiki

## **Bug Fixs**

• Fixed the configuration issue for boot load mode

#### **Features**

• Added reset after leaving the network

## v1.3.7.0



### **Features**

- update CCA
- add application for concurrent GW
- add function to handle BLE command
- add configuration file for 8258-EVK1.2

## v1.3.6.0

#### Assets 4

# **Bug Fixs**

• fix Rf Tx status error occurs when it switches between Ble and Zigbee frequently.

### **Features**

- update zigbee stack
- add demo application for GW/Lighting
- update flash mapping

## v1.3.5.0

-o- 0ef28b07 🛷 v1.3.5.0 • released 2 months ago by 🎩



## **Features**

• update ota for boot loader mode

## v1.3.4.0

-o- 027ba47a 🛷 v1.3.4.0 • released 2 months ago by 🎩

#### Assets (4)

zigbee/ble concurrent sdk release

### **Features**

- support 1M flash
- support boot loader mode from 0x60000

# v1.3.3.0

### Assets 4

GitServer: <a href="mailto:ssh://gitolite@192.168.48.47:222/zigbee">ssh://gitolite@192.168.48.47:222/zigbee</a> Branch: telink\_zigbee SHA-1: 24786f2e67f800b881ce4cdcbaa8a8b9fa3804c1

# **Bug Fixs**

• Fixed the ble connect/disconnect issue

## **Features**

- Improve ble/zigbee switch performance
- Support sig mesh/zigbee-ble auto-pair dual-mode
- Support zigbee router

# v1.3.0.0

### Assets 4

## **Features**

• zigbee+ble concurrent mode which is only just for 8258