


v1.4.3.0

🔑 122ce5c1 📦 v1.4.3.0 • released 1 day ago by 

Assets ⁽⁴⁾


Bug Fixes

- improve the stability by resetting rf module while switching between ble and zigbee mode
- fix the issue that the ota state can't be reset once missing upgrade end response command

Features

- add wwah and update stack for wwah requirements
- add sample code for boot loader
- update adc driver and open source codes
- add option to skip routing
- add callback for mgmt_nwk_update_req indication
- add OTA breakpoint resume function by restarting from the previous offset of OTA
- optimize compatibility and connection speed by modifying the ble connection settings

v1.4.2.0

🔑 d8e0f2af 📦 v1.4.2.0 • released 1 month ago by 

Assets ⁽⁴⁾


Bug Fixes

- fixed the issue that ZED node can't transmit data successfully, the poll rate should be kept till all tasks are finished

Features

- use Analog registers to restore some information when the ZED node enter deep sleep mode
- update RF driver to turn off RF module for the node which RxWhileOnIdle is 0.

v1.4.1.0

🔑 50c2d52d 📦 v1.4.1.0 • released 1 month ago by 

Assets ⁽⁴⁾

Bug Fixes

- fix the issue zigbee/ble concurrent state machine, need to add irq protection when doing ble/zigbee mode switch
- should add csma-cca for zigbee transmission


Code Refactory

- remove ble/ zigbee/ to stack/ble, stack/zigbee

Features

- update ble stack to the version 3.4.0 fix
- add version information(4Bytes) in .bin file at the the offset of 0x04
- support pre-install code (can join the network using default global link key as well)
- update the function of rf_set_tx_power (use the value replace of index)
- add tx power calibration from NV
- modify the adv interval from 30ms to 500ms during Zigbee OTA is doing
- update flash mapping for Ironman project
- add application for low power device

v1.4.0.0

🔑 127b72ec 🔒 v1.4.0.0 • released 1 month ago by 

Assets 4

This version will be put on Wiki


Bug Fixes

- Fixed the configuration issue for boot load mode

Features

- Added reset after leaving the network

v1.3.7.0


🔑 b16668d6 🔒 v1.3.7.0 • released 1 month ago by 

Assets 4

Features

- update CCA
- add application for concurrent GW
- add function to handle BLE command
- add configuration file for 8258-EVK1.2

v1.3.6.0

🔑 8c44703e 🔒 v1.3.6.0 • released 2 months ago by 

Assets 4

Bug Fixes

- fix Rf Tx status error occurs when it switches between Ble and Zigbee frequently.

Features

- update zigbee stack
- add demo application for GW/Lighting
- update flash mapping

v1.3.5.0


🔑 0ef28b07 🔒 v1.3.5.0 • released 2 months ago by 

Assets 4

Features

- update ota for boot loader mode

v1.3.4.0

🔑 027ba47a 🔒 v1.3.4.0 • released 2 months ago by 

Assets 4

zigbee/ble concurrent sdk release

Features

- support 1M flash
- support boot loader mode from 0x60000

v1.3.3.0

🔑 7808d194 📦 v1.3.3.0 • released 2 months ago by 

Assets ⁴

GitServer: <ssh://gitolite@192.168.48.47:222/zigbee> Branch: telink_zigbee SHA-1: 24786f2e67f800b881ce4cdcbaa8a8b9fa3804c1


Bug Fixes

- Fixed the ble connect/disconnect issue

Features

- Improve ble/zigbee switch performance
- Support sig mesh/zigbee-ble auto-pair dual-mode
- Support zigbee router

v1.3.0.0

🔑 7bc1c1d8 📦 v1.3.0.0 • released 3 months ago by 

Assets ⁴

Features

- zigbee+ble concurrent mode which is only just for 8258