

# Scala: The Hidden Gem of the JVM

Max Bo

UQCS

2018

“2003 - A drunken Martin Odersky sees a Reese’s Peanut Butter Cup ad featuring somebody’s peanut butter getting on somebody else’s chocolate and has an idea. He creates Scala, a language that unifies constructs from both object oriented and functional languages. This pisses off both groups and each promptly declares jihad.”


*James Iry from ‘A Brief, Incomplete, and Mostly Wrong History of Programming Languages’*

# About Me


- ▶ 3rd year Computer Science @ UQ
- ▶ Currently interning at Skedulo
- ▶ @mb on the UQCS Slack

Why you should care

RedMonk Q118 Programming Language Rankings



## Which languages are developers planning to learn next?



HackerRank 2018 Developer Skills Report

## What Languages Are Associated with the Highest Salaries Worldwide?

Global

United States

Erlang \$115,000

Scala \$115,000

Ocaml \$114,000

Clojure \$110,000



beta



Feature	JavaScript ES5	JavaScript ES6	TypeScript	Scala.js
<b>Interoperability</b>				
Fully EcmaScript5 compatible	●	●	●	●
No compilation required	●	○	○	○
Use existing JS libraries	●	●	●	●
<b>Language features</b>				
Classes with inheritance	○	●	●	●
Modules	○	●	●	●
Support for types	○	○	●	●
Strong type system	○	○	○	●
Extensive standard libraries	○	○	○	●
Optimizing compiler	○	○	○	●
Macros, to extend the language	○	○	○	●
<b>IDE support</b>				
Catch most errors in IDE	○	○	●	●
Easy and reliable refactoring	○	○	●	●
Reliable code completion	○	○	●	●

ES6

```
var xhr = new XMLHttpRequest();

xhr.open("GET",
  "https://api.twitter.com/1.1/search/" +
  "tweets.json?q=%23scalajs"
);
xhr.onload = (e) => {
  if (xhr.status === 200) {
    var r = JSON.parse(xhr.responseText);
    $("#tweets").html(parseTweets(r));
  }
};
xhr.send();
```

Scala.js

```
val xhr = new XMLHttpRequest()

xhr.open("GET",
  "https://api.twitter.com/1.1/search/" +
  "tweets.json?q=%23scalajs"
)
xhr.onload = { (e: Event) =>
  if (xhr.status == 200) {
    val r = JSON.parse(xhr.responseText)
    $("#tweets").html(parseTweets(r))
  }
}
xhr.send()
```

## Which frameworks do you use? (%)

