

Q1.

```
MariaDB [movieroom]> create table membership (  
->     mem_num int primary key not null,  
->     mem_fname varchar(30) not null,  
->     mem_lname varchar(30) not null,  
->     mem_street varchar(50) not null,  
->     mem_city varchar(30) not null,  
->     mem_state char(2) not null,  
->     mem_zip char(5) not null,  
->     mem_balance int not null default 0,  
-> );
```

```
MariaDB [movieroom]> create table rental (  
->     rent_num int not null,  
->     mem_num int not null,  
->     rent_date date not null,  
->     primary key (rent_num),  
->     foreign key (mem_num) references  
->         membership(mem_num)  
-> );
```

```
MariaDB [movieroom]> create table price (  
->     price_code int primary key not null,  
->     price_description varchar(50) not null,  
->     price_rent_fee decimal(2,1) not null,  
->     price_daily_late_fee decimal(2,1) not null,  
-> );
```

```
MariaDB [movieroom]> create table movie (  
->     movie_num int not null,  
->     price_code int,  
->     movie_title varchar(100) not null,  
->     movie_year int not null,  
->     movie_cost decimal(5,2) not null,  
->     movie_genre varchar(30) not null,  
->     primary key (movie_num),  
->     foreign key (price_code) references price(price_code)  
-> );
```

```
MariaDB [movieroom]> create table video (  
->     vid_num int not null,  
->     vid_indate date not null,  
->     movie_num int not null,  
->     primary key (vid_num),  
->     foreign key (movie_num) references movie(movie_num)
```

```
-> );
```

```
MariaDB [movieroom]> create table detailrental (  
->     rent_num int not null,  
->     vid_num int not null,  
->     detail_fee decimal(2,1) not null,  
->     detail_duedate date not null,  
->     detail_returndate date,  
->     detail_dailylatefee int,  
->     primary key (rent_num, vid_num),  
->     foreign key (rent_num) references rental(rent_num),  
->     foreign key (vid_num) references video(vid_num)  
-> );
```

```
Q2. MariaDB [movieroom]> insert into membership  
-> (mem_num, mem_fname, mem_lname, mem_street, mem_city, mem_state, mem_zip,  
mem_balance)  
-> values  
-> (102, 'Tami', 'Dawson', '2632 Takli Circle', 'Norene', 'TN', '37136', 11),  
-> (103, 'Curt', 'Knight', '4025 Cornell Court', 'Flatgap', 'KY', '41219', 6),  
-> (104, 'Jamal', 'Melendez', '788 East 145th Avenue', 'Quebeck', 'TN', '38579',  
0),  
-> (105, 'Iva', 'Mcclain', '6045 Musket Ball Circle', 'Summit', 'KY', '42783',  
15),  
-> (106, 'Miranda', 'Parks', '4469 Maxwell Place', 'Germantown', 'TN', '38183',  
0),  
-> (107, 'Rosario', 'Elliott', '7578 Danner Avenue', 'Columbia', 'TN', '38402',  
5),  
-> (108, 'Mattie', 'Guy', '4390 Evergreen Street', 'Lily', 'KY', '40740', 0),  
-> (109, 'Clint', 'Ochoa', '1711 Elm Street', 'Greeneville', 'TN', '37745', 10),  
-> (110, 'Lewis', 'Rosales', '4524 Southwind Circle', 'Counce', 'TN', '38326',  
0),  
-> (111, 'Stacy', 'Mann', '2789 East Cook Avenue', 'Murfreesboro', 'TN',  
'37132', 8),  
-> (112, 'Luis', 'Trujillo', '7267 Melvin Avenue', 'Heiskell', 'TN', '37754',  
3),  
-> (113, 'Minnie', 'Gonzales', '6430 Vasili Drive', 'Williston', 'TN', '38076',  
0);
```

```
MariaDB [movieroom]> select * from membership;
```

```
+-----+-----+-----+-----+-----+-----+-----+  
---+-----+-----+-----+-----+-----+-----+  
| mem_num | mem_fname | mem_lname | mem_street          | mem_city    |  
mem_state | mem_zip  | mem_balance |  
+-----+-----+-----+-----+-----+-----+-----+
```

```

-----+-----+-----+
|      102 | Tami      | Dawson   | 2632 Takli Circle      | Norene      | TN
| 37136    |           | 11       |                         |              |
|      103 | Curt      | Knight   | 4025 Cornell Court     | Flatgap     | KY
| 41219    |           | 6        |                         |              |
|      104 | Jamal     | Melendez | 788 East 145th Avenue  | Quebeck     | TN
| 38579    |           | 0        |                         |              |
|      105 | Iva       | McClain  | 6045 Musket Ball Circle | Summit      | KY
| 42783    |           | 15       |                         |              |
|      106 | Miranda   | Parks    | 4469 Maxwell Place     | Germantown  | TN
| 38183    |           | 0        |                         |              |
|      107 | Rosario   | Elliott  | 7578 Danner Avenue     | Columbia    | TN
| 38402    |           | 5        |                         |              |
|      108 | Mattie    | Guy      | 4390 Evergreen Street  | Lily        | KY
| 40740    |           | 0        |                         |              |
|      109 | Clint     | Ochoa    | 1711 Elm Street        | Greeneville | TN
| 37745    |           | 10       |                         |              |
|      110 | Lewis     | Rosales  | 4524 Southwind Circle  | Counce      | TN
| 38326    |           | 0        |                         |              |
|      111 | Stacy     | Mann     | 2789 East Cook Avenue  | Murfreesboro | TN
| 37132    |           | 8        |                         |              |
|      112 | Luis      | Trujillo | 7267 Melvin Avenue     | Heiskell    | TN
| 37754    |           | 3        |                         |              |
|      113 | Minnie    | Gonzales | 6430 Vasili Drive      | Williston   | TN
| 38076    |           | 0        |                         |              |
-----+-----+-----+
12 rows in set (0.027 sec)

```

```

MariaDB [movieroom]> insert into rental
-> (rent_num, rent_date, mem_num)
-> values
-> (1001, str_to_date('01-MAR-16', '%d-%b-%y'), 103),
-> (1002, str_to_date('01-MAR-16', '%d-%b-%y'), 105),
-> (1003, str_to_date('02-MAR-16', '%d-%b-%y'), 102),
-> (1004, str_to_date('02-MAR-16', '%d-%b-%y'), 110),
-> (1005, str_to_date('02-MAR-16', '%d-%b-%y'), 111),
-> (1006, str_to_date('02-MAR-16', '%d-%b-%y'), 107),
-> (1007, str_to_date('02-MAR-16', '%d-%b-%y'), 104),
-> (1008, str_to_date('03-MAR-16', '%d-%b-%y'), 105),
-> (1009, str_to_date('03-MAR-16', '%d-%b-%y'), 111);

```

```

MariaDB [movieroom]> select * from rental;
-----+-----+-----+
| rent_num | mem_num | rent_date |
-----+-----+-----+
|      1001 |      103 | 2016-03-01 |
|      1002 |      105 | 2016-03-01 |

```

1003	102	2016-03-02
1004	110	2016-03-02
1005	111	2016-03-02
1006	107	2016-03-02
1007	104	2016-03-02
1008	105	2016-03-03
1009	111	2016-03-03

+-----+-----+-----+

9 rows in set (0.001 sec)

MariaDB [movieroom]> insert into price

```
-> (price_code, price_description, price_rent_fee, price_daily_late_fee)
-> values
-> (1, 'Standard', 2, 1),
-> (2, 'New Release', 3.5, 3),
-> (3, 'Discount', 1.5, 1),
-> (4, 'Weekly Special', 1, 0.5);
```

MariaDB [movieroom]> select * from price;

price_code	price_description	price_rent_fee	price_daily_late_fee
1	Standard	2.5	1.0
2	New Release	4.0	3.0
3	Discount	2.0	1.0
4	Weekly Special	1.5	0.5

4 rows in set (0.001 sec)

MariaDB [movieroom]> insert into movie

```
-> (movie_num, movie_title, movie_year, movie_cost, movie_genre, price_code)
-> values
-> (1234, 'The Cesar Family Christmas', 2014, 39.95, 'FAMILY', 2),
-> (1235, 'Smokey Mountain Wildlife', 2011, 59.95, 'ACTION', 1),
-> (1236, 'Richard Goodhope', 2015, 59.95, 'DRAMA', 2),
-> (1237, 'Beatnik Fever', 2014, 29.95, 'COMEDY', 2),
-> (1238, 'Constant Companion', 2015, 89.95, 'DRAMA', NULL),
-> (1239, 'Where Hope Dies', 2005, 25.49, 'DRAMA', 3),
-> (1245, 'Time to Burn', 2012, 45.49, 'ACTION', 1),
-> (1246, 'What He Doesn't Know', 2013, 58.29, 'COMEDY', 1);
```

MariaDB [movieroom]> Select * from movie;

movie_num	price_code	movie_title	movie_year	movie_cost	movie_genre
1234	2	The Cesar Family Christmas	2014	39.95	FAMILY
1235	1	Smokey Mountain Wildlife	2011	59.95	ACTION
1236	2	Richard Goodhope	2015	59.95	DRAMA
1237	2	Beatnik Fever	2014	29.95	COMEDY
1238		Constant Companion	2015	89.95	DRAMA
1239	3	Where Hope Dies	2005	25.49	DRAMA
1245	1	Time to Burn	2012	45.49	ACTION
1246	1	What He Doesn't Know	2013	58.29	COMEDY

```

+-----+-----+-----+-----+-----+
|      1234 |      2 | The Cesar Family Christmas |      2014 |      39.95 |
FAMILY
|      1235 |      3 | Smokey Mountain Wildlife   |      2011 |      59.95 |
ACTION
|      1236 |      2 | Richard Goodhope           |      2015 |      59.95 |
DRAMA
|      1237 |      2 | Beatnik Fever               |      2014 |      29.95 |
COMEDY
|      1238 |     NULL | Constant Companion         |      2015 |      89.95 |
DRAMA
|      1239 |      3 | Where Hope Dies            |      2005 |      25.49 |
DRAMA
|      1245 |      3 | Time to Burn                |      2010 |      45.49 |
ACTION
|      1246 |      1 | What He Doesn't Know       |      2013 |      58.29 |
COMEDY
+-----+-----+-----+-----+-----+
8 rows in set (0.026 sec)

```

```

MariaDB [movieroom]> insert into video
-> (vid_num, vid_indate, movie_num)
-> values
-> (54321, str_to_date('18-JUN-15', '%d-%b-%y'), 1234),
-> (54324, str_to_date('18-JUN-15', '%d-%b-%y'), 1234),
-> (54325, str_to_date('18-JUN-15', '%d-%b-%y'), 1234),
->
-> (34341, str_to_date('22-JAN-14', '%d-%b-%y'), 1235),
-> (34342, str_to_date('22-JAN-14', '%d-%b-%y'), 1235),
->
-> (34366, str_to_date('02-MAR-16', '%d-%b-%y'), 1236),
-> (34367, str_to_date('02-MAR-16', '%d-%b-%y'), 1236),
-> (34368, str_to_date('02-MAR-16', '%d-%b-%y'), 1236),
-> (34369, str_to_date('02-MAR-16', '%d-%b-%y'), 1236),
->
-> (44392, str_to_date('21-OCT-15', '%d-%b-%y'), 1237),
-> (44397, str_to_date('21-OCT-15', '%d-%b-%y'), 1237),
-> (59237, str_to_date('14-FEB-16', '%d-%b-%y'), 1237),
->
-> (61388, str_to_date('25-JAN-14', '%d-%b-%y'), 1239),
->
-> (61353, str_to_date('28-JAN-13', '%d-%b-%y'), 1245),
-> (61354, str_to_date('28-JAN-13', '%d-%b-%y'), 1245),
->
-> (61367, str_to_date('30-JUL-15', '%d-%b-%y'), 1246),

```

```
-> (61369, str_to_date('30-JUL-15', '%d-%b-%y'), 1246);
```

```
MariaDB [movieroom]> select * from video;
```

```
+-----+-----+-----+
| vid_num | vid_indate | movie_num |
+-----+-----+-----+
| 34341 | 2014-01-22 | 1235 |
| 34342 | 2014-01-22 | 1235 |
| 34366 | 2016-03-02 | 1236 |
| 34367 | 2016-03-02 | 1236 |
| 34368 | 2016-03-02 | 1236 |
| 34369 | 2016-03-02 | 1236 |
| 44392 | 2015-10-21 | 1237 |
| 44397 | 2015-10-21 | 1237 |
| 54321 | 2015-06-18 | 1234 |
| 54324 | 2015-06-18 | 1234 |
| 54325 | 2015-06-18 | 1234 |
| 59237 | 2016-02-14 | 1237 |
| 61353 | 2013-01-28 | 1245 |
| 61354 | 2013-01-28 | 1245 |
| 61367 | 2015-07-30 | 1246 |
| 61369 | 2015-07-30 | 1246 |
| 61388 | 2014-01-25 | 1239 |
+-----+-----+-----+
17 rows in set (0.001 sec)
```

```
MariaDB [movieroom]> insert into detailrental
```

```
-> (rent_num, vid_num, detail_fee, detail_duedate, detail_returndate,
detail_dailylatefee)
```

```
-> values
```

```
-> (1001, 34342, 2, str_to_date('04-MAR-16', '%d-%b-%y'),
str_to_date('02-MAR-16', '%d-%b-%y'), NULL),
-> (1001, 61353, 2, str_to_date('04-MAR-16', '%d-%b-%y'),
str_to_date('03-MAR-16', '%d-%b-%y'), 1),
-> (1002, 59237, 3.5, str_to_date('04-MAR-16', '%d-%b-%y'),
str_to_date('04-MAR-16', '%d-%b-%y'), 3),
-> (1003, 54325, 3.5, str_to_date('04-MAR-16', '%d-%b-%y'),
str_to_date('09-MAR-16', '%d-%b-%y'), 3),
-> (1003, 61369, 2, str_to_date('06-MAR-16', '%d-%b-%y'),
str_to_date('09-MAR-16', '%d-%b-%y'), 1),
-> (1003, 61388, 0, str_to_date('06-MAR-16', '%d-%b-%y'),
str_to_date('09-MAR-16', '%d-%b-%y'), 1),
-> (1004, 44392, 3.5, str_to_date('05-MAR-16', '%d-%b-%y'),
str_to_date('07-MAR-16', '%d-%b-%y'), 3),
-> (1004, 34367, 3.5, str_to_date('05-MAR-16', '%d-%b-%y'),
str_to_date('07-MAR-16', '%d-%b-%y'), 3),
-> (1004, 34341, 2, str_to_date('07-MAR-16', '%d-%b-%y'),
str_to_date('07-MAR-16', '%d-%b-%y'), 1),
-> (1005, 34342, 2, str_to_date('07-MAR-16', '%d-%b-%y'),
```

```

str_to_date('05-MAR-16', '%d-%b-%y'), 1),
-> (1005, 44397, 3.5, str_to_date('05-MAR-16', '%d-%b-%y'),
str_to_date('05-MAR-16', '%d-%b-%y'), 3),
-> (1006, 34366, 3.5, str_to_date('05-MAR-16', '%d-%b-%y'),
str_to_date('04-MAR-16', '%d-%b-%y'), 3),
-> (1006, 61367, 2, str_to_date('07-MAR-16', '%d-%b-%y'), NULL, 1),
-> (1007, 34368, 3.5, str_to_date('05-MAR-16', '%d-%b-%y'), NULL, 3),
-> (1008, 34369, 3.5, str_to_date('05-MAR-16', '%d-%b-%y'),
str_to_date('05-MAR-16', '%d-%b-%y'), 3),
-> (1009, 54324, 3.5, str_to_date('05-MAR-16', '%d-%b-%y'), NULL, 3),
-> (1001, 34366, 3.5, str_to_date('04-MAR-16', '%d-%b-%y'),
str_to_date('02-MAR-16', '%d-%b-%y'), 3);

```

```

MariaDB [movieroom]> select * from detailrental;

```

rent_num	vid_num	detail_fee	detail_duedate	detail_returndate	detail_dailylatefee
1001	34342	2.0	2016-03-04	2016-03-02	
NULL					
1001	34366	3.5	2016-03-04	2016-03-02	
3					
1001	61353	2.0	2016-03-04	2016-03-03	
1					
1002	59237	3.5	2016-03-04	2016-03-04	
3					
1003	54325	3.5	2016-03-04	2016-03-09	
3					
1003	61369	2.0	2016-03-06	2016-03-09	
1					
1003	61388	0.0	2016-03-06	2016-03-09	
1					
1004	34341	2.0	2016-03-07	2016-03-07	
1					
1004	34367	3.5	2016-03-05	2016-03-07	
3					
1004	44392	3.5	2016-03-05	2016-03-07	
3					
1005	34342	2.0	2016-03-07	2016-03-05	
1					
1005	44397	3.5	2016-03-05	2016-03-05	
3					
1006	34366	3.5	2016-03-05	2016-03-04	
3					
1006	61367	2.0	2016-03-07	NULL	
1					
1007	34368	3.5	2016-03-05	NULL	
3					

1008	34369	3.5	2016-03-05	2016-03-05
3				
1009	54324	3.5	2016-03-05	NULL
3				

 17 rows in set (0.001 sec)

Q3.MariaDB [MovieRoom]> select movie_num, movie_year from movie where movie_num=1245;

movie_num	movie_year
1245	2012

1 row in set (0.007 sec)

MariaDB [MovieRoom]> update movie set movie_year = 2010 where movie_num=1245;
 Query OK, 1 row affected (0.004 sec)
 Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [MovieRoom]> select movie_num, movie_year from movie where movie_num=1245;

movie_num	movie_year
1245	2010

1 row in set (0.000 sec)

Q4.MariaDB [MovieRoom]> select movie_num, price_code, movie_genre from movie where movie_genre='ACTION';

movie_num	price_code	movie_genre
1235	1	ACTION
1245	1	ACTION

2 rows in set (0.005 sec)

MariaDB [MovieRoom]> update movie set price_code=3 where movie_genre='ACTION';

Query OK, 2 rows affected (0.004 sec)
Rows matched: 2 Changed: 2 Warnings: 0

MariaDB [MovieRoom]> select movie_num, price_code, movie_genre from movie where movie_genre='ACTION';

movie_num	price_code	movie_genre
1235	3	ACTION
1245	3	ACTION

2 rows in set (0.000 sec)

Q5. MariaDB [MovieRoom]> select price_rent_fee from price;

price_rent_fee
2.0
3.5
1.5
1.0

4 rows in set (0.001 sec)

MariaDB [MovieRoom]> update price set price_rent_fee = price_rent_fee + 0.50;
Query OK, 4 rows affected (0.005 sec)
Rows matched: 4 Changed: 4 Warnings: 0

MariaDB [MovieRoom]> select price_rent_fee from price;

price_rent_fee
2.5
4.0
2.0
1.5

4 rows in set (0.000 sec)

Q6.

MariaDB [MovieRoom]> select movie_title, movie_year, movie_genre from movie;

movie_title	movie_year	movie_genre
-------------	------------	-------------

The Cesar Family Christmas	2014	FAMILY
Smokey Mountain Wildlife	2011	ACTION
Richard Goodhope	2015	DRAMA
Beatnik Fever	2014	COMEDY
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
Time to Burn	2010	ACTION
What He Doesn't Know	2013	COMEDY

8 rows in set (0.001 sec)

Q7.MariaDB [MovieRoom]> select movie_year, movie_title, movie_cost from movie order by movie_year desc, movie_title asc;

movie_year	movie_title	movie_cost
2015	Constant Companion	89.95
2015	Richard Goodhope	59.95
2014	Beatnik Fever	29.95
2014	The Cesar Family Christmas	39.95
2013	What He Doesn't Know	58.29
2011	Smokey Mountain Wildlife	59.95
2010	Time to Burn	45.49
2005	Where Hope Dies	25.49

8 rows in set (0.026 sec)

Q8. MariaDB [MovieRoom]> SELECT movie_title, movie_year, movie_genre FROM movie ORDER BY movie_genre ASC, movie_year DESC;

movie_title	movie_year	movie_genre
Smokey Mountain Wildlife	2011	ACTION
Time to Burn	2010	ACTION
Beatnik Fever	2014	COMEDY
What He Doesn't Know	2013	COMEDY
Richard Goodhope	2015	DRAMA
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
The Cesar Family Christmas	2014	FAMILY

8 rows in set (0.002 sec)

Q9. MariaDB [movieroom]> select movie_num, movie_title, price_code from movie where movie_title like 'R%';

movie_num	movie_title	price_code
1236	Richard Goodhope	2

1 row in set (0.001 sec)

Q10. MariaDB [movieroom]> select movie_title, movie_year, movie_cost from movie where movie_title like '%hope%' order by movie_title asc;

movie_title	movie_year	movie_cost
Richard Goodhope	2015	59.95
Where Hope Dies	2005	25.49

2 rows in set (0.028 sec)

Q11 m. MariaDB [movieroom]> select movie_title, movie_year, movie_genre from movie where movie_genre = 'ACTION';

movie_title	movie_year	movie_genre
Smokey Mountain Wildlife	2011	ACTION
Time to Burn	2010	ACTION

2 rows in set (0.004 sec)

Q12. MariaDB [movieroom]> select movie_num, movie_title, movie_cost from movie where movie_cost > 40;

movie_num	movie_title	movie_cost
1235	Smokey Mountain Wildlife	59.95
1236	Richard Goodhope	59.95
1238	Constant Companion	89.95
1245	Time to Burn	45.49
1246	What He Doesn't Know	58.29

5 rows in set (0.005 sec)

Q13. MariaDB [movieroom]> select movie_num, movie_title, movie_cost, movie_genre
from movie where (movie_genre = 'ACTION' or movie_genre = 'COMEDY') and movie_cost <
50 order by movie_genre asc;

movie_num	movie_title	movie_cost	movie_genre
1245	Time to Burn	45.49	ACTION
1237	Beatnik Fever	29.95	COMEDY

2 rows in set (0.001 sec)

Q14. MariaDB [movieroom]> SELECT mem_num, mem_fname, mem_lname, mem_street,
mem_state, mem_balance from membership where mem_state = 'TN' and mem_balance <5 and
mem_street like '%Avenue';

mem_num	mem_fname	mem_lname	mem_street	mem_state	mem_balance
104	Jamal	Melendez	788 East 145th Avenue	TN	0
112	Luis	Trujillo	7267 Melvin Avenue	TN	3

2 rows in set (0.001 sec)

Q15. MariaDB [movieroom]> select movie_genre, count(*) as "Number Of Movies" from
movie group by movie_genre;

movie_genre	Number Of Movies
ACTION	2
COMEDY	2
DRAMA	3
FAMILY	1

4 rows in set (0.001 sec)

Q16. MariaDB [movieroom]> select round(avg(movie_cost), 4) as "Average Movie Cost"
from movie;

```

+-----+
| Average Movie Cost |
+-----+
|          51.1275 |
+-----+
1 row in set (0.026 sec)

```

Q17. MariaDB [movieroom]> select movie_genre, round(avg(movie_cost),2) as "Average Cost" from movie group by movie_genre;

```

+-----+-----+
| movie_genre | Average Cost |
+-----+-----+
| ACTION     |          52.72 |
| COMEDY     |          44.12 |
| DRAMA      |          58.46 |
| FAMILY     |          39.95 |
+-----+-----+
4 rows in set (0.001 sec)

```

Q18. MariaDB [movieroom]> select movie_title, movie_genre, price_description,trim(trailing '.' from trim(trailing '0' from price_rent_fee)) from movie, price where movie.price_code = price.price_code order by price_description desc, movie_genre desc;

```

+-----+-----+-----+-----+
| movie_title          | movie_genre | price_description | trim(trailing '.' from trim(trailing '0' from price_rent_fee)) |
+-----+-----+-----+-----+
| What He Doesn't Know | COMEDY     | Standard         | 2.5 |
| The Cesar Family Christmas | FAMILY    | New Release      | 4   |
| Richard Goodhope     | DRAMA      | New Release      | 4   |
| Beatnik Fever        | COMEDY     | New Release      | 4   |
| Where Hope Dies      | DRAMA      | Discount         | 2   |
| Smokey Mountain Wildlife | ACTION    | Discount         | 2   |
| Time to Burn         | ACTION     | Discount         | 2   |
+-----+-----+-----+-----+
7 rows in set (0.001 sec)

```

Q19. MariaDB [movieroom]> select movie_genre, TRIM(TRAILING '.' FROM TRIM(TRAILING '0' FROM avg(price_rent_fee))) as "Average Rental Fee" from movie join price on movie.price_code = price.price_code group by movie_genre;

movie_genre	Average Rental Fee
ACTION	2
COMEDY	3.25
DRAMA	3
FAMILY	4

4 rows in set (0.001 sec)

Q20. select movie_title, round(movie_cost/price_rent_fee, 2) as "Breakeven Rentals" from movie join price on movie.price_code = price.price_code;

movie_title	Breakeven Rentals
The Cesar Family Christmas	9.99
Smokey Mountain Wildlife	29.98
Richard Goodhope	14.99
Beatnik Fever	7.49
Where Hope Dies	12.75
Time to Burn	22.75
What He Doesn't Know	23.32

Q21. MariaDB [movieroom]> select movie_title, movie_year from movie where price_code is not null;

movie_title	movie_year
What He Doesn't Know	2013
The Cesar Family Christmas	2014
Richard Goodhope	2015
Beatnik Fever	2014
Smokey Mountain Wildlife	2011
Where Hope Dies	2005
Time to Burn	2010

7 rows in set (0.025 sec)

Q22. MariaDB [movieroom]> select movie_title, movie_genre, movie_cost from movie where movie_cost between 44.99 and 49.99;

```
+-----+-----+-----+
| movie_title | movie_genre | movie_cost |
+-----+-----+-----+
| Time to Burn | ACTION      | 45.49      |
+-----+-----+-----+
1 row in set (0.028 sec)
```

Q23. MariaDB [movieroom]> select movie_title, price_description, TRIM(TRAILING '.0' FROM price_rent_fee + 0) AS price_rent_fee, movie_genre from movie join price on movie.price_code = price.price_code where movie_genre in ('FAMILY', 'COMEDY', 'DRAMA');

```
+-----+-----+-----+-----+
| movie_title          | price_description | price_rent_fee | movie_genre |
+-----+-----+-----+-----+
| The Cesar Family Christmas | New Release      | 4              | FAMILY      |
| Richard Goodhope        | New Release      | 4              | DRAMA       |
| Beatnik Fever            | New Release      | 4              | COMEDY      |
| Where Hope Dies          | Discount         | 2              | DRAMA       |
| What He Doesn't Know     | Standard         | 2.5            | COMEDY      |
+-----+-----+-----+-----+
5 rows in set (0.002 sec)
```

Q24. MariaDB [movieroom]> select distinct membership.mem_num, mem_fname, mem_lname, mem_balance from membership join rental on membership.mem_num = rental.mem_num;

```
+-----+-----+-----+-----+
| mem_num | mem_fname | mem_lname | mem_balance |
+-----+-----+-----+-----+
| 102     | Tami      | Dawson    | 11          |
| 103     | Curt      | Knight    | 6           |
| 104     | Jamal     | Melendez  | 0           |
| 105     | Iva       | McClain   | 15          |
| 107     | Rosario   | Elliott   | 5           |
| 110     | Lewis     | Rosales   | 0           |
| 111     | Stacy     | Mann      | 8           |
+-----+-----+-----+-----+
7 rows in set (0.002 sec)
```

Q25. MariaDB [movieroom]> select min(mem_balance) as "Minimum Balance", max(mem_balance) as "Maximum Balance", round(avg (mem_balance),2) as "Average Balance" from (select distinct membership.mem_num, membership.mem_balance from membership join rental on membership.mem_num = rental.mem_num) as unique_members;

```

+-----+-----+-----+
| Minimum Balance | Maximum Balance | Average Balance |
+-----+-----+-----+
|           0 |           15 |           6.43 |
+-----+-----+-----+
1 row in set (0.002 sec)

```

```

Q26.MariaDB [movieroom]> select rental.rent_num,
-> date_format(rental.rent_date, '%d-%b-%y'),
-> detailrental.vid_num,
-> movie.movie_title,
-> date_format(detailrental.detail_duedate, '%d-%b-%y'),
-> date_format(detailrental.detail_returndate, '%d-%b-%y')
-> from rental
-> join detailrental on rental.rent_num = detailrental.rent_num
-> join video on detailrental.vid_num = video.vid_num
-> join movie on video.movie_num = movie.movie_num
-> where detailrental.detail_returndate > detailrental.detail_duedate
-> order by rental.rent_num, movie.movie_title;

```

```

+-----+-----+-----+-----+-----+
| rent_num | date_format(rental.rent_date, '%d-%b-%y') | vid_num | movie_title
| date_format(detailrental.detail_duedate, '%d-%b-%y') |
date_format(detailrental.detail_returndate, '%d-%b-%y') |
+-----+-----+-----+-----+-----+
|          |          |          |          |
+-----+-----+-----+-----+-----+
| 1003 | 02-Mar-16 | 54325 | The Cesar Family
Christmas | 04-Mar-16 |          | 09-Mar-16
|
| 1003 | 02-Mar-16 | 61369 | What He Doesn't
Know      | 06-Mar-16 |          | 09-Mar-16
|
| 1003 | 02-Mar-16 | 61388 | Where Hope Dies
          | 06-Mar-16 |          | 09-Mar-16
|
| 1004 | 02-Mar-16 | 44392 | Beatnik Fever
          | 05-Mar-16 |          | 07-Mar-16
|
| 1004 | 02-Mar-16 | 34367 | Richard Goodhope
          | 05-Mar-16 |          | 07-Mar-16
|
+-----+-----+-----+-----+-----+
5 rows in set (0.002 sec)

```



```

Q27. MariaDB [movieroom]> select rental.rent_num,
-> date_format(rental.rent_date,'%d-%b-%y'),
-> movie.movie_title,
-> TRIM(TRAILING '.0' FROM detailrental.detail_fee + 0)
-> from rental
-> join detailrental on rental.rent_num = detailrental.rent_num
-> join video on detailrental.vid_num = video.vid_num
-> join movie on video.movie_num = movie.movie_num
-> where detailrental.detail_returndate <= detailrental.detail_duedate;

```

```

+-----+-----+-----+-----+-----+-----+
| rent_num | date_format(rental.rent_date,'%d-%b-%y') | movie_title |
TRIM(TRAILING '.0' FROM detailrental.detail_fee + 0) |
+-----+-----+-----+-----+-----+-----+
|      1001 | 01-Mar-16 | Smokey Mountain Wildlife | 2
|      1001 | 01-Mar-16 | Richard Goodhope |
3.5 |      1001 | 01-Mar-16 | Time to Burn | 2
|      1002 | 01-Mar-16 | Beatnik Fever |
3.5 |      1004 | 02-Mar-16 | Smokey Mountain Wildlife | 2
|      1005 | 02-Mar-16 | Smokey Mountain Wildlife | 2
|      1005 | 02-Mar-16 | Beatnik Fever |
3.5 |      1006 | 02-Mar-16 | Richard Goodhope |
3.5 |      1008 | 03-Mar-16 | Richard Goodhope |
3.5
+-----+-----+-----+-----+-----+-----+

```

9 rows in set (0.002 sec)

```

Q28. MariaDB [movieroom]> select movie_num,
-> movie_genre,
-> round(
-> (select avg(movie_cost)
-> from movie m2
-> where m2.movie_genre = movie.movie_genre),

```

```

-> ) as "Average Movie Cost",
-> movie_cost,
-> round(
->     ((movie_cost -
->       (select avg(movie_cost)
->         from movie m2
->         where m2.movie_genre = movie.movie_genre))
->     /
->     (select avg(movie_cost)
->       from movie m2
->       where m2.movie_genre = movie.movie_genre)
->     ) * 100, 2
-> ) as "Percentage Difference"
-> from movie;

```

movie_num	movie_genre	Average Movie Cost	movie_cost	Percentage Difference
1234	FAMILY	39.95	39.95	0.00
1235	ACTION	52.72	59.95	13.71
1236	DRAMA	58.46	59.95	2.54
1237	COMEDY	44.12	29.95	-32.12
1238	DRAMA	58.46	89.95	53.86
1239	DRAMA	58.46	25.49	-56.40
1245	ACTION	52.72	45.49	-13.71
1246	COMEDY	44.12	58.29	32.12

```

+
8 rows in set (0.002 sec)

```